



MailXML Version 19.0

Mailing Messages Specification

September 20, 2016

Working Group Chair

Shawn Baldwin, BCC Software

Technical Director

Shariq Mirza, IDEAlliance

Editor:

Dianne Kennedy, IDEAlliance

Copyright (c) International Digital Enterprise Alliance, Inc. [IDEAlliance] (2004 – 2016).
All Rights Reserved.

Mail.dat is a registered trademark of IDEAlliance
Mail.XML is a trademark of IDEAlliance



Copyright and Legal Notices

© 2001 – 2016 International Digital Enterprise Alliance, Inc. All Rights Reserved.

This document may be downloaded and copied provided that the above copyright notice and this Notice are included on all such copies. This document itself may not be modified in any way, except as needed for the purpose of developing International Digital Enterprise Alliance, Inc. ("IDEAlliance") specifications. Use of the specification or standard set forth in this document shall not create for the user any rights in or to such specification or standard or this document, which rights are exclusively reserved to IDEAlliance or its licensors or contributors.

Use of this document and any specification or standard contained herein is voluntary. By making use of this document or any specification or standard contained herein, the user assumes all risks and waives all claims against IDEAlliance, its licensors and contributors. By making this document available, IDEAlliance is not providing any professional services or advice to any person or entity. Any person or entity utilizing this document or any specification or standard contained herein should rely upon the advice of a competent professional before using any such information.

NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, LEGALITY, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THIS DOCUMENT OR IN ANY SPECIFICATION OR STANDARD OR OTHER PRODUCT MADE AVAILABLE BY IDEALLIANCE. THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN AND INCLUDED IN ANY SPECIFICATION OR STANDARD OR OTHER PRODUCT OR SERVICE OF IDEALLIANCE IS PROVIDED ON AN "AS IS" BASIS. IDEALLIANCE DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY ACTUAL OR ASSERTED WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL IDEALLIANCE, ITS LICENSEES, CONTRIBUTORS OR THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, REPRESENTATIVES, SUPPLIERS OR CONTENT OR SERVICE PROVIDERS BE LIABLE FOR DAMAGES OF ANY KIND, INCLUDING WITHOUT LIMITATION, DIRECT, INDIRECT, COMPENSATORY, SPECIAL, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION DAMAGES FROM DATA LOSS OR BUSINESS INTERRUPTION) EVEN IF MADE AWARE OF THE POSSIBILITY OF SUCH DAMAGES, WHETHER IN AN ACTION UNDER CONTRACT, TORT OR ANY OTHER THEORY, ARISING OUT OF OR IN CONNECTION WITH THE USE, INABILITY TO USE OR PERFORMANCE OF THIS DOCUMENT, THE SPECIFICATION OR STANDARD CONTAINED HEREIN, OR ANY OTHER DOCUMENT OR SPECIFICATION OR STANDARD MADE AVAILABLE BY IDEALLIANCE.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law.

IDEAlliance takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed or implicated with respect to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available. IDEAlliance does not represent that it has made any effort to identify any such rights. Information on IDEAlliance's procedures with respect to rights in IDEAlliance specifications can be found at the IDEAlliance website at www.idealliance.org. Copies of third-party claims of rights, assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification, can be obtained from the President of IDEAlliance at patent-disclosure@idealliance.org.

IDEAlliance requests interested parties to disclose any copyrights, trademarks, service marks, patents, patent applications, or other proprietary or intellectual property rights which may cover technology that may be required to implement this specification. Please address the information to the President of IDEAlliance at patent-disclosure@idealliance.org.

Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant and to work with FAST.

Mail.XML and Mail.dat are trademarks of IDEAlliance.

About Mail.XML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing.

The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS.

In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third party communication and incorporating presort planning, printing, and distribution processes.

What's New in Mail.XML Version 19.0?

With this release, the Mail.XML Messaging Protocol moves to Version 19.0. This is a MAJOR release. This release supports ongoing USPS modernization and automation efforts for 2015.

Changes supported by MailXML 19.0 include:

- USPS plans to eliminate the Flats Sequencing System (FSS) pricing cells from price tables and postage statements and manage FSS mail preparation through existing mailing standards and labeling lists as outlined in DMM sections 705 and 708. The flats mailings qualify for the prices based on the sortation level and entry location, regardless of entry to FSS or non FSS zones. Destination entered working bundles at an FSS site will receive destination sectional center facility (DSCF) destination entry discounts. This applies to Standard Mail Flats, Periodicals Flats, and Bound Printed Matter Flats. Enumerations that specifically identify “FSS” are removed from the specification.
- The USPS plans to create a process by which mailers can provide additional supporting content (in the form of digital addresses or URLs) that can then be associated and displayed with the scanned images of mail pieces on the USPS Informed Delivery application dashboard, enhancing the customers experience. This applies to letters and flats of all classes.

- The USPS plans to redesign Collect on Delivery (COD) service to require that the package is held at the Retail office under the Hold for Pickup (HFPU) service. COD mail will be held at the Retail offices for recipient to pick up. The existing COD services will be relabeled as “COD HFPU” and “COD HFPU-Restricted Delivery.” This is a documentation change only.
- The USPS plans to add the EntryLocaleKey element to the abstractPeriodicalStatementDataType because the periodical child statements are also being generated by the entry locale key (in addition to the entry Postal code).
- :The USPS plans to require the MailingGroupID in the MailXMLHeaderInfo attribute group as part of cleanup as all current industry users populate this now.

About MailXML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

MailXML Module Versioning Rules

The following versioning rules will be followed:

- The MailXML wrapper schema*.xsd) will always be given the next higher version number (or Errara designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations:
`xmlns:mailxml="http://idealliance.org/Specs/mailxml19.0/mailxml"`
`targetNamespace="http://idealliance.org/Specs/mailxml19.0/mailxml"`
- When updates are made, only those modules that are updated will be given the next higher version number (or Errara letter designation).

- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) **and** all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as
xmlns:mailxml="http://idealliance.org/Specs/mailxml15.0A/mailxml" then at least one of the XSDs is at same version such as filename = 'mailxml_15.0.A.xsd' <- Errata A
- If the wrapper version is labeled as
xmlns:mailxml="http://idealliance.org/Specs/mailxml15.0B/mailxml" then at least one of the XSDs is at same version such as filename = 'mailxml_15.0B.xsd' <- Errata B
- If the wrapper version is labeled as
xmlns:mailxml="http://idealliance.org/Specs/mailxml15.0/mailxml" then at least one of the XSDs is at same version such as filename = 'mailxml_15.0.xsd' <- Major Version

MailXML 19.0 XSD Modules:

The following MailXML XSD modules/namespaces are used:

- **mailxml_tm.xsd:** This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml tm:**
- **mailxml_mm.xsd:** This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml mm:**
- **mailxml_iv.xsd:** This module contains informed visibility messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml iv:**
- **mailxml_dd.xsd:** This module contains all the data distribution messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml dd:**
- **mailxml_id.xsd:** This module contains all the identification messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml id:**
- **mailxml_sc.xsd:** This module contains all the supply chain messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml sc:**
- **mailxml_defs.xsd:** This module contains all the common definitions of attributes, elements and complex types that are used across two or more message types. **Namespace=mailxml defs:**
- **mailxml_base.xsd:** This module contains simple types that are shared across two or more modules that make up mailxml. These can be considered a building block for any message group. **Namespace=mailxml base:**
- **mailxml.xsd:** This module contains the system messages of MailXML and is used to build custom profiles for MailXML. **Namespace=mailxml:**

The Mail.XML™ 19 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 16.0.

Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- *Mail.XML™ 19.0: Transportation Messaging Specification* documents all transportation messages
- *Mail.XML™ 19.0: Mailing Messaging Specification* documents all mailing messages
- *Mail.XML™ 19.0: Informed Visibility Specification* documents all informed visibility messages
- *Mail.XML™ 19.0: Data Distribution Messaging Specification* documents all data distribution messages
- *Mail.XML™ 19.0: Identification Messaging Specification* documents all identification messages
- *Mail.XML™ 19.0: Supply Chain Messaging Specification* documents all supply chain messages
- *Mail.XML™ 19.0: System Messaging Specification* documents all systems and fault messages
- *Mail.XML™ 19.0: Simple Types Specification* documents all simple types used across MailXML messages
- *Mail.XML™ 19.0: Common Definitions Specification* documents all shared elements and complex types.
- *Mail.XML™ 19.0: Schemas* contains the .XSDs that make up the MailXML Messaging Specification

Table of Contents

Abstract.....	i
About Mail.XML™	i
What’s New in Mail.XML Version 19.0?.....	i
About MailXML Schema Modularization	ii
MailXML Module Versioning Rules.....	ii
MailXML 19.0 XSD Modules:.....	iii
The Mail.XML™ 19 Messaging Documentation Set	iii
1 Index.....	1
2 Elements, Attributes and Types Definitions	5

1 Index

Elements

[BeginCombinedMailingRequest](#)
[BeginCombinedMailingResponse](#)
[BundleDetailCancelRequest](#)
[BundleDetailCancelResponse](#)
[BundleDetailCreateRequest](#)
[BundleDetailCreateResponse](#)
[CloseMailingGroupRequest](#)
[CloseMailingGroupResponse](#)
[ComponentQueryRequest](#)
[ComponentQueryResponse](#)
[ComponentUpdateRequest](#)
[ComponentUpdateResponse](#)
[ConsolidatedPeriodicalStatementCreateRequest](#)
[ConsolidatedPeriodicalStatementCreateResponse](#)
[ContainerBundleReportCancelRequest](#)
[ContainerBundleReportCancelResponse](#)
[ContainerBundleReportCreateRequest](#)
[ContainerBundleReportCreateResponse](#)
[ContainerBundleReportQueryRequest](#)
[ContainerBundleReportQueryResponse](#)
[ContainerBundleReports](#)
[ContainerBundleSummaryRecords](#)
[ContainerBundleVersionRecords](#)
[ContainerManifestCancelRequest](#)
[ContainerManifestCancelResponse](#)
[ContainerManifestCreateRequest](#)

Complex types

[abstractInternationalPostageStatementDataType](#)
[abstractPeriodicalStatementDataType](#)
[abstractPostageStatementDataType](#)
[accountHeaderInfoBlockType](#)
[bundleDetailType](#)
[bundleRecordType](#)
[bundleVersionRecordType](#)
[certificationDataType](#)
[componentPeriodicalAdpercentType](#)
[componentWeightUpdateType](#)
[containerCountType](#)
[containerManifestType](#)
[containerPostageType](#)
[containerType](#)
[createConsolidatedPeriodicalStatementDataType](#)
[createInternationalPostageStatementType](#)
[createPeriodicalStatementType](#)
[createPostageStatementType](#)
[customerMailReportInfoType](#)
[customsType](#)
[fullComponentType](#)
[internationalPostageStatementDataType](#)
[invoiceLineItemDataType](#)
[invoiceRequestHeaderInfoType](#)
[invoiceResponseHeaderInfoType](#)
[invoiceSummaryDataType](#)

Attr. groups

[ContainerManifestHeaderInfo](#)
[MailXMLDashboardHeaderInfo](#)
[MailXMLMailGroupRequestHeaderInfo](#)
[MailXMLMailGroupResponseHeaderInfo](#)
[MailXMLOpenMailGroupRequestHeaderInfo](#)
[MailXMLOpenMailGroupResponseAcceptHeaderInfo](#)
[MailXMLOpenMailGroupResponseRejectHeaderInfo](#)
[MailXMLPostageStatementRequestHeaderInfo](#)
[MailXMLPostageStatementResponseHeaderInfo](#)
[MailXMLQualReportRequestHeaderInfo](#)
[MailXMLQualReportResponseHeaderInfo](#)
[ManifestScanHeaderInfo](#)
[PostageMessageHeaderInfo](#)

Simple types

[agencyCostCodeType](#)
[BRMFeeType](#)
[BRMType](#)
[chargeableBundleLevelType](#)
[chargeableContainerLevelType](#)
[chargeableContainerType](#)
[chargeableEntryLevelType](#)
[containerBundleStatusType](#)
[directOrMixedCategoryType](#)
[DMLTypeType](#)
[entryDiscountType](#)

<u>st</u>		
<u>ContainerManifestCreateResponse</u>	<u>mailCharacteristicsType</u>	<u>errorWarningCodeType</u>
<u>ContainerManifestUpdateRequest</u>	<u>mailerDataRequestType</u>	<u>fspiType</u>
<u>ContainerManifestUpdateResponse</u>	<u>mailerDataType</u>	<u>gpExtraServiceTypeType</u>
<u>ContainerUpdateRequest</u>	<u>mailingGroupDataType</u>	<u>internationalPSPartSectionType</u>
<u>ContainerUpdateResponse</u>	<u>mailOwnerBlockType</u>	<u>internationalPSPartType</u>
<u>CustomerMailReportCreateRequest</u>	<u>mailPieceBlockGroupType</u>	<u>internationalZoneType</u>
<u>CustomerMailReportCreateResponse</u>	<u>mailPieceBlockType</u>	<u>invoiceStatusType</u>
<u>DateRange</u>	<u>mailPieceCancelType</u>	<u>manifestExtraServiceCode</u>
<u>DocumentVersionData</u>	<u>mailPieceRequestType</u>	<u>manifestMailClassType</u>
<u>DocumentVersionDataWithPermit</u>	<u>mailXMLPieceRangeBlockType</u>	<u>manifestRateLevelIndicatorType</u>
<u>EndCombinedMailingRequest</u>	<u>manifestAndOrderIDInfoBlockType</u>	<u>manifestType</u>
<u>EndCombinedMailingResponse</u>	<u>manifestErrorWarningDetailType</u>	<u>onePassOrTwoPassType</u>
<u>ExtraServiceSummaryData</u>	<u>manifestErrorWarningSummaryType</u>	<u>periodicalPriceType</u>
<u>InternationalPostageStatementCreateRequest</u>	<u>manifestMailPieceSummaryType</u>	<u>postageAutoFinalizationType</u>
<u>InternationalPostageStatementCreateResponse</u>	<u>manifestMailPieceType</u>	<u>postagePaymentMethodType</u>
<u>InternationalPostageStatementLineItemData</u>	<u>manifestMailType</u>	<u>priceType</u>
<u>InternationalPostageStatementLineItemSummaryData</u>	<u>manifestPaymentExtractDataType</u>	<u>rateCategoryType</u>
<u>InternationalPostageStatementQueryRequest</u>	<u>manifestPieceListType</u>	<u>referenceableMailContentTypeType</u>
<u>InternationalPostageStatementQueryResponse</u>	<u>manifestTrackingInformationType</u>	<u>residualPrepType</u>
<u>InvoiceDelivery</u>	<u>palletContainerRecordType</u>	<u>trayTypeIndicatorType</u>
<u>InvoiceQueryRequest</u>	<u>palletContainerVersionRecordType</u>	
<u>InvoiceQueryResponse</u>	<u>paymentInformationType</u>	
<u>LineItemSummaryData</u>	<u>PDRMailPieceBlockType</u>	
<u>MailingGroupQueryRequest</u>	<u>periodicalStatementDataType</u>	
<u>MailingGroupQueryResponse</u>	<u>pieceRangeBlockType</u>	
<u>MailingGroupSummary</u>	<u>postageStatementDataType</u>	
<u>MailPieceCancelRequest</u>	<u>qualificationPreparerDataType</u>	
<u>MailPieceCancelResponse</u>	<u>qualificationReportDataType</u>	
<u>MailPieceCreateRequest</u>	<u>qualificationReportDetailDataType</u>	
<u>MailPieceCreateResponse</u>	<u>qualificationReportSummaryDataType</u>	
<u>MailPieceUpdateRequest</u>	<u>referenceableMailContentGroupType</u>	
<u>MailPieceUpdateResponse</u>	<u>referenceableMailDataType</u>	
<u>ManifestCancelRequest</u>	<u>sackTrayContainerRecordType</u>	

<u>ManifestCancelResponse</u>	<u>pe</u>
<u>ManifestCreateRequest</u>	<u>sackTrayContainerVersionR</u>
<u>ManifestCreateResponse</u>	<u>ecordType</u>
<u>ManifestPaymentExtractQueryRequest</u>	<u>specialProductInformationT</u>
<u>ManifestPaymentExtractDelivery</u>	<u>ype</u>
<u>ManifestPaymentExtractNotification</u>	<u>STCForContainerOrTrayTyp</u>
<u>ManifestPaymentExtractQueryResponse</u>	<u>e</u>
<u>OpenMailingGroupRequest</u>	<u>summaryRecordUpdateType</u>
<u>OpenMailingGroupResponse</u>	<u>summaryZipDestinationRep</u>
<u>PaymentMessage</u>	<u>ortType</u>
<u>PaymentMessageQueryRequest</u>	<u>tMSDataLoggerDetailType</u>
<u>PaymentMessageQueryResponse</u>	
<u>PeriodicalLineItemData</u>	
<u>PeriodicalStatementCreateRequest</u>	
<u>PeriodicalStatementCreateResponse</u>	
<u>PeriodicalStatementQueryRequest</u>	
<u>PeriodicalStatementQueryResponse</u>	
<u>PostageStatementCancelRequest</u>	
<u>PostageStatementCancelResponse</u>	
<u>PostageStatementCreateRequest</u>	
<u>PostageStatementCreateResponse</u>	
<u>PostageStatementLineItemData</u>	
<u>PostageStatementQueryRequest</u>	
<u>PostageStatementQueryResponse</u>	
<u>PostageStatementStatusQueryRequest</u>	
<u>PostageStatementStatusQueryResponse</u>	
<u>QualificationReportCreateRequest</u>	
<u>QualificationReportCreateResponse</u>	
<u>QualificationReportDetailCreateRequest</u>	
<u>QualificationReportDetailCreateResponse</u>	

[QualificationReportQueryRequest](#)
[QualificationReportQueryResponse](#)
[QualificationReportSummaryCreateRequest](#)
[QualificationReportSummaryCreateResponse](#)
[QualificationSummaryReportReconciliationReport](#)
[ReconciliationReportQueryRequest](#)
[ReconciliationReportQueryResponse](#)
[SummaryZipDestinationReportCreateRequest](#)
[SummaryZipDestinationReportCreateResponse](#)
[TMSDataLoggerDelivery](#)
[TMSDataLoggerNotification](#)
[TMSDataLoggerQueryRequest](#)
[TMSDataLoggerQueryResponse](#)

2 Elements, Attributes and Types Definitions

element **BeginCombinedMailingRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				

	mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory	mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Request to begin a combined mailing in which multiple postage payment methods (and or multiple permit numbers within the same payment method) are presorted together.	

element BeginCombinedMailingRequest/SubmittingParty

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element BeginCombinedMailingRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			


MailXML Version 19.0 Mailing Messages Specification

	mailxml_defs:Vendor	xs:string	required
	mailxml_defs:Version	xs:string	required
	mailxml_defs:ApprovalDate	xs:date	
	mailxml_defs:ApprovalKey	xs:string	


element **BeginCombinedMailingRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BeginCombinedMailingResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:BeginCombinedMailingAccept mailxml_mm:BeginCombinedMailingReject
annotation	documentation Response from USPS to begin a combined mailing.


element **BeginCombinedMailingResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **BeginCombinedMailingResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BeginCombinedMailingResponse/BeginCombinedMailingAccept**

diagram	
---------	--


MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:CombinedMailingID mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:Status	mailxml_base:statusType				
annotation	documentation Response from USPS indicating that combined mailing began.					


element **BeginCombinedMailingResponse/BeginCombinedMailingAccept/CombinedMailingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **BeginCombinedMailingResponse/BeginCombinedMailingAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **BeginCombinedMailingResponse/BeginCombinedMailingReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:Status	mailxml_base:statusType				

annotation	documentation Response from USPS indicating that combined mailing could not be established and why.
------------	--

element BeginCombinedMailingResponse/BeginCombinedMailingReject/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element BundleDetailCancelRequest

diagram													
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm												
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaidatJobID mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:ContainerID mailxml_mm:BundleID												
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25				
Name	Type	Use	Default	Fixed	Annotation								
mailxml_defs:CustomerGroupID	mailxml_base:s25												

	D mailxml_defs:MailingGroupID xs:nonNegativeInteger require d mailxml_defs:MaildatJobID mailxml_base:jobIDType mailxml_defs:UserLicenseCode mailxml_base:userLicenseCodeType
annotation	documentation Request to cancel unique bundle detail.

element BundleDetailCancelRequest/SubmittingParty

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element BundleDetailCancelRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			


MailXML Version 19.0 Mailing Messages Specification

	mailxml_defs:Vendor	xs:string	required
	mailxml_defs:Version	xs:string	required
	mailxml_defs:ApprovalDate	xs:date	
	mailxml_defs:ApprovalKey	xs:string	


element **BundleDetailCancelRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCancelRequest/UserLicenseCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCancelRequest/MaildatJobID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCancelRequest/CustomerGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCancelRequest/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCancelRequest/ContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCancelRequest/BundleID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCancelResponse**

diagram	 The diagram shows the structure of the BundleDetailCancelResponse element. It is a container element with a dashed border. Inside, there is a sequence of elements: mailxml_mm:TrackingID (dashed border), mailxml_mm:SubmitterTrackingID (dashed border), mailxml_mm:BundleDetailCancelAccept (solid border), and mailxml_mm:BundleDetailCancelReject (solid border). The first two elements are grouped together by a dashed line, and the last two are grouped together by a dashed line.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:BundleDetailCancelAccept mailxml_mm:BundleDetailCancelReject
annotation	documentation Response to the request to cancel unique bundle detail.


element **BundleDetailCancelResponse/TrackingID**

diagram	 The diagram shows the structure of the mailxml_mm:TrackingID element. It is a simple element with a dashed border.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **BundleDetailCancelResponse/SubmitterTrackingID**

diagram	 The diagram shows the structure of the mailxml_mm:SubmitterTrackingID element. It is a simple element with a dashed border.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **BundleDetailCancelResponse/BundleDetailCancelAccept**

diagram	 <p>The diagram illustrates the structure of the mailxml_mm:BundleDetailCancelAccept element. It is a container element with a solid border. Inside, there is a sequence of elements: attributes (dashed border), grp mailxml_defs:MailXMLHeaderInfo (dashed border), mailxml_defs:CustomerGroupID (dashed border), mailxml_defs:MailingGroupID (dashed border), mailxml_defs:MaildatJobID (dashed border), mailxml_defs:UserLicenseCode (dashed border), and mailxml_mm:ReturnInfo (dashed border). The first six elements are grouped together by a dashed line, and the last element is grouped together by a dashed line.</p>																														
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

element **BundleDetailCancelResponse/BundleDetailCancelAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **BundleDetailCancelResponse/BundleDetailCancelReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element **BundleDetailCancelResponse/BundleDetailCancelReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **BundleDetailCreateRequest**

diagram	<pre>graph LR BDCR[BundleDetailCreateRequest] --- Attributes[attributes] BDCR --- Sequence[Sequence] Attributes --- MailXMLDefs[grp mailxml_defs:MailXMLHeaderInfo] MailXMLDefs --- CGroupID[mailxml_defs:CustomerGroupID] MailXMLDefs --- MailingGroupID[mailxml_defs:MailingGroupID] MailXMLDefs --- MaildatJobID[mailxml_defs:MaildatJobID] MailXMLDefs --- UserLicenseCode[mailxml_defs:UserLicenseCode] Sequence --- SubmittingParty[mailxml_mm:SubmittingParty] Sequence --- SubmittingSoftware[mailxml_mm:SubmittingSoftware] Sequence --- SubmitterTrackingID[mailxml_mm:SubmitterTrackingID] Sequence --- BundleDetail[mailxml_mm:BundleDetail] SubmittingParty -- "+" --> SubmittingParty SubmittingSoftware -- "+" --> SubmittingSoftware SubmitterTrackingID -- "+" --> SubmitterTrackingID BundleDetail -- "+" --> BundleDetail Sequence -- "1..∞" --> Sequence</pre>																														
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:BundleDetail																														
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
annotation	documentation Request to create unique bundle detail information.																														


element **BundleDetailCreateRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **BundleDetailCreateRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **BundleDetailCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **BundleDetailCreateRequest/BundleDetail**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:BundleID mailxml_mm:TotalPieces mailxml_mm:TotalCopies mailxml_mm:BundleZip mailxml_mm:BundleCarrierRoute mailxml_mm:DestinationEntry mailxml_mm:Zone mailxml_mm:DestinationZip mailxml_mm:OutsideCountyBundleIndicator mailxml_mm:ChargeableBundleIndicator mailxml_mm:SortationLevel mailxml_mm:BundleLevel mailxml_mm:ParentBundleID mailxml_mm:BundleBarcode mailxml_mm:BundleStatus mailxml_mm:BundleRecordStatus mailxml_mm:USPSPackageUniqueCharacteristic mailxml_mm:BundleVersion


element **BundleDetailCreateResponse**

diagram	 The diagram shows the structure of the BundleDetailCreateResponse element. It is a container element with a dashed border. Inside, there is a sequence of elements: mailxml_mm:TrackingID , mailxml_mm:SubmitterTrackingID , mailxml_mm:BundleDetailCreateAccept , and mailxml_mm:BundleDetailCreateReject . The first two are grouped together in a dashed box, and the last two are grouped together in another dashed box. The element is connected to a sequence connector (a circle with three dots) and a choice connector (a circle with a plus sign).
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:BundleDetailCreateAccept mailxml_mm:BundleDetailCreateReject
annotation	documentation Response to the request to create unique bundle detail information.


element **BundleDetailCreateResponse/TrackingID**

diagram	 The diagram shows the structure of the mailxml_mm:TrackingID element. It is a simple element with a dashed border.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **BundleDetailCreateResponse/SubmitterTrackingID**

diagram	 The diagram shows the structure of the mailxml_mm:SubmitterTrackingID element. It is a simple element with a dashed border.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **BundleDetailCreateResponse/BundleDetailCreateAccept**

diagram																															
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

element **BundleDetailCreateResponse/BundleDetailCreateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **BundleDetailCreateResponse/BundleDetailCreateReject**

diagram																															
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

element **BundleDetailCreateResponse/BundleDetailCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **CloseMailingGroupRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation Request for USPS to close or delete a Mailing Group that does not suit their business needs.					


element **CloseMailingGroupRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **CloseMailingGroupRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **CloseMailingGroupRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **CloseMailingGroupResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:CloseMailingGroupAccept mailxml_mm:CloseMailingGroupReject
annotation	documentation Response from USPS to the request to close or delete a Mailing Group that does not suit their business needs.

element **CloseMailingGroupResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **CloseMailingGroupResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **CloseMailingGroupResponse/CloseMailingGroupAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

annotation	documentation Response from USPS that a Mailing Group has been closed.
------------	---

element **CloseMailingGroupResponse/CloseMailingGroupAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **CloseMailingGroupResponse/CloseMailingGroupReject**

diagram																									
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																								
children	mailxml_mm:ReturnInfo																								
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_mm:CustomerGroupID</td><td>mailxml_base:s25</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:Status</td><td>mailxml_base:statusType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								
annotation	<p>documentation</p> <p>Response from USPS that a Mailing Group could not be closed and why.</p>																								

element **CloseMailingGroupResponse/CloseMailingGroupReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ComponentQueryRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:Component

element **ComponentQueryRequest/SubmittingParty**

diagram																									
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																								
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																								
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																								
mailxml_defs:CRID	mailxml_base:CRIDType																								

mailxml_defs:SchedulerID	mailxml_base:s12
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType
mailxml_defs:ShippingAgentID	mailxml_base:s12
mailxml_defs:ReceivingAgentID	mailxml_base:s12

element ComponentQueryRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element ComponentQueryRequest/SubmitterTrackingID

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element ComponentQueryRequest/Component

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID					


element **ComponentQueryResponse**

diagram	 The diagram shows the structure of the ComponentQueryResponse element. It is a container element (rectangle with a small square on the left) that contains a sequence of elements (indicated by a dashed line with three dots). The sequence starts with a choice element (octagon with a circle inside) containing two elements: mailxml_mm:TrackingID and mailxml_mm:SubmitterTrackingID . This is followed by another choice element (octagon with a circle inside) containing two elements: mailxml_mm:ComponentQueryAccept and mailxml_mm:ComponentQueryReject . The sequence is marked with a cardinality of 1..∞.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ComponentQueryAccept mailxml_mm:ComponentQueryReject


element **ComponentQueryResponse/TrackingID**

diagram	 The diagram shows the structure of the mailxml_mm:TrackingID element, which is a simple text element (rectangle with a small square on the left).
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ComponentQueryResponse/SubmitterTrackingID**

diagram	 The diagram shows the structure of the mailxml_mm:SubmitterTrackingID element, which is a simple text element (rectangle with a small square on the left).
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ComponentQueryResponse/ComponentQueryAccept**

diagram	 The diagram shows the structure of the mailxml_mm:ComponentQueryAccept element. It is a container element (rectangle with a small square on the left) that contains a sequence of elements (indicated by a dashed line with three dots). The sequence starts with a choice element (octagon with a circle inside) containing four elements: mailxml_mm:Component , mailxml_mm:ComponentWeight , mailxml_mm:ComponentAdPercent , and mailxml_mm:ReturnInfo .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentAdPercent mailxml_mm:ReturnInfo


element **ComponentQueryResponse/ComponentQueryAccept/Component**

diagram	 The diagram shows the structure of the mailxml_mm:Component element. It is a container element (rectangle with a small square on the left) that contains a sequence of elements (indicated by a dashed line with three dots). The sequence starts with a choice element (octagon with a circle inside) containing three elements: mailxml_mm:UserLicenseCode , mailxml_mm:MaildatJobID , and mailxml_mm:ComponentID . The entire sequence is enclosed in a dashed box labeled mailxml_mm:fullComponentType .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID


element **ComponentQueryResponse/ComponentQueryAccept/ComponentWeight**

diagram	 <p>The diagram shows the <code>mailxml_mm:ComponentWeight</code> element connected to a container box labeled <code>mailxml_mm:componentWeightUpdateType</code>. Inside this container, there are four child elements: <code>mailxml_mm:Component</code>, <code>mailxml_mm:ComponentWeight</code>, <code>mailxml_mm:ComponentWeightSource</code>, and <code>mailxml_mm:ComponentWeightStatus</code>. The <code>mailxml_mm:ComponentWeight</code> element is shown with a dashed border and a plus sign, indicating it is optional.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentWeightSource mailxml_mm:ComponentWeightStatus


element **ComponentQueryResponse/ComponentQueryAccept/ComponentAdPercent**

diagram	 <p>The diagram shows the <code>mailxml_mm:ComponentAdPercent</code> element connected to a container box labeled <code>mailxml_mm:componentPeriodicalAdpercentType</code>. Inside this container, there are four child elements: <code>mailxml_mm:Component</code>, <code>mailxml_mm:ComponentPeriodicalAdPercent</code>, <code>mailxml_mm:ComponentPeriodicalAdPerce...</code>, and <code>mailxml_mm:ComponentPeriodicalAdPerce...</code>. The <code>mailxml_mm:Component</code> element is shown with a dashed border and a plus sign, indicating it is optional.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentPeriodicalAdPercent mailxml_mm:ComponentPeriodicalAdPercentStatus mailxml_mm:ComponentPeriodicalAdPercentBasis

element **ComponentQueryResponse/ComponentQueryAccept/ReturnInfo**


diagram	 <p>The diagram shows the <code>mailxml_mm:ReturnInfo</code> element connected to a container box labeled <code>mailxml_defs:basicReturnInfoType</code>. Inside this container, there are four child elements: <code>mailxml_defs:ReturnCode</code>, <code>mailxml_defs:ReturnDescription</code>, <code>mailxml_defs:errorWarning</code>, and <code>mailxml_defs:ContainerErrorWarningBlock</code>. The <code>mailxml_defs:ReturnCode</code> and <code>mailxml_defs:errorWarning</code> elements are shown with dashed borders and plus signs, indicating they are optional. The <code>mailxml_defs:ContainerErrorWarningBlock</code> element is shown with a dashed border and a plus sign, indicating it is optional. The <code>mailxml_defs:ReturnDescription</code> element is shown with a dashed border, indicating it is optional. The <code>mailxml_defs:ReturnCode</code> and <code>mailxml_defs:errorWarning</code> elements have a cardinality of <code>0..∞</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element **ComponentQueryResponse/ComponentQueryReject**


diagram	 <p>The diagram shows the <code>mailxml_mm:ComponentQueryReject</code> element connected to a container box. Inside this container, there are two child elements: <code>mailxml_mm:Component</code> and <code>mailxml_mm:ReturnInfo</code>. Both elements are shown with dashed borders and plus signs, indicating they are optional.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:Component mailxml_mm:ReturnInfo
----------	--


element ComponentQueryResponse/ComponentQueryReject/Component

diagram	 <p>The diagram shows a box labeled <code>mailxml_mm:Component</code> connected to a dashed box labeled <code>mailxml_mm:fullComponentType</code>. Inside the dashed box, there are three stacked boxes: <code>mailxml_mm:UserLicenseCode</code>, <code>mailxml_mm:MaildatJobID</code>, and <code>mailxml_mm:ComponentID</code>. The connection is a solid line with a small circle at the end of the <code>mailxml_mm:Component</code> box and a small circle at the start of the dashed box.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

element ComponentQueryResponse/ComponentQueryReject/ReturnInfo

diagram	 <p>The diagram shows a box labeled <code>mailxml_mm:ReturnInfo</code> connected to a dashed box labeled <code>mailxml_defs:basicReturnInfoType</code>. Inside the dashed box, there are four stacked boxes: <code>mailxml_defs:ReturnCode</code>, <code>mailxml_defs:ReturnDescription</code>, <code>mailxml_defs:errorWarning</code> (with a plus sign in a box), and <code>mailxml_defs:ContainerErrorWarningBlock</code> (with a plus sign in a box). The connection is a solid line with a small circle at the end of the <code>mailxml_mm:ReturnInfo</code> box and a small circle at the start of the dashed box. There are also labels <code>0..∞</code> near the dashed box and <code>0..∞</code> near the <code>mailxml_defs:ContainerErrorWarningBlock</code> box.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element ComponentUpdateRequest

diagram	 <p>The diagram shows a box labeled <code>ComponentUpdateRequest</code> connected to a dashed box. Inside the dashed box, there are five stacked boxes: <code>mailxml_mm:SubmittingParty</code> (with a plus sign in a box), <code>mailxml_mm:SubmittingSoftware</code> (with a plus sign in a box), <code>mailxml_mm:SubmitterTrackingID</code> (with a plus sign in a box), <code>mailxml_mm:PieceWeightUpdate</code> (with a plus sign in a box), and <code>mailxml_mm:AdPercentUpdate</code> (with a plus sign in a box). The connection is a solid line with a small circle at the end of the <code>ComponentUpdateRequest</code> box and a small circle at the start of the dashed box. There are also labels <code>0..∞</code> near the dashed box and <code>0..∞</code> near the <code>mailxml_mm:AdPercentUpdate</code> box.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:PieceWeightUpdate mailxml_mm:AdPercentUpdate
annotation	documentation Request to update component weight or ad percent


element **ComponentUpdateRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **ComponentUpdateRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **ComponentUpdateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ComponentUpdateRequest/PieceWeightUpdate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentWeightSource mailxml_mm:ComponentWeightStatus


element **ComponentUpdateRequest/AdPercentUpdate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentPeriodicalAdPercent mailxml_mm:ComponentPeriodicalAdPercentStatus mailxml_mm:ComponentPeriodicalAdPercentBasis

element **ComponentUpdateResponse**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ComponentUpdateAccept mailxml_mm:ComponentUpdateReject

element **ComponentUpdateResponse/TrackingID**


diagram	
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element ComponentUpdateResponse/SubmitterTrackingID

diagram	 A dashed box containing the text <code>mailxml_mm:SubmitterTrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element ComponentUpdateResponse/ComponentUpdateAccept

diagram	 A diagram showing a box for <code>mailxml_mm:ComponentUpdateAccept</code> connected to a container box. Inside the container box are two sub-elements: <code>mailxml_mm:Component</code> and <code>mailxml_mm:ReturnInfo</code> . The <code>mailxml_mm:ReturnInfo</code> element is shown with a dashed border.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ReturnInfo


element ComponentUpdateResponse/ComponentUpdateAccept/Component

diagram	 A diagram showing a box for <code>mailxml_mm:Component</code> connected to a container box. Inside the container box are three sub-elements: <code>mailxml_mm:UserLicenseCode</code> , <code>mailxml_mm:MaidatJobID</code> , and <code>mailxml_mm:ComponentID</code> . The container box is labeled <code>mailxml_mm:fullComponentType</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaidatJobID mailxml_mm:ComponentID

element ComponentUpdateResponse/ComponentUpdateAccept/ReturnInfo


diagram	 A diagram showing a dashed box for <code>mailxml_mm:ReturnInfo</code> connected to a container box. Inside the container box are four sub-elements: <code>mailxml_defs:ReturnCode</code> , <code>mailxml_defs:ReturnDescription</code> , <code>mailxml_defs:errorWarning</code> , and <code>mailxml_defs:ContainerErrorWarningBlock</code> . The container box is labeled <code>mailxml_defs:basicReturnInfoType</code> . Multiplicity values of <code>0..∞</code> are shown for the <code>errorWarning</code> and <code>ContainerErrorWarningBlock</code> elements.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element ComponentUpdateResponse/ComponentUpdateReject


diagram	 A diagram showing a box for <code>mailxml_mm:ComponentUpdateReject</code> connected to a container box. Inside the container box are two sub-elements: <code>mailxml_mm:Component</code> and <code>mailxml_mm:ReturnInfo</code> .
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ReturnInfo

element ComponentUpdateResponse/ComponentUpdateReject/Component

diagram	 <p>The diagram shows a box labeled <code>mailxml_mm:Component</code> connected to a dashed box labeled <code>mailxml_mm:fullComponentType</code>. Inside the dashed box, there are three stacked boxes: <code>mailxml_mm:UserLicenseCode</code>, <code>mailxml_mm:MaildatJobID</code>, and <code>mailxml_mm:ComponentID</code>. The connection is a solid line with a small circle at the end of the <code>mailxml_mm:Component</code> box and a small square at the start of the dashed box.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

element ComponentUpdateResponse/ComponentUpdateReject/ReturnInfo

diagram	 <p>The diagram shows a box labeled <code>mailxml_mm:ReturnInfo</code> connected to a dashed box labeled <code>mailxml_defs:basicReturnInfoType</code>. Inside the dashed box, there are four stacked boxes: <code>mailxml_defs:ReturnCode</code>, <code>mailxml_defs:ReturnDescription</code>, <code>mailxml_defs:errorWarning</code>, and <code>mailxml_defs:ContainerErrorWarningBlock</code>. The <code>mailxml_defs:errorWarning</code> and <code>mailxml_defs:ContainerErrorWarningBlock</code> boxes have a small square with a plus sign in the top right corner. The connection is a solid line with a small circle at the end of the <code>mailxml_mm:ReturnInfo</code> box and a small square at the start of the dashed box. The dashed box has a <code>0..∞</code> label at the bottom right.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element **ConsolidatedPeriodicalStatementCreateRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CreateConsolidatedPeriodicalStatementData					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				
	mailxml_mm:RateType	mailxml_base:rateType				
	mailxml_mm:ProcessingCategory	mailxml_base:processingCategoryType				

annotation	documentation A message requesting the creation of a consolidated periodical statement.
------------	--


element ConsolidatedPeriodicalStatementCreateRequest/SubmittingParty

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element ConsolidatedPeriodicalStatementCreateRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **ConsolidatedPeriodicalStatementCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ConsolidatedPeriodicalStatementCreateRequest/CreateConsolidatedPeriodicalStatementData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PeriodicalStatement mailxml_mm:FirstStatementSequenceNumber mailxml_mm:LastStatementSequenceNumber mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PublisherData mailxml_mm:MailingAgentData mailxml_mm:ContainerCount mailxml_mm:PeriodicalLineItemData


element **ConsolidatedPeriodicalStatementCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ConsolidatedPeriodicalStatementCreateAccept mailxml_mm:ConsolidatedPeriodicalStatementCreateReject
annotation	documentation Response to the message requesting the creation of a consolidated periodical statement.


element **ConsolidatedPeriodicalStatementCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ConsolidatedPeriodicalStatementCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element
ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:StatementID mailxml_mm:TotalPostage mailxml_mm:PostageStatementStatus mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

element
ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/StatementID


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element
ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/TotalPostage

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/PostageStatementStatus

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateReject


diagram						
---------	--	--	--	--	--	--

element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateReject/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerBundleReportCancelRequest**

diagram																															
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																														
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
annotation	documentation Request to cancel a container report.																														


element **ContainerBundleReportCancelRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **ContainerBundleReportCancelRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **ContainerBundleReportCancelRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerBundleReportCancelResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerBundleReportCancelAccept mailxml_mm:ContainerBundleReportCancelReject
annotation	documentation Response to the request to cancel a container report.


element **ContainerBundleReportCancelResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerBundleReportCancelResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerBundleReportCancelResponse/ContainerBundleReportCancelAccept**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerBundleReportID mailxml_mm:ReturnInfo

MailXML Version 19.0 Mailing Messages Specification


attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element


ContainerBundleReportCancelResponse/ContainerBundleReportCancelAccept/ContainerBundleReportID

diagram	 <p>The diagram shows a single rectangular box labeled <code>mailxml_mm:ContainerBundleReportID</code>. A small square icon is at the top left, and a larger square icon is at the bottom right. The cardinality <code>1..∞</code> is indicated at the bottom right of the box.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerBundleReportCancelResponse/ContainerBundleReportCancelAccept/ReturnInfo**

diagram	 <p>The diagram shows a dashed box labeled <code>mailxml_mm:ReturnInfo</code> on the left. It is connected by a line with a small square icon to a larger dashed box on the right. The larger box is labeled <code>mailxml_defs:basicReturnInfoType</code> and contains four sub-elements: <code>mailxml_defs:ReturnCode</code>, <code>mailxml_defs:ReturnDescription</code>, <code>mailxml_defs:errorWarning</code>, and <code>mailxml_defs:ContainerErrorWarningBlock</code>. Each sub-element is in a dashed box. The cardinality <code>0..∞</code> is indicated at the bottom right of the larger box.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element **ContainerBundleReportCancelResponse/ContainerBundleReportCancelReject**

diagram	 <p>The diagram shows a rectangular box labeled <code>mailxml_mm:ContainerBundleReportCancel...</code> on the left. It is connected by a line with a small square icon to a larger box on the right. The larger box is labeled <code>attributes</code> and contains a group <code>grp mailxml_defs:MailXMLHeaderInfo</code> and a sub-element <code>mailxml_mm:ReturnInfo</code>. The group contains four sub-elements: <code>mailxml_defs:CustomerGroupID</code>, <code>mailxml_defs:MailingGroupID</code>, <code>mailxml_defs:MaildatJobID</code>, and <code>mailxml_defs:UserLicenseCode</code>. Each sub-element is in a dashed box. The cardinality <code>0..∞</code> is indicated at the bottom right of the larger box.</p>						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm						
children	mailxml_mm:ReturnInfo						
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></table>	Name	Type	Use	Default	Fixed	Annotation
Name	Type	Use	Default	Fixed	Annotation		

mailxml_defs:CustomerGroupID	mailxml_base:s25	
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required
mailxml_defs:MaildatJobID	mailxml_base:jobIDType	
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType	

element **ContainerBundleReportCancelResponse/ContainerBundleReportCancelReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerBundleReportCreateRequest**

diagram	<pre>graph TD CBR[ContainerBundleReportCreateRequest] --> A[attributes] A --> G1[grp mailxml_defs:MailXMLHeaderInfo] G1 --> C1[mailxml_defs:CustomerGroupID] G1 --> C2[mailxml_defs:MailingGroupID] G1 --> C3[mailxml_defs:MaildatJobID] G1 --> C4[mailxml_defs:UserLicenseCode] A --> G2[choice] G2 --> E1[mailxml_mm:SubmittingParty] G2 --> E2[mailxml_mm:SubmittingSoftware] G2 --> E3[mailxml_mm:SubmitterTrackingID] G2 --> G3[choice] G3 --> E4[mailxml_mm:ContainerBundleVersionRecords] G3 --> E5[mailxml_mm:ContainerBundleSummaryRecords]</pre>																														
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerBundleVersionRecords mailxml_mm:ContainerBundleSummaryRecords																														
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

annotation	documentation Request to create a container report.
------------	--


element ContainerBundleReportCreateRequest/SubmittingParty

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element ContainerBundleReportCreateRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **ContainerBundleReportCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerBundleReportCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerBundleReportCreateAccept mailxml_mm:ContainerBundleReportCreateReject
annotation	documentation Response to the request to create a container report.


element **ContainerBundleReportCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerBundleReportCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept**

diagram													
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm												
children	mailxml_mm:ContainerBundleReportID mailxml_mm:ContainerBundleStatus mailxml_mm:ReturnInfo												
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25				
Name	Type	Use	Default	Fixed	Annotation								
mailxml_defs:CustomerGroupID	mailxml_base:s25												

	D		
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType	
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType	


element

ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ContainerBundleReportID


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element


ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ContainerBundleStatus

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerBundleReportCreateResponse/ContainerBundleReportCreateReject**

diagram	
---------	--

MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element **ContainerBundleReportCreateResponse/ContainerBundleReportCreateReject/ReturnInfo**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock					

element **ContainerBundleReportQueryRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			

	mailxml_defs:MaildatJobID	mailxml_base:jobIDType
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType
annotation	documentation Query request for for a container bundle report	

element ContainerBundleReportQueryRequest/SubmittingParty


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element ContainerBundleReportQueryRequest/SubmittingSoftware


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			

	mailxml_defs:ApprovalDate	xs:date
	mailxml_defs:ApprovalKey	xs:string


element ContainerBundleReportQueryRequest/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element ContainerBundleReportQueryResponse

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation Response to the query for a container bundle report					


element ContainerBundleReportQueryResponse/TrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element ContainerBundleReportQueryResponse/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerBundleReportQueryResponse/QueryResults**

diagram	 The diagram shows a sequence of two elements: <code>mailxml_mm:QueryResults</code> followed by <code>mailxml_mm:ContainerBundleReports</code> . The <code>mailxml_mm:ContainerBundleReports</code> element has a cardinality of 1..∞.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerBundleReports


element **ContainerBundleReports**

diagram	 The diagram shows a sequence of elements: <code>ContainerBundleReports</code> followed by a choice of three elements: <code>mailxml_mm:ContainerBundleReportID</code> , <code>mailxml_mm:ContainerBundleVersionReco...</code> , and <code>mailxml_mm:ContainerBundleSummaryRec...</code> . The <code>mailxml_mm:ReturnInfo</code> element is shown as a dashed box, indicating it is optional or part of a different structure.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerBundleReportID mailxml_mm:ContainerBundleVersionRecords mailxml_mm:ContainerBundleSummaryRecords mailxml_mm:ReturnInfo
used by	element ContainerBundleReportQueryResponse/QueryResults

element **ContainerBundleReports/ContainerBundleReportID**

diagram	 The diagram shows a single element: <code>mailxml_mm:ContainerBundleReportID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerBundleReports/ReturnInfo**

diagram	 The diagram shows a sequence of elements: <code>mailxml_mm:ReturnInfo</code> followed by a choice of four elements: <code>mailxml_defs:basicReturnInfoType</code> , <code>mailxml_defs:ReturnCode</code> , <code>mailxml_defs:ReturnDescription</code> , and <code>mailxml_defs:errorWarning</code> . The <code>mailxml_defs:ContainerErrorWarningBlock</code> element is shown as a dashed box, indicating it is optional or part of a different structure. The cardinality for the choice is 0..∞.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element **ContainerBundleSummaryRecords**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SackTrayContainerRecord mailxml_mm:PalletContainerRecord mailxml_mm:BundleRecord
used by	elements ContainerBundleReportCreateRequest ContainerBundleReports

element **ContainerBundleSummaryRecords/SackTrayContainerRecord**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber

element **ContainerBundleSummaryRecords/PalletContainerRecord**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate

element **ContainerBundleSummaryRecords/BundleRecord**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber

element **ContainerBundleVersionRecords**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SackTrayContainerVersionRecord mailxml_mm:PalletContainerVersionRecord mailxml_mm:BundleVersionRecord
used by	elements ContainerBundleReportCreateRequest ContainerBundleReports

element **ContainerBundleVersionRecords/SackTrayContainerVersionRecord**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber

element **ContainerBundleVersionRecords/PalletContainerVersionRecord**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate

element **ContainerBundleVersionRecords/BundleVersionRecord**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber

element **ContainerManifestCancelRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:Container					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaidatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				
annotation	documentation Message to allow Cancel of Container Manifest data.					


element **ContainerManifestCancelRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **ContainerManifestCancelRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **ContainerManifestCancelRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerManifestCancelRequest/ConsigneeContainerManifestID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerManifestCancelRequest/ShipperContainerManifestID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerManifestCancelRequest/Container**

diagram	 The diagram shows a sequence diagram for the mailxml_mm:Container element. It starts with a box labeled mailxml_mm:Container with a multiplicity of 1..∞. This is followed by a connector bar leading to a dashed box labeled mailxml_mm:containerManifestType . Inside this dashed box, there is a choice element (indicated by a circle with a vertical line) containing three options: mailxml_mm:IMcb , mailxml_mm:IMtb , and mailxml_mm:IMpb . Below this choice is another connector bar leading to a dashed box containing mailxml_mm:ContainerID and mailxml_mm:StatementID with a multiplicity of 0..∞. Below this is another connector bar leading to a dashed box containing mailxml_mm:EntryPointZip and mailxml_mm:EntryLocaleKey .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey


element **ContainerManifestCancelResponse**

diagram	 The diagram shows a sequence diagram for the ContainerManifestCancelResponse element. It starts with a box labeled ContainerManifestCancelResponse . This is followed by a connector bar leading to a choice element (indicated by a circle with a vertical line) containing two options: mailxml_mm:TrackingID and mailxml_mm:SubmitterTrackingID . Below this choice is another connector bar leading to a choice element (indicated by a circle with a vertical line) containing two options: mailxml_mm:ContainerManifestCancelAcce... and mailxml_mm:ContainerManifestCancelReject .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerManifestCancelAccept mailxml_mm:ContainerManifestCancelReject
annotation	documentation Response to the message requesting cancelling of container manifest


element **ContainerManifestCancelResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCancelResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCancelResponse/ContainerManifestCancelAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:CancelledContainers mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaildatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				


 element
ContainerManifestCancelResponse/ContainerManifestCancelAccept/ConsigneeContainerManifestID

D


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element


ContainerManifestCancelResponse/ContainerManifestCancelAccept/ShipperContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCancelResponse/ContainerManifestCancelAccept/CancelledContainers**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey

element **ContainerManifestCancelResponse/ContainerManifestCancelAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerManifestCancelResponse/ContainerManifestCancelReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:ReturnInfo					
attributes	Name	Type	Us e	Defaul t	Fixe d	Annotatio n
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaidatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				

element

ContainerManifestCancelResponse/ContainerManifestCancelReject/ConsigneeContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element

ContainerManifestCancelResponse/ContainerManifestCancelReject/ShipperContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCancelResponse/ContainerManifestCancelReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerManifestCreateRequest**


diagram																																					
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ShipperContainerManifestID mailxml_mm:Container																																				
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_mm:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MailingGroupID</td><td>xs:nonNegativeInteger</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MaidatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:ConsigneeContentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaidatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_mm:ConsigneeContentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25																																				
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																				
mailxml_mm:MaidatJobID	mailxml_base:jobIDType																																				
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType																																				
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																				

	mailxml_mm:ConsigneeApptID mailxml_base:s12 mailxml_mm:ScheduleDateTime xs:date
annotation	documentation Message to allow creation of Container Manifest data.

element **ContainerManifestCreateRequest/SubmittingParty**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **ContainerManifestCreateRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				

	mailxml_defs:ApprovalKey	xs:string
--	--------------------------	-----------


element ContainerManifestCreateRequest/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element ContainerManifestCreateRequest/ShipperContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element ContainerManifestCreateRequest/Container

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey


element ContainerManifestCreateResponse

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerManifestCreateAccept mailxml_mm:ContainerManifestCreateReject
annotation	documentation Response to the message requesting creating of container manifest

element **ContainerManifestCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCreateResponse/ContainerManifestCreateAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaildatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				


element **ContainerManifestCreateResponse/ContainerManifestCreateAccept/ConsigneeContainerManifestID**

diagram	
---------	---


namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

element


ContainerManifestCreateResponse/ContainerManifestCreateAccept/ShipperContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCreateResponse/ContainerManifestCreateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **ContainerManifestCreateResponse/ContainerManifestCreateReject**

diagram																									
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																								
children	mailxml_mm:ShipperContainerManifestID mailxml_mm:ReturnInfo																								
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_mm:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MailingGroupID</td><td>xs:nonNegativeInteger</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25																								
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																								
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																								


	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType
	mailxml_mm:ConsigneeContentID	e mailxml_base:s12
	mailxml_mm:ConsigneeApptID	mailxml_base:s12
	mailxml_mm:ScheduleDateTime	xs:date

element

ContainerManifestCreateResponse/ContainerManifestCreateReject/ShipperContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestCreateResponse/ContainerManifestCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerManifestUpdateRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:Container					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaildatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				
annotation	documentation Message to allow update of Container Manifest data.					


element **ContainerManifestUpdateRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **ContainerManifestUpdateRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **ContainerManifestUpdateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerManifestUpdateRequest/ConsigneeContainerManifestID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerManifestUpdateRequest/ShipperContainerManifestID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerManifestUpdateRequest/Container**

diagram	 The diagram shows a container element 'mailxml_mm:Container' with a cardinality of '1..∞'. It is connected to a dashed box labeled 'mailxml_mm:containerManifestType'. Inside this box, there is a choice element (indicated by a circle with a vertical line) containing three elements: 'mailxml_mm:IMcb', 'mailxml_mm:IMtb', and 'mailxml_mm:IMpb'. Below this choice is another choice element containing 'mailxml_mm:ContainerID', 'mailxml_mm:StatementID', and 'mailxml_mm:EntryPointZip'. Below that is a choice element containing 'mailxml_mm:EntryLocaleKey'. The cardinality for the inner choice elements is '0..∞'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey


element **ContainerManifestUpdateResponse**

diagram	 The diagram shows a 'ContainerManifestUpdateResponse' element connected to a choice element (circle with a vertical line). This choice contains two elements: 'mailxml_mm:TrackingID' and 'mailxml_mm:SubmitterTrackingID'. Below this is another choice element containing 'mailxml_mm:ContainerManifestUpdateAcc...' and 'mailxml_mm:ContainerManifestUpdateReject'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerManifestUpdateAccept mailxml_mm:ContainerManifestUpdateReject
annotation	documentation Response to the message requesting updating of container manifest

element **ContainerManifestUpdateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestUpdateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestUpdateResponse/ContainerManifestUpdateAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:AcceptedContainers mailxml_mm:RejectedContainers mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaildatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				


element

ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/ConsigneeContainerManifestID


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element


ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/ShipperContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/AcceptedContainers**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey

element **ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/RejectedContainers**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID

[mailxml_mm:EntryPointZip](#) [mailxml_mm:EntryLocaleKey](#)

element **ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerManifestUpdateResponse/ContainerManifestUpdateReject**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																																																
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:ReturnInfo																																																
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_mm:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MailingGroupID</td><td>xs:nonNegativeInteger</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MaidatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:ConsigneeContentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:ConsigneeApptID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:ScheduleDateTime</td><td>xs:date</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaidatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_mm:ConsigneeContentID	mailxml_base:s12					mailxml_mm:ConsigneeApptID	mailxml_base:s12					mailxml_mm:ScheduleDateTime	xs:date				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25																																																
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																																
mailxml_mm:MaidatJobID	mailxml_base:jobIDType																																																
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																																
mailxml_mm:ConsigneeApptID	mailxml_base:s12																																																
mailxml_mm:ScheduleDateTime	xs:date																																																


element

ContainerManifestUpdateResponse/ContainerManifestUpdateReject/ConsigneeContainerManifestID


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element


ContainerManifestUpdateResponse/ContainerManifestUpdateReject/ShipperContainerManifestID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerManifestUpdateResponse/ContainerManifestUpdateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerUpdateRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:SummaryRecordUpdate
annotation	documentation Request to update Mail.dat container information.


element **ContainerUpdateRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **ContainerUpdateRequest/SubmittingSoftware**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **ContainerUpdateRequest/SubmitterTrackingID**

diagram	 The diagram shows the element <code>mailxml_mm:SubmitterTrackingID</code> enclosed in a dashed rectangular border. To the left of the element is a small icon consisting of three horizontal lines of decreasing length, resembling a list or a menu.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ContainerUpdateRequest/SummaryRecordUpdate**

diagram



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:FullContainerID mailxml mm:PhysicalPostalCodeEntryPoint mailxml mm:EntryPointEDPostalCode mailxml mm:EntryPointEDFacilityType mailxml mm:DestinationZip mailxml mm:EntryPointFacilityType mailxml mm:EntryPointZip mailxml mm:EntryLocaleKey mailxml mm:EntryPointADLocaleKey mailxml mm:EntryPointADPostalCode mailxml mm:ContainerGroupingDescription mailxml mm:MailOwnerCRID mailxml mm:ParentContainerRefID mailxml mm:SiblingContainerID mailxml mm:TruckDispatchNumber mailxml mm:StopDesignator mailxml mm:ReservationNumber mailxml mm:CarrierID mailxml mm:ContainerShipDate mailxml mm:ContainerShipTime mailxml mm:ScheduledShipDate mailxml mm:ScheduledShipTime mailxml mm:ScheduledShipDateTime mailxml mm:ActualContainerShipDate mailxml mm:ActualContainerShipTime mailxml mm:ScheduledContainerPickupDate mailxml mm:ScheduledContainerPickupTime mailxml mm:ScheduledInductionDateTime mailxml mm:ActualContainerPickupDate mailxml mm:ActualContainerPickupTime mailxml mm:ContainerAcceptanceDate mailxml mm:ContainerAcceptanceTime mailxml mm:ScheduledInHomeDate mailxml mm:AdditionalInHomeRange mailxml mm:ScheduledInductionDate mailxml mm:ScheduledInductionTime mailxml mm:ActualInductionDate mailxml mm:ActualInductionTime mailxml mm:PostageStatementMailingDate mailxml mm:PostageStatementMailingTime mailxml mm:TruckAndDispatchNumber mailxml mm:ContainerReadyToPayTransactionID mailxml mm:TransportationCarrierID mailxml mm:CSATripID mailxml mm:CSADispatchNumber mailxml mm:CSAID mailxml mm:CSADispatchTime mailxml mm:InternalDate mailxml mm:TotalWeight mailxml mm:UniqueContainerID mailxml mm:ContainerStatus mailxml mm:TransShipBoLNumber mailxml mm:PostageGroupingID mailxml mm:ContainerHeightSource mailxml mm:TransportDUNSNumber mailxml mm:IMBarcode mailxml mm:IMpb mailxml mm:ContainerBarcode mailxml mm:UserInformationLine1 mailxml mm:UserInformationLine2 mailxml mm:ConsigneeContentID mailxml mm:FASTSchedulerID mailxml mm:CarrierRouteNumber mailxml mm:CinCode mailxml mm:ParentContainerID mailxml defs:ContainerDetailData mailxml mm:ContainerDisplayName mailxml mm:ContainerType mailxml mm:ProcessingCategory mailxml mm:IncludedInOtherDoc mailxml mm:SiblingContainerID mailxml mm:SortationLevel mailxml mm:OverflowIndicator mailxml mm:SupplementalPhysicalContainerID mailxml mm:USPSPickup mailxml mm:TotalWeightOfContainer mailxml mm:AdditionalTrayPostageAmount mailxml mm:InductionIndicator mailxml mm:ReadyForSASP mailxml mm:AcceptMisshipped mailxml mm:LabelDestLine1 mailxml mm:LabelDestLine2 mailxml mm:LabelContentLine1 mailxml mm:LabelContentLine2 mailxml mm:LabelEntryOriginPointLine mailxml mm:LabelUserInfoLine1 mailxml mm:LabelUserInfoLine2 mailxml mm:LabelContLabelCINCode mailxml mm:LabelContLabelType mailxml mm:PresortLabelingListEffectiveDate mailxml mm>LastUsedLabelingListEffectiveDate mailxml mm:PresortCityStatePublicationDate mailxml mm>LastUsedCityStatePublicationDate mailxml mm:PresortZoneChartMatrixPublicationDate mailxml mm>LastUsedZoneChartMatrixPublication mailxml mm>LastUsedMailDirectionPublicationDate


element ContainerUpdateResponse

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:ContainerUpdateAccept mailxml mm:ContainerUpdateReject
annotation	documentation Response to the request to update container information.


element ContainerUpdateResponse/TrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerUpdateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ContainerUpdateResponse/ContainerUpdateAccept**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:FullContainerID mailxml_mm:ReturnInfo

element **ContainerUpdateResponse/ContainerUpdateAccept/FullContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaidatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb

element **ContainerUpdateResponse/ContainerUpdateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ContainerUpdateResponse/ContainerUpdateReject**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:FullContainerID mailxml_mm:ReturnInfo

element **ContainerUpdateResponse/ContainerUpdateReject/FullContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaidatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb

element **ContainerUpdateResponse/ContainerUpdateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **CustomerMailReportCreateRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:OnePassPlannedOrActual mailxml_mm:OnePassOrTwoPass mailxml_mm:CustomerMailReportInfo
annotation	documentation Request to create a Customer Mail Report.


element **CustomerMailReportCreateRequest/SubmittingParty**

diagram	<p>The diagram shows a box labeled <code>mailxml_mm:SubmittingParty</code> with a small square icon to its right. To the right of this box is a larger box labeled <code>mailxml_defs:participantIDType</code>. Inside this box is a sub-box labeled <code>attributes</code> with a small square icon to its left. Inside the <code>attributes</code> box are seven dashed-line boxes, each containing an attribute name: <code>mailxml_defs:MailerID6</code>, <code>mailxml_defs:MailerID9</code>, <code>mailxml_defs:CRID</code>, <code>mailxml_defs:SchedulerID</code>, <code>mailxml_defs:MaildatUserLicense</code>, <code>mailxml_defs:ShippingAgentID</code>, and <code>mailxml_defs:ReceivingAgentID</code>.</p>																																																
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																																																
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:SchedulerID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatUserLicense</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ShippingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ReceivingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																


element **CustomerMailReportCreateRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **CustomerMailReportCreateRequest/SubmitterTrackingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **CustomerMailReportCreateRequest/CustomerGroupID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **CustomerMailReportCreateRequest/MailingGroupID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **CustomerMailReportCreateRequest/OnePassPlannedOrActual**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **CustomerMailReportCreateRequest/OnePassOrTwoPass**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **CustomerMailReportCreateRequest/CustomerMailReportInfo**

diagram	 <p>The diagram shows a sequence diagram for the <code>mailxml_mm:CustomerMailReportInfo</code> element. It is connected to a dashed box representing the <code>mailxml_mm:customerMailReportInfoType</code> structure. The structure contains the following elements in sequence: <code>mailxml_mm:CustomerName</code>, <code>mailxml_mm:PermitInfo</code> (with a plus sign indicating optional), <code>mailxml_mm:RateAffixed</code>, <code>mailxml_mm:AdditionalPermitInfo</code> (with a plus sign indicating optional), <code>mailxml_mm:Weight</code>, <code>mailxml_mm:TotalPostage</code>, <code>mailxml_mm:PostageAffixed</code>, <code>mailxml_mm:NumberOfPieces</code>, and <code>mailxml_mm:RunningTotalNumberOfPieces</code>. The main element is labeled with a cardinality of <code>1..∞</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerName mailxml_mm:PermitInfo mailxml_mm:RateAffixed mailxml_mm:AdditionalPermitInfo mailxml_mm:Weight mailxml_mm:TotalPostage mailxml_mm:PostageAffixed mailxml_mm:NumberOfPieces mailxml_mm:RunningTotalNumberOfPieces


element **CustomerMailReportCreateResponse**

diagram	 <p>The diagram shows a sequence diagram for the <code>CustomerMailReportCreateResponse</code> element. It is connected to a dashed box representing the response structure. The structure contains the following elements in sequence: <code>mailxml_mm:TrackingID</code>, <code>mailxml_mm:SubmitterTrackingID</code>, <code>mailxml_mm:CustomerMailReportCreateAccept</code> (with a plus sign indicating optional), and <code>mailxml_mm:CustomerMailReportCreateReject</code> (with a plus sign indicating optional).</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerMailReportCreateAccept mailxml_mm:CustomerMailReportCreateReject
annotation	<p>documentation</p> <p>Response to the Request to create a Customer Mail Report</p>


element **CustomerMailReportCreateResponse/TrackingID**

diagram	 <p>The diagram shows a dashed box representing the <code>mailxml_mm:TrackingID</code> element.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **CustomerMailReportCreateResponse/SubmitterTrackingID**

diagram	 <p>The diagram shows a dashed box representing the <code>mailxml_mm:SubmitterTrackingID</code> element.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **CustomerMailReportCreateResponse/CustomerMailReportCreateAccept**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReturnInfo


element **CustomerMailReportCreateResponse/CustomerMailReportCreateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **CustomerMailReportCreateResponse/CustomerMailReportCreateReject**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReturnInfo


element **CustomerMailReportCreateResponse/CustomerMailReportCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **DateRange**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:BeginDateRange mailxml_mm:EndDateRange
used by	complexType invoiceRequestHeaderInfoType invoiceResponseHeaderInfoType


element **DateRange/BeginDateRange**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **DateRange/EndDateRange**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **DocumentVersionData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:VersionID mailxml_mm:VersionName mailxml_mm:VersionDescription mailxml_mm:PieceWeight mailxml_mm:AdPercent mailxml_mm:RateAffixed mailxml_mm:PMODIndicator mailxml_mm:MailCharacteristic mailxml_mm:GpExtraServiceType mailxml_mm:GpExtraServiceBarcode
used by	complexType abstractInternationalPostageStatementDataType abstractPeriodicalStatementDataType abstractPostageStatementDataType bundleVersionRecordType palletContainerVersionRecordType sackTrayContainerVersionRecordType


element **DocumentVersionData/VersionID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **DocumentVersionData/VersionName**

diagram	 A diagram of the <code>mailxml_mm:VersionName</code> element, represented as a solid rectangle with a small icon in the top-left corner.
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>


element **DocumentVersionData/VersionDescription**

diagram	 A diagram of the <code>mailxml_mm:VersionDescription</code> element, represented as a dashed rectangle with a small icon in the top-left corner.
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>


element **DocumentVersionData/PieceWeight**

diagram	 A diagram of the <code>mailxml_mm:PieceWeight</code> element, represented as a solid rectangle with a small icon in the top-left corner.
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>


element **DocumentVersionData/AdPercent**

diagram	 A diagram of the <code>mailxml_mm:AdPercent</code> element, represented as a dashed rectangle with a small icon in the top-left corner.
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>


element **DocumentVersionData/RateAffixed**

diagram	 A diagram of the <code>mailxml_mm:RateAffixed</code> element, represented as a dashed rectangle with a small icon in the top-left corner.
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>

element **DocumentVersionData/PMODIndicator**


diagram	 A diagram of the <code>mailxml_mm:PMODIndicator</code> element, represented as a dashed rectangle with a small icon in the top-left corner.
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>

element **DocumentVersionData/MailCharacteristic**


diagram	 A diagram showing the <code>mailxml_mm:MailCharacteristic</code> element (dashed rectangle) connected to a container element <code>mailxml_mm:mailCharacteristicsType</code> (yellow background). Inside the container, there are three sub-elements: <code>mailxml_mm:Content</code> , <code>mailxml_mm:Incentive</code> , and <code>mailxml_mm:Fee</code> , each represented by a dashed rectangle. Each sub-element has a cardinality of <code>0..∞</code> indicated next to it.
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>

children	mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:Fee
----------	--


element **DocumentVersionData/GpExtraServiceType**

diagram	 A dashed box containing the text <code>mailxml_mm:GpExtraServiceType</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **DocumentVersionData/GpExtraServiceBarcode**


diagram	 A diagram showing the structure of the <code>mailxml_mm:GpExtraServiceBarcode</code> element. It is a dashed box containing a sequence container (rectangle with three dots) which contains a choice container (oval with a vertical line). The choice container has two branches: one for <code>mailxml_defs:intelligentMailPackageBarcodeType</code> (a yellow-shaded box) and one for <code>mailxml_defs:Mod10CheckDigit</code> . The <code>intelligentMailPackageBarcodeType</code> box contains a sequence of elements: <code>mailxml_defs:PostalRoutingCodeAppID</code> , <code>mailxml_defs:DestinationZipCode</code> , <code>mailxml_defs:ChannelApplicationIdentifier</code> , <code>mailxml_defs:ServiceTypeCode</code> , a choice container with <code>mailxml_defs:MailerID6</code> and <code>mailxml_defs:SerialNumber10or14</code> , another choice container with <code>mailxml_defs:MailerID9</code> and <code>mailxml_defs:SerialNumber7or11</code> , and <code>mailxml_defs:Mod10CheckDigit</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:PostalRoutingCodeAppID</code> <code>mailxml_defs:DestinationZipCode</code> <code>mailxml_defs:ChannelApplicationIdentifier</code> <code>mailxml_defs:ServiceTypeCode</code> <code>mailxml_defs:MailerID6</code> <code>mailxml_defs:SerialNumber10or14</code> <code>mailxml_defs:MailerID9</code> <code>mailxml_defs:SerialNumber7or11</code> <code>mailxml_defs:Mod10CheckDigit</code>

element **DocumentVersionDataWithPermit**


diagram	 A diagram showing the structure of the <code>DocumentVersionDataWithPermit</code> element. It is a dashed box containing a sequence container (rectangle with three dots) which contains a choice container (oval with a vertical line). The choice container has two branches: one for <code>mailxml_mm:VersionID</code> and <code>mailxml_mm:VersionName</code> , and another for a sequence of elements: <code>mailxml_mm:VersionDescription</code> , <code>mailxml_mm:PieceWeight</code> , <code>mailxml_mm:AdPercent</code> , <code>mailxml_mm:RateAffixed</code> , <code>mailxml_mm:PermitPublicationData</code> (with a plus sign), <code>mailxml_mm:TotalCopies</code> , <code>mailxml_mm:MailCharacteristic</code> (with a plus sign), <code>mailxml_mm:GpExtraServiceType</code> , <code>mailxml_mm:GpExtraServiceBarcode</code> (with a plus sign), and <code>mailxml_mm:ReferenceableMailID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:VersionID mailxml_mm:VersionName mailxml_mm:VersionDescription mailxml_mm:PieceWeight mailxml_mm:AdPercent mailxml_mm:RateAffixed mailxml_mm:PermitPublicationData mailxml_mm:TotalCopies mailxml_mm:MailCharacteristic mailxml_mm:GpExtraServiceType mailxml_mm:GpExtraServiceBarcode mailxml_mm:ReferenceableMailID
used by	complexType qualificationReportDataType qualificationReportDetailDataType


element **DocumentVersionDataWithPermit/VersionID**

diagram	 The diagram shows the element <code>mailxml_mm:VersionID</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **DocumentVersionDataWithPermit/VersionName**

diagram	 The diagram shows the element <code>mailxml_mm:VersionName</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **DocumentVersionDataWithPermit/VersionDescription**

diagram	 The diagram shows the element <code>mailxml_mm:VersionDescription</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **DocumentVersionDataWithPermit/PieceWeight**

diagram	 The diagram shows the element <code>mailxml_mm:PieceWeight</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **DocumentVersionDataWithPermit/AdPercent**

diagram	 The diagram shows the element <code>mailxml_mm:AdPercent</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **DocumentVersionDataWithPermit/RateAffixed**

diagram	 The diagram shows the element <code>mailxml_mm:RateAffixed</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **DocumentVersionDataWithPermit/PermitPublicationData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **DocumentVersionDataWithPermit/TotalCopies**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **DocumentVersionDataWithPermit/MailCharacteristic**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:Fee

element **DocumentVersionDataWithPermit/GpExtraServiceType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **DocumentVersionDataWithPermit/GpExtraServiceBarcode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit

element **DocumentVersionDataWithPermit/ReferenceableMailID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **EndCombinedMailingRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CombinedMailingID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				

	mailxml_mm:RateType mailxml_base:rateType mailxml_mm:ProcessingCategory mailxml_base:processingCategoryType
annotation	documentation Request to end/delete a combined mailing in which multiple postage payment methods (and or multiple permit numbers within the same payment method) are presorted together.

element EndCombinedMailingRequest/SubmittingParty


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element EndCombinedMailingRequest/SubmittingSoftware


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			

	mailxml_defs:ApprovalDate	xs:date
	mailxml_defs:ApprovalKey	xs:string


element **EndCombinedMailingRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **EndCombinedMailingRequest/CombinedMailingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **EndCombinedMailingResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:EndCombinedMailingAccept mailxml_mm:EndCombinedMailingReject
annotation	documentation Response from the USPS to a customer requesting to end a combined mailing.

element **EndCombinedMailingResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **EndCombinedMailingResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **EndCombinedMailingResponse/EndCombinedMailingAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:CombinedMailingID mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:Status	mailxml_base:statusType				
annotation	documentation Response from the USPS notifying a customer a combined mailing has been ended.					

element **EndCombinedMailingResponse/EndCombinedMailingAccept/CombinedMailingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **EndCombinedMailingResponse/EndCombinedMailingAccept/ReturnInfo**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock					

element **EndCombinedMailingResponse/EndCombinedMailingReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:Status	mailxml_base:statusType				
annotation	documentation Response from the USPS notifying a customer a combined mailing could not be ended and why.					

element **EndCombinedMailingResponse/EndCombinedMailingReject/ReturnInfo**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock					


element **ExtraServiceSummaryData**

diagram						
---------	--	--	--	--	--	--


MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:Section mailxml_mm:ServiceCode mailxml_mm:TotalAmount mailxml_mm:CollectAmount mailxml_mm:TotalPieces mailxml_mm:USPSPackageUniqueCharacteristic
used by	complexType abstractInternationalPostageStatementDataType abstractPostageStatementDataType


element **ExtraServiceSummaryData/LineLabel**

diagram	 A UML diagram showing the element <code>mailxml_mm:LineLabel</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ExtraServiceSummaryData/LineNumber**

diagram	 A UML diagram showing the element <code>mailxml_mm:LineNumber</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ExtraServiceSummaryData/Section**

diagram	 A UML diagram showing the element <code>mailxml_mm:Section</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ExtraServiceSummaryData/ServiceCode**

diagram	 A UML diagram showing the element <code>mailxml_mm:ServiceCode</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ExtraServiceSummaryData/TotalAmount**

diagram	 A UML diagram showing the element <code>mailxml_mm:TotalAmount</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ExtraServiceSummaryData/CollectAmount**

diagram	 A UML diagram showing the element <code>mailxml_mm:CollectAmount</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ExtraServiceSummaryData/TotalPieces**

diagram	 A UML diagram showing the element <code>mailxml_mm:TotalPieces</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ExtraServiceSummaryData/USPSPackageUniqueCharacteristic**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementCreateRequest**


diagram						
namespa ce	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CreatePostageStatement					
attributes	Name	Type	Use	Defau lt	Fixe d	Annotati on
	mailxml_mm:CustomerGroupID	mailxml_base:s25	require d			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	require d			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReference ID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				

	mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory	mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Request to create a postage statement.	

element InternationalPostageStatementCreateRequest/SubmittingParty

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element InternationalPostageStatementCreateRequest/SubmittingSoftware

diagram						
---------	--	--	--	--	--	--

MailXML Version 19.0 Mailing Messages Specification


namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **InternationalPostageStatementCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementCreateRequest/CreatePostageStatement**

diagram



MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData

element InternationalPostageStatementCreateResponse

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:InternationalPostageStatementCreateAccept mailxml_mm:InternationalPostageStatementCreateReject
annotation	documentation Response to a request to create a postage statement.

element InternationalPostageStatementCreateResponse/TrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element InternationalPostageStatementCreateResponse/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:StatementID mailxml_mm:UserPostageStatementID mailxml_mm:TotalPostage mailxml_mm:TotalPostageDue mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/StatementID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/UserPostageStatementID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element


InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/TotalPostage

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element


InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/TotalPostageDue

PostageDue

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateReject

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml mm:Status	mailxml_base:statusType				

element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateReject/ReturnInfo


diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:ReturnInfo</code> element. It is a container element (indicated by a square icon) that contains a sequence of child elements (indicated by a dashed line and a circle icon). The children are:</p> <ul style="list-style-type: none"><code>mailxml_defs:ReturnCode</code> (indicated by a square icon)<code>mailxml_defs:ReturnDescription</code> (indicated by a square icon)<code>mailxml_defs:errorWarning</code> (indicated by a square icon with a plus sign)<code>mailxml_defs:ContainerErrorWarningBlock</code> (indicated by a square icon with a plus sign) <p>The cardinality for the sequence is <code>0..∞</code>. The <code>mailxml_defs:errorWarning</code> and <code>mailxml_defs:ContainerErrorWarningBlock</code> elements also have a cardinality of <code>0..∞</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element **InternationalPostageStatementLineItemData**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PostageStatementPart mailxml_mm:PostageStatementPartsSection mailxml_mm:InternationalPriceGroupNumber mailxml_mm:ProcessingCategory mailxml_mm:ContainerDisplayName mailxml_mm:ContainerID mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:PieceRate mailxml_mm:PostageAmount mailxml_mm:PoundRate mailxml_mm:RateCategory mailxml_mm:DirectOrMixedCategory mailxml_mm:IsWorldwidePresortPriceGroup mailxml_mm:Section mailxml_mm:PriceType mailxml_mm:SinglePieceWeight mailxml_mm:SurchargeType mailxml_mm:TotalPieces mailxml_mm:TotalWeight mailxml_mm:VersionID mailxml_mm:ContainerType mailxml_mm:FlatRateIndicator mailxml_mm:FullServiceParticipationIndicator mailxml_mm:DestinationCountry mailxml_mm:NoOfSacks mailxml_mm:IncentivePercentage mailxml_mm:PostageIncentiveAmount mailxml_mm:UnderWeightIncentivePerPiece mailxml_mm:MailCharacteristic

	mailxml_mm:TotalPieces mailxml_mm:TotalWeight mailxml_mm:VersionID mailxml_mm:ContainerType mailxml_mm:FlatRateIndicator mailxml_mm:FullServiceParticipationIndicator mailxml_mm:DestinationCountry mailxml_mm:NoOfSacks mailxml_mm:IncentivePercentage mailxml_mm:PostageIncentiveAmount mailxml_mm:UnderWeightIncentivePerPiece mailxml_mm:MailCharacteristic
used by	complexType abstractInternationalPostageStatementDataType


element InternationalPostageStatementLineItemData/PostageStatementPart

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemData/PostageStatementPartsSection

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemData/InternationalPriceGroupNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemData/ProcessingCategory

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemData/ContainerDisplayName

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemData/ContainerID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemData/EntryFacilityType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/EntryZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/LineLabel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/LineNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/PieceRate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/PostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/PoundRate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/RateCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/DirectOrMixedCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/IsWorldwidePresortPriceGroup**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/Section**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/PriceType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/SinglePieceWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/SurchargeType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/TotalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/VersionID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/ContainerType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/FlatRateIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/FullServiceParticipationIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/DestinationCountry**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/NoOfSacks**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemData/IncentivePercentage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementLineItemData/PostageIncentiveAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementLineItemData/UnderWeightIncentivePerPiece**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementLineItemData/MailCharacteristic**


diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:MailCharacteristic</code> element. It is a container element (rectangle with a dashed border) that contains three child elements: <code>mailxml_mm:Content</code>, <code>mailxml_mm:Incentive</code>, and <code>mailxml_mm:Fee</code>. Each child element is also shown with a dashed border and a multiplicity of <code>0..∞</code>. The entire structure is enclosed in a yellow box labeled <code>mailxml_mm:mailCharacteristicsType</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:Fee

element **InternationalPostageStatementLineItemSummaryData**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PostageStatementPart mailxml_mm:PostageStatementPartsSection mailxml_mm:ProcessingCategory mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:PiecePostage mailxml_mm:PieceRate mailxml_mm:PostageAmount mailxml_mm:PoundPostage mailxml_mm:PoundRate mailxml_mm:RateCategory mailxml_mm:DirectOrMixedCategory mailxml_mm:IsWorldwidePresortPriceGroup mailxml_mm:InternationalPriceGroupNumber mailxml_mm:Section mailxml_mm:PriceType mailxml_mm:SurchargeType mailxml_mm:TotalPieces mailxml_mm:TotalWeight mailxml_mm:WeightBreakType mailxml_mm:FlatRateIndicator mailxml_mm:LCPAuditCode mailxml_mm:IncentivePercentage mailxml_mm:PostageIncentiveAmount mailxml_mm:BaseAllowanceWeight mailxml_mm:LCPBaseAllowanceWeight mailxml_mm:NDGBaseAllowanceWeight mailxml_mm:TotalPoundsSubjecttoAddition... mailxml_mm:AdditionalPostagePayment mailxml_mm:AddressAccuracyRate mailxml_mm:MailCharacteristic

	mailxml_mm:LCPBaseAllowanceWeight mailxml_mm:NDGBaseAllowanceWeight mailxml_mm:TotalPoundsSubjecttoAdditionalCharge mailxml_mm:AdditionalPostagePayment mailxml_mm:AddressAccuracyRate mailxml_mm:MailCharacteristic
used by	complexType abstractInternationalPostageStatementDataType


element InternationalPostageStatementLineItemSummaryData/PostageStatementPart

diagram	 A dashed rectangular box containing the text "mailxml_mm:PostageStatementPart".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/PostageStatementPartsSection

diagram	 A dashed rectangular box containing the text "mailxml_mm:PostageStatementPartsSection".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/ProcessingCategory

diagram	 A dashed rectangular box containing the text "mailxml_mm:ProcessingCategory".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/LineLabel

diagram	 A dashed rectangular box containing the text "mailxml_mm:LineLabel".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/LineNumber

diagram	 A dashed rectangular box containing the text "mailxml_mm:LineNumber".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element InternationalPostageStatementLineItemSummaryData/PiecePostage

diagram	 A dashed rectangular box containing the text "mailxml_mm:PiecePostage".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element InternationalPostageStatementLineItemSummaryData/PieceRate


diagram	 A dashed rectangular box containing the text "mailxml_mm:PieceRate".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element InternationalPostageStatementLineItemSummaryData/PostageAmount


diagram	 A dashed rectangular box containing the text "mailxml_mm:PostageAmount".
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element InternationalPostageStatementLineItemSummaryData/PoundPostage

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:PoundPostage". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/PoundRate

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:PoundRate". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/RateCategory

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:RateCategory". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/DirectOrMixedCategory

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:DirectOrMixedCategory". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/IsWorldwidePresortPriceGroup

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:IsWorldwidePresortPriceGroup". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/InternationalPriceGroupNumber

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:InternationalPriceGroupNumber". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/Section

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:Section". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementLineItemSummaryData/PriceType

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:PriceType". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a postage stamp.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/SurchargeType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/TotalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/WeightBreakType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/FlatRateIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/LCPAuditCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/IncentivePercentage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/PostageIncentiveAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/BaseAllowanceWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/LCPBaseAllowanceWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/NDGBaseAllowanceWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element
InternationalPostageStatementLineItemSummaryData/TotalPoundsSubjecttoAdditionalCharge

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **InternationalPostageStatementLineItemSummaryData/AdditionalPostagePayment**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementLineItemSummaryData/AddressAccuracyRate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementLineItemSummaryData/MailCharacteristic**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:Fee
----------	--

element **InternationalPostageStatementQueryRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				

	mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory	mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Query request for an international postage statement.	

element InternationalPostageStatementQueryRequest/SubmittingParty


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element InternationalPostageStatementQueryRequest/SubmittingSoftware


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			

mailxml_defs:Vendor	xs:string	required
mailxml_defs:Version	xs:string	required
mailxml_defs:ApprovalDate	xs:date	
mailxml_defs:ApprovalKey	xs:string	


element InternationalPostageStatementQueryRequest/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementQueryRequest/StatementID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element InternationalPostageStatementQueryResponse

diagram	 <p>The diagram shows the structure of the InternationalPostageStatementQueryResponse element. It has a group of attributes: mailxml_mm:MailXMLPostage Stateme... (containing mailxml_mm:CustomerGroupID, mailxml_mm:MailingGroupID, and mailxml_mm>Status), mailxml_mm:TrackingID, mailxml_mm:SubmitterTrackingID, mailxml_mm:QueryResults, and mailxml_defs:QueryError.</p>					
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm>Status	mailxml_base:statusType				
annotation	documentation Response to the query for an international postage statement.					


element InternationalPostageStatementQueryResponse/TrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementQueryResponse/SubmitterTrackingID**


diagram	 A dashed rectangular box containing the text <code>mailxml_mm:SubmitterTrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InternationalPostageStatementQueryResponse/QueryResults**

diagram	 A diagram showing a sequence of elements. It starts with a solid rectangular box labeled <code>mailxml_mm:QueryResults</code> . This is followed by a connector consisting of a circle with three dots inside, flanked by small squares. This is followed by a solid rectangular box labeled <code>mailxml_mm:PostageStatementData</code> with a plus sign in a square at its right end. Below the <code>PostageStatementData</code> box is a dashed rectangular box labeled <code>mailxml_mm:ReturnInfo</code> with a plus sign in a square at its right end.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PostageStatementData mailxml_mm:ReturnInfo

element **InternationalPostageStatementQueryResponse/QueryResults/PostageStatementData**

diagram



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage mailxml_mm:StatementID mailxml_mm:ConfirmationNumber mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:SpecialFeesAmount mailxml_mm:PostateStatementStatus mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalPostageAmountDue mailxml_mm:TotalWeight mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData

element **InternationalPostageStatementQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **InvoiceDelivery**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:PushMessageID mailxml_mm:AccountHeaderInfoBlock mailxml_mm:InvoiceSummaryData mailxml_mm:InvoiceLineItemData					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MessageGroupID	mailxml_base:s20	optional			
	mailxml_defs:TotalMessageCount	xs:positiveInteger	optional			
	mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional			
	mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional			
	mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional			
	mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
annotation	documentation Delivery of Invoice data from USPS.					


element **InvoiceDelivery/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **InvoiceDelivery/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **InvoiceDelivery/PushMessageID**

diagram	 A diagram showing the element <code>mailxml_mm:PushMessageID</code> in a dashed box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **InvoiceDelivery/AccountHeaderInfoBlock**

diagram	 A diagram showing the element <code>mailxml_mm:AccountHeaderInfoBlock</code> in a dashed box. It is connected to a larger dashed box labeled <code>mailxml_mm:accountHeaderInfoBlockType</code> which contains a list of child elements: <code>mailxml_mm:PermitInfo</code> (with a plus icon), <code>mailxml_mm:PermitIssuedCity</code> , <code>mailxml_mm:PermitIssuedState</code> , <code>mailxml_mm:CompanyName</code> , <code>mailxml_mm:Address</code> (with a plus icon), <code>mailxml_mm:Status</code> , <code>mailxml_mm:PhoneNumber</code> , <code>mailxml_mm:Comment</code> , <code>mailxml_mm:CurrentBalance</code> , <code>mailxml_mm:ContactName</code> , <code>mailxml_mm:FinanceNumber</code> , <code>mailxml_mm:AlternateMethodUsed</code> , and <code>mailxml_mm:PostageStatus</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PermitInfo mailxml_mm:PermitIssuedCity mailxml_mm:PermitIssuedState mailxml_mm:CompanyName mailxml_mm:Address mailxml_mm:Status mailxml_mm:PhoneNumber mailxml_mm:Comment mailxml_mm:CurrentBalance mailxml_mm:ContactName mailxml_mm:FinanceNumber mailxml_mm:AlternateMethodUsed mailxml_mm:PostageStatus


element **InvoiceDelivery/InvoiceSummaryData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:RequestDate mailxml_mm:CostCenter mailxml_mm:TransactionNumber mailxml_mm:BRMType mailxml_mm:RateType mailxml_mm:OpeningBalance mailxml_mm:ClosingBalance mailxml_mm:MailingDate mailxml_mm:MailingClass mailxml_mm:ProcessingCategory mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:SubtotalPostageAmount mailxml_mm:BRMFee


element **InvoiceDelivery/InvoiceLineItemData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:FeeExpiresDate mailxml_mm:BarcodeRate mailxml_mm:EntryDiscount mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:HeavyLetter mailxml_mm:MarketingOrFulfillment mailxml_mm:HandlingCharge mailxml_mm:PriceType mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:PieceRate mailxml_mm:DiscountTotalAmount mailxml_mm:FeeTotalAmount mailxml_mm:PoundRate mailxml_mm:PreparedAsSM mailxml_mm:RateCategory mailxml_mm:SinglePieceWeight mailxml_mm:SurchargeType mailxml_mm:TotalWeight mailxml_mm:Zone mailxml_mm:FlatRateIndicator mailxml_mm:FullServiceParticipationIndicator mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:SinglePieceDimensionalPrice mailxml_mm:SinglePieceDimensionalBalloonPrice


element **InvoiceQueryRequest**

diagram	 The diagram shows the InvoiceQueryRequest element as a container. Inside, there is a sequence of three child elements: mailxml_mm:InvoiceRequestHeaderInfo , mailxml_mm:SubmittingParty , and mailxml_mm:SubmittingSoftware . Each child element has a small square icon with a plus sign next to it, indicating it is a complex type.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:InvoiceRequestHeaderInfo mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware
annotation	documentation Query request for Postage Statement Invoice .

element **InvoiceQueryRequest/InvoiceRequestHeaderInfo**

diagram	 The diagram shows the mailxml_mm:InvoiceRequestHeaderInfo element as a container. Inside, there is a sequence of six child elements: mailxml_mm:CustomerReferenceID , mailxml_mm:FinanceNumber , mailxml_mm:PaymentAccountNumber , mailxml_mm:StatementID , mailxml_mm:PermitInfo , and mailxml_mm:DateRange . The first three elements are grouped within a dashed box labeled mailxml_mm:invoiceRequestHeaderInfoType . The last two elements, PermitInfo and DateRange , have small square icons with plus signs next to them, indicating they are complex types.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:StatementID mailxml_mm:PermitInfo mailxml_mm:DateRange

element **InvoiceQueryRequest/SubmittingParty**

diagram	 <p>The diagram illustrates the structure of the <code>mailxml_mm:SubmittingParty</code> element. It is shown as a container with a dashed border. Inside, there is a yellow box labeled <code>mailxml_defs:participantIDType</code>. Within this box, there is a section labeled <code>attributes</code> (indicated by a minus sign icon). Below the <code>attributes</code> section, there are seven dashed boxes representing child elements: <code>mailxml_defs:MailerID6</code>, <code>mailxml_defs:MailerID9</code>, <code>mailxml_defs:CRID</code>, <code>mailxml_defs:SchedulerID</code>, <code>mailxml_defs:MaildatUserLicense</code>, <code>mailxml_defs:ShippingAgentID</code>, and <code>mailxml_defs:ReceivingAgentID</code>. The <code>mailxml_mm:SubmittingParty</code> element is connected to the <code>attributes</code> section of the <code>mailxml_defs:participantIDType</code> box.</p>																								
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																								
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																								
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																								
mailxml_defs:CRID	mailxml_base:CRIDType																								

	mailxml_defs:SchedulerID	mailxml_base:s12
	mailxml_defs:MaildateUserLicense	mailxml_base:userLicenseCodeType
	mailxml_defs:ShippingAgentID	mailxml_base:s12
	mailxml_defs:ReceivingAgentID	mailxml_base:s12

element InvoiceQueryRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element InvoiceQueryResponse


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:InvoiceResponseHeaderInfo mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
annotation	documentation Response to the query for invoice a postage statement.					

element InvoiceQueryResponse/InvoiceResponseHeaderInfo


diagram						
---------	--	--	--	--	--	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:PermitInfo mailxml_mm:DateRange


element InvoiceQueryResponse/SubmitterTrackingID

diagram	 The diagram shows a single rectangular box labeled "mailxml_mm:SubmitterTrackingID" with a dashed border.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element InvoiceQueryResponse/QueryResults

diagram	 The diagram shows a sequence of elements. It starts with a box labeled "mailxml_mm:QueryResults". This is followed by an ellipsis in a box. Then, there is a box labeled "mailxml_mm:AccountHeaderInfoBlock" with a plus sign and a "1..∞" cardinality. This is followed by another ellipsis in a box. Then, there are two stacked boxes: "mailxml_mm:InvoiceSummaryData" and "mailxml_mm:InvoiceLineItemData", both with plus signs and "1..∞" cardinalities. Finally, there is a dashed box labeled "mailxml_mm:ReturnInfo" with a plus sign.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AccountHeaderInfoBlock mailxml_mm:InvoiceSummaryData mailxml_mm:InvoiceLineItemData mailxml_mm:ReturnInfo

element InvoiceQueryResponse/QueryResults/AccountHeaderInfoBlock

diagram	 The diagram shows a box labeled "mailxml_mm:AccountHeaderInfoBlock" connected to a large dashed box labeled "mailxml_mm:accountHeaderInfoBlockType". Inside this dashed box, the following elements are listed from top to bottom: "mailxml_mm:PermitInfo" (with a plus sign), "mailxml_mm:PermitIssuedCity", "mailxml_mm:PermitIssuedState", "mailxml_mm:CompanyName", "mailxml_mm:Address" (with a plus sign), "mailxml_mm:Status", "mailxml_mm:PhoneNumber", "mailxml_mm:Comment", "mailxml_mm:CurrentBalance", "mailxml_mm:ContactName", "mailxml_mm:FinanceNumber", "mailxml_mm:AlternateMethodUsed", and "mailxml_mm:PostageStatus".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PermitInfo mailxml_mm:PermitIssuedCity mailxml_mm:PermitIssuedState mailxml_mm:CompanyName mailxml_mm:Address mailxml_mm:Status mailxml_mm:PhoneNumber mailxml_mm:Comment mailxml_mm:CurrentBalance mailxml_mm:ContactName mailxml_mm:FinanceNumber mailxml_mm:AlternateMethodUsed mailxml_mm:PostageStatus

mailxml_mm:FinanceNumber mailxml_mm:AlternateMethodUsed mailxml_mm:PostageStatus
--

element **InvoiceQueryResponse/QueryResults/InvoiceSummaryData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:RequestDate mailxml_mm:CostCenter mailxml_mm:TransactionNumber mailxml_mm:BRMType mailxml_mm:RateType mailxml_mm:OpeningBalance mailxml_mm:ClosingBalance mailxml_mm:MailingDate mailxml_mm:MailingClass mailxml_mm:ProcessingCategory mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:SubtotalPostageAmount mailxml_mm:BRMFee

element **InvoiceQueryResponse/QueryResults/InvoiceLineItemData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:FeeExpiresDate mailxml_mm:BarcodeRate mailxml_mm:EntryDiscount mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:HeavyLetter mailxml_mm:MarketingOrFulfillment mailxml_mm:HandlingCharge mailxml_mm:PriceType mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:PieceRate mailxml_mm:DiscountTotalAmount mailxml_mm:FeeTotalAmount mailxml_mm:PoundRate mailxml_mm:PreparedAsSM mailxml_mm:RateCategory mailxml_mm:SinglePieceWeight mailxml_mm:SurchargeType mailxml_mm:TotalWeight mailxml_mm:Zone mailxml_mm:FlatRateIndicator mailxml_mm:FullServiceParticipationIndicator mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:SinglePieceDimensionalPrice mailxml_mm:SinglePieceDimensionalBalloonPrice


element **InvoiceQueryResponse/QueryResults/ReturnInfo**

diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:ReturnInfo</code> element. It is a container element (indicated by a square icon) that contains a sequence of child elements (indicated by a circle icon). The children are:</p> <ul style="list-style-type: none"><code>mailxml_defs:basicReturnInfoType</code> (indicated by a dashed box):<ul style="list-style-type: none"><code>mailxml_defs:ReturnCode</code> (indicated by a dashed box)<code>mailxml_defs:ReturnDescription</code> (indicated by a dashed box)<code>mailxml_defs:errorWarning</code> (indicated by a dashed box, with a plus icon for optional)<code>mailxml_defs:ContainerErrorWarningBlock</code> (indicated by a dashed box, with a plus icon for optional) <p>Cardinality values are shown: <code>0..∞</code> for the <code>mailxml_mm:ReturnInfo</code> element and <code>0..∞</code> for the <code>mailxml_defs:errorWarning</code> and <code>mailxml_defs:ContainerErrorWarningBlock</code> elements.</p>
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>


element **LinItemSummaryData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:ProcessingCategory mailxml mm:BarcodeRate mailxml mm:EntryDiscount mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PiecePostage mailxml mm:PieceRate mailxml mm:MarketingOrFulfillment mailxml mm:SubtotalPostageAmount mailxml mm:DiscountTotalAmount mailxml mm:FeeTotalAmount mailxml mm:TotalPostageAmount mailxml mm:PoundPostage mailxml mm:PoundRate mailxml mm:PreparedAsSM mailxml mm:RateCategory mailxml mm:Section mailxml mm:PriceType mailxml mm:SurchargeType mailxml mm:TotalPieces mailxml mm:SimplifiedAddressIndicator mailxml mm:TotalWeight mailxml mm:WeightBreakType mailxml mm:Zone mailxml mm:ExtendedDeliveryFeeApplies mailxml mm:FlatRateIndicator mailxml mm:USPSPackageUniqueCharacteristic


element **LinItemSummaryData/ProcessingCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/BarcodeRate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/EntryDiscount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/LineLabel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/LineNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/PiecePostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/PieceRate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/MarketingOrFulfillment**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/SubtotalPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/DiscountTotalAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/FeeTotalAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/TotalPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/PoundPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/PoundRate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/PreparedAsSM**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/RateCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/Section**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/PriceType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **LinItemSummaryData/SurchargeType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/SimplifiedAddressIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/TotalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/WeightBreakType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/Zone**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/ExtendedDeliveryFeeApplies**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **LinItemSummaryData/FlatRateIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **LinItemSummaryData/USPSPackageUniqueCharacteristic**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailingGroupQueryRequest**

diagram																			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																		
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																		
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_mm:CustomerGroupID</td><td>mailxml_base:s25</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_mm:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	documentation Query request for mailing group identification information.																		


element **MailingGroupQueryRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **MailingGroupQueryRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **MailingGroupQueryRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupQueryResponse**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				
annotation	documentation Response to the query request for mailing group identification information.					


element **MailingGroupQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailingGroupQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailingGroupQueryResponse/QueryResults**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MailingGroup mailxml_mm:ReturnInfo


element **MailingGroupQueryResponse/QueryResults/MailingGroup**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerDescription mailxml_mm:SubmitterCRID mailxml_mm:PermitPublicationData mailxml_mm:PostOfficeOfMailingZip mailxml_mm:MailingFacility mailxml_mm:MailXMLPresentationCategory mailxml_mm:MailerID mailxml_mm:FullServiceParticipationIndicator mailxml_mm:MailAgreementType mailxml_mm:ContractNumber mailxml_mm:OnePassIndicator mailxml_mm:LogicalPhysicalContainerIndicator


element **MailingGroupQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **MailingGroupSummary**

diagram	 <pre> graph LR MGS[MailingGroupSummary] --- C[] C --- MJID[mailxml_mm:MailerJobID] C --- BD[mailxml_mm:BeginDate] C --- ED[mailxml_mm:EndDate] C --- OD[mailxml_mm:OpenDate] C --- CD[mailxml_mm:CloseDate] C --- PN[mailxml_mm:PreparerName] C --- PCRID[mailxml_mm:PreparerCRID] C --- OR[mailxml_mm:Origin] C --- D[mailxml_mm:Description] </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:MailerJobID mailxml mm:BeginDate mailxml mm:EndDate mailxml mm:OpenDate mailxml mm:CloseDate mailxml mm:PreparerName mailxml mm:PreparerCRID mailxml mm:Origin mailxml mm:Description
used by	element ReconciliationReportQueryResponse/QueryResults


element **MailingGroupSummary/MailerJobID**

diagram	 <pre> graph LR MJID[mailxml_mm:MailerJobID] </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupSummary/BeginDate**

diagram	 <pre> graph LR BD[mailxml_mm:BeginDate] </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupSummary/EndDate**

diagram	 <pre> graph LR ED[mailxml_mm:EndDate] </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupSummary/OpenDate**

diagram	 <pre> graph LR OD[mailxml_mm:OpenDate] </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupSummary/CloseDate**

diagram	 <pre> graph LR CD[mailxml_mm:CloseDate] </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupSummary/PreparerName**

diagram	 A diagram showing a rectangular box with a small icon (three horizontal lines) on the left and the text "mailxml_mm:PreparerName" inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupSummary/PreparerCRID**

diagram	 A diagram showing a rectangular box with a small icon (three horizontal lines) on the left and the text "mailxml_mm:PreparerCRID" inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailingGroupSummary/Origin**

diagram	 A diagram showing a rectangular box with a small icon (three horizontal lines) on the left and the text "mailxml_mm:Origin" inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailingGroupSummary/Description**

diagram	 A diagram showing a rectangular box with a small icon (three horizontal lines) on the left and the text "mailxml_mm:Description" inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **MailPieceCancelRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:PDRRangePieceBlock mailxml_mm:MailPieceID mailxml_mm:PieceRangeID mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGroup mailxml_mm:MailXMLPieceRangeBlock					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation Request to cancel a mail piece.					


element **MailPieceCancelResponse**

diagram	 The diagram shows the MailPieceCancelResponse element. It has a sequence of children: TrackingID (dashed box), SubmitterTrackingID (dashed box), MailPieceCancelAccept (solid box), and MailPieceCancelReject (solid box). The first two are grouped by a dashed box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:MailPieceCancelAccept mailxml_mm:MailPieceCancelReject
annotation	documentation Response to the request to cancel a mail piece.


element **MailPieceCancelResponse/TrackingID**

diagram	 The diagram shows the TrackingID element as a dashed box labeled mailxml_mm:TrackingID.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailPieceCancelResponse/SubmitterTrackingID**

diagram	 The diagram shows the SubmitterTrackingID element as a dashed box labeled mailxml_mm:SubmitterTrackingID.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailPieceCancelResponse/MailPieceCancelAccept**

diagram	 The diagram shows the MailPieceCancelAccept element. It has a sequence of children: a group of attributes (dashed box) containing MailXMLHeaderInfo (dashed box) with CustomerGroupID, MailingGroupID, MaildatJobID, and UserLicenseCode (all dashed boxes), and ReturnInfo (dashed box). The first child is optional (indicated by a circle with a vertical line), and the second is required (indicated by a circle with a horizontal line). The cardinality is 1..∞.																														
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

element **MailPieceCancelResponse/MailPieceCancelAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **MailPieceCancelResponse/MailPieceCancelReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element **MailPieceCancelResponse/MailPieceCancelReject/ReturnInfo**

diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:ReturnInfo</code> element. It is a container element (indicated by a square icon) that contains a sequence of child elements (indicated by a circle icon). The children are:</p> <ul style="list-style-type: none"><code>mailxml_defs:basicReturnInfoType</code> (indicated by a dashed box):<ul style="list-style-type: none"><code>mailxml_defs:ReturnCode</code> (indicated by a dashed box)<code>mailxml_defs:ReturnDescription</code> (indicated by a dashed box)<code>mailxml_defs:errorWarning</code> (indicated by a dashed box, with a plus icon for optional)<code>mailxml_defs:ContainerErrorWarningBlock</code> (indicated by a dashed box, with a plus icon for optional) <p>Cardinality values are shown: <code>0..∞</code> for the <code>mailxml_mm:ReturnInfo</code> element and <code>0..∞</code> for the <code>mailxml_defs:ContainerErrorWarningBlock</code> element.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element **MailPieceCreateRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGroup mailxml_mm:ReferenceableMailData					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MessageGroupID	mailxml_base:s20	optional			

	mailxml_defs:TotalMessageCount	xs:positiveInteger	optional	
	mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional	
	mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional	
	mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional	
	mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No
	mailxml_defs:CustomerGroupID	mailxml_base:s25		
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required	
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType		
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType		
annotation	documentation "Request to update a mail piece. Note: the MailXMLPieceRangeBlock and PDRRangePieceBlock blocks inside the mailPieceRequest block will be removed in the next major Mail.XML version. At this time it is strongly advised that milers stop using these two blocks, instead utilize the PDRMailPieceBlock and MailPieceBlockGroup blocks"			

element MailPieceCreateResponse

diagram				
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm			
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:MailPieceCreateAccept mailxml_mm:MailPieceCreateReject			
annotation	documentation Response to the request to create a mailpiece.			

element MailPieceCreateResponse/TrackingID

diagram				
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm			

element MailPieceCreateResponse/SubmitterTrackingID

diagram				
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm			


element **MailPieceCreateResponse/MailPieceCreateAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				


element **MailPieceCreateResponse/MailPieceCreateAccept/ReturnInfo**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock					

element **MailPieceCreateResponse/MailPieceCreateReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				


element **MailPieceCreateResponse/MailPieceCreateReject/ReturnInfo**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock					


element **MailPieceUpdateRequest**

diagram							
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm						
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGroup mailxml_mm:ReferenceableMailData						
attributes	Name	Type	Use	Default	Fixed	Annotation	
	mailxml_defs:CustomerGroupID	mailxml_base:s25					
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType					
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType					
annotation	documentation "Request to update a mail piece. Note: the MailXMLPieceRangeBlock and PDRRangePieceBlock blocks inside the mailPieceRequest block will be removed in the next major Mail.XML version. At this time it is strongly advised that milers stop using these two blocks, instead utilize the PDRMailPieceBlock and MailPieceBlockGroup blocks"						


element **MailPieceUpdateResponse**

diagram	 The diagram shows the MailPieceUpdateResponse element. It has a sequence of children: TrackingID (dashed box), SubmitterTrackingID (dashed box), MailPieceUpdateAccept (solid box with a plus sign), and MailPieceUpdateReject (solid box with a plus sign).
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:MailPieceUpdateAccept mailxml_mm:MailPieceUpdateReject
annotation	documentation Response to the request to update a mail piece.


element **MailPieceUpdateResponse/TrackingID**

diagram	 The diagram shows the TrackingID element as a dashed box labeled mailxml_mm:TrackingID.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailPieceUpdateResponse/SubmitterTrackingID**

diagram	 The diagram shows the SubmitterTrackingID element as a dashed box labeled mailxml_mm:SubmitterTrackingID.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **MailPieceUpdateResponse/MailPieceUpdateAccept**

diagram	 The diagram shows the MailPieceUpdateAccept element. It has a group of attributes (dashed box) containing: CustomerGroupID, MailingGroupID, MaildatJobID, and UserLicenseCode. It also has a child element ReturnInfo (dashed box with a plus sign).																														
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

element **MailPieceUpdateResponse/MailPieceUpdateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **MailPieceUpdateResponse/MailPieceUpdateReject**

diagram																															
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatJobID</td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:UserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																													
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

element **MailPieceUpdateResponse/MailPieceUpdateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ManifestCancelRequest**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ConsigneeManifestID
annotation	documentation Request to cancel a manifest.

element **ManifestCancelRequest/SubmittingParty**


diagram	<pre>graph LR subgraph participantIDType [mailxml_defs:participantIDType] direction TB subgraph attributes MailerID6[mailxml_defs:MailerID6] MailerID9[mailxml_defs:MailerID9] CRID[mailxml_defs:CRID] SchedulerID[mailxml_defs:SchedulerID] MaildatUserLicense[mailxml_defs:MaildatUserLicense] ShippingAgentID[mailxml_defs:ShippingAgentID] ReceivingAgentID[mailxml_defs:ReceivingAgentID] end end SubmittingParty[mailxml_mm:SubmittingParty] --- participantIDType</pre>																		
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																		
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
Name	Type	Use	Default	Fixed	Annotation														
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																		
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																		

mailxml_defs:CRID	mailxml_base:CRIDType
mailxml_defs:SchedulerID	mailxml_base:s12
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType
mailxml_defs:ShippingAgentID	mailxml_base:s12
mailxml_defs:ReceivingAgentID	mailxml_base:s12


element ManifestCancelRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element ManifestCancelRequest/SubmitterTrackingID

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element ManifestCancelRequest/ConsigneeManifestID

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element ManifestCancelResponse

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ManifestCancelAccept mailxml_mm:ManifestCancelReject					

annotation	documentation Response to a request to cancel a manifest.
------------	--

element **ManifestCancelResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestCancelResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestCancelResponse/ManifestCancelAccept**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ManifestIDNumner mailxml_mm:ConsigneeManifestID

element **ManifestCancelResponse/ManifestCancelAccept/ManifestIDNumner**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestCancelResponse/ManifestCancelAccept/ConsigneeManifestID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ManifestCancelResponse/ManifestCancelReject**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ManifestIDNumner mailxml_mm:ConsigneeManifestID mailxml_mm:ReturnInfo


element **ManifestCancelResponse/ManifestCancelReject/ManifestIDNumner**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ManifestCancelResponse/ManifestCancelReject/ConsigneeManifestID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestCancelResponse/ManifestCancelReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **ManifestCreateRequest**

diagram																			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																		
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:InternationalOrDomestic mailxml_mm:ManifestMailInfo																		
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_defs:CustomerGroupID	mailxml_base:s25																		
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																	

	mailxml_defs:MaildatJobID	mailxml_base:jobIDType
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType
annotation	documentation Enumerates Mail Pieces.	

element ManifestCreateRequest/SubmittingParty


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element ManifestCreateRequest/SubmittingSoftware


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			

mailxml_defs:ApprovalDate	xs:date
mailxml_defs:ApprovalKey	xs:string


element **ManifestCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestCreateRequest/InternationalOrDomestic**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestCreateRequest/ManifestMailInfo**

diagram	 <p>The diagram illustrates the structure of the mailxml_mm:ManifestMailInfo element. It is a complex type containing several child elements. The root element is mailxml_mm:ManifestMailInfo (1..∞). It contains a sequence of elements: mailxml_mm:HeaderRecordID, mailxml_mm:ManifestIDNumber, mailxml_mm:ElectronicFileType, mailxml_mm:USPSElectronicFileVersionNum..., mailxml_mm:ElectronicFileNumber, mailxml_mm:DateOfMailing, mailxml_mm:TimeOfMailing, mailxml_mm:EntryFacilityType, mailxml_mm:EntryFacilityZipCode, mailxml_mm:EntryFacilityZipPlusFour, mailxml_mm:DirectEntryOriginCountryCode, mailxml_mm:ShipmentFeeCode, mailxml_mm:ExtraFeeForShipment, mailxml_mm:FileRecordCount, mailxml_mm:SoftwareVendorProductVersion, mailxml_mm:SoftwareVendorCode, and mailxml_mm:TransactionID. Following these is a choice of three optional elements: mailxml_mm:TrackingInformation (0..∞), mailxml_mm:PaymentInformation (0..∞), and mailxml_mm:SpecialProductInformation (0..∞). The choice is indicated by a dashed line and a choice symbol (a circle with a plus sign).</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

e	
children	mailxml_mm:HeaderRecordID mailxml_mm:ManifestIDNumber mailxml_mm:ElectronicFileType mailxml_mm:USPSElectronicFileVersionNumber mailxml_mm:ElectronicFileNumber mailxml_mm:DateOfMailing mailxml_mm:TimeOfMailing mailxml_mm:EntryFacilityType mailxml_mm:EntryFacilityZipCode mailxml_mm:EntryFacilityZipPlusFour mailxml_mm:DirectEntryOriginCountryCode mailxml_mm:ShipmentFeeCode mailxml_mm:ExtraFeeForShipment mailxml_mm:FileRecordCount mailxml_mm:SoftwareVendorProductVersion mailxml_mm:SoftwareVendorCode mailxml_mm:TransactionID mailxml_mm:TrackingInformation mailxml_mm:PaymentInformation mailxml_mm:SpecialProductInformation

element ManifestCreateResponse

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ManifestCreateAccept mailxml_mm:ManifestCreateReject
annotation	documentation Response to ManifestCreateRequest Message

element ManifestCreateResponse/TrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element ManifestCreateResponse/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element ManifestCreateResponse/ManifestCreateAccept

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:ManifestAndOrderIDInfoBlock mailxml_mm:ManifestErrorWarningSummary					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildateJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element ManifestCreateResponse/ManifestCreateAccept/ManifestAndOrderIDInfoBlock

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ManifestIDNumber mailxml_mm:ConsigneeManifestID mailxml_mm:PieceOrDetailRecordID mailxml_mm:ConsigneePieceORDetailID

element ManifestCreateResponse/ManifestCreateAccept/ManifestErrorWarningSummary

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:ElectronicFileSequenceNumber mailxml_mm:ElectronicFileReceiptDate mailxml_mm:ElectronicFileReceiptTime mailxml_mm:EntryFacilityZipCode mailxml_mm:MailingDate mailxml_mm:NumberOfRecordsRead mailxml_mm:NumberOfRecordsRejected mailxml_mm:NumberOfRecordsAccepted mailxml_mm:NumberOfElectronicFileD1RecordRecordsAccepted mailxml_mm:NumberOfElectronicFileD2RecordRecordsAccepted mailxml_mm:SummaryMessage mailxml_mm:ManifestErrorWarningDetail

element **ManifestCreateResponse/ManifestCreateReject**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	manifestxml_mm:ManifestErrorWarningSummary					
attributes	Name	Type	Use	Default	Fixed	Annotation
	manifestxml_defs:CustomerGroupID	manifestxml_base:s25				
	manifestxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	manifestxml_defs:MaildatJobID	manifestxml_base:jobIDType				
	manifestxml_defs:UserLicenseCode	manifestxml_base:userLicenseCodeType				

element **ManifestCreateResponse/ManifestCreateReject/ManifestErrorWarningSummary**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	manifestxml_mm:MID manifestxml_mm:ElectronicFileSequenceNumber manifestxml_mm:ElectronicFileReceiptDate manifestxml_mm:ElectronicFileReceiptTime manifestxml_mm:EntryFacilityZipCode manifestxml_mm:MailingDate manifestxml_mm:NumberOfRecordsRead manifestxml_mm:NumberOfRecordsRejected manifestxml_mm:NumberOfRecordsAccepted manifestxml_mm:NumberOfElectronicFileD1RecordsAccepted manifestxml_mm:NumberOfElectronicFileD2RecordsAccepted manifestxml_mm:SummaryMessage manifestxml_mm:ManifestErrorWarningDetail					

	mailxml_mm:NumberOfElectronicFileD2RecordRecordsAccepted mailxml_mm:SummaryMessage mailxml_mm:ManifestErrorWarningDetail
--	---

element **ManifestPaymentExtractQueryRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ElectronicFileNumber
annotation	documentation Query request for Manifest Payment Extract.

element **ManifestPaymentExtractQueryRequest/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																																																
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:SchedulerID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatUserLicense</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ShippingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ReceivingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **ManifestPaymentExtractQueryRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **ManifestPaymentExtractQueryRequest/SubmitterTrackingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **ManifestPaymentExtractQueryRequest/ElectronicFileNumber**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **ManifestPaymentExtractDelivery**

diagram	<p>The diagram shows the structure of the ManifestPaymentExtractDelivery element. It is a container for a group of attributes and a sequence of child elements. The attributes group is labeled grp mailxml_defs:LargeTransactionDivider... and includes: mailxml_defs:MessageGroupID, mailxml_defs:TotalMessageCount, mailxml_defs:MessageSerialNumber, mailxml_defs:TransmittedRecordCount, mailxml_defs:TotalRecordsAcrossMessages, and mailxml_defs:LastMessage. The child elements are enclosed in a dashed box with a 1..∞ cardinality indicator and include: mailxml_mm:SubmittingParty, mailxml_mm:SubmittingSoftware, mailxml_defs:DataRecipient, mailxml_mm:PushMessageID, mailxml_mm:ManifestExtractData, and mailxml_defs:LargeTransactionDividerResult.</p>					
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:PushMessageID mailxml_mm:ManifestExtractData mailxml_defs:LargeTransactionDividerResult					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MessageGroupID	mailxml_base:s20	optional			
	mailxml_defs:TotalMessageCount	xs:positiveInteger	optional			
	mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional			
	mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional			
	mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional			
	mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		


element **ManifestPaymentExtractDelivery/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **ManifestPaymentExtractDelivery/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **ManifestPaymentExtractDelivery/PushMessageID**

diagram	 The diagram shows the element <code>mailxml_mm:PushMessageID</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing length, resembling a document or a list item.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestPaymentExtractDelivery/ManifestExtractData**



MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:RecordType mailxml mm:FileVersionNumber mailxml mm:TransactionID mailxml mm:MailingDate mailxml mm:MailingTime mailxml mm:ProcessingDate mailxml mm:ProcessingTime mailxml mm:EntryFacilityZip mailxml mm:EntryFacilityZip4 mailxml mm:PICIMpb mailxml mm:MailClass mailxml mm:ProcessingCategory mailxml mm:Weight mailxml mm:DimWeight mailxml mm:Length mailxml mm:Width mailxml mm:Height mailxml mm:PackageDestinationZIP mailxml mm:DestinationZIP4 mailxml mm:DestinationRateIndicator mailxml mm:RateIndicator mailxml mm:Zone mailxml mm:PostalRoutingBarcode mailxml mm:ExtraServiceCodeFirstService mailxml mm:FeeForExtraServiceCodeFirstService mailxml mm:ExtraServiceCodeSecondService mailxml mm:FeeForExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeThirdService mailxml mm:FeeForExtraServiceCodeService mailxml mm:DiscountType mailxml mm:DiscountAmount mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:CustomerReferenceNumber mailxml mm:PriceType mailxml mm:USPSCalculatedManifestPostage mailxml mm:PaymentStatus mailxml mm:CAPSTransactionID

element ManifestPaymentExtractNotification

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:ElectronicFileNumber mailxml mm:MailingDate mailxml mm:ProcessingDate mailxml mm:NotificationDate
annotation	documentation Notification from PostalOne! to Mailer Notifying them the availability of file.

element ManifestPaymentExtractNotification/ElectronicFileNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element ManifestPaymentExtractNotification/MailingDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element ManifestPaymentExtractNotification/ProcessingDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element ManifestPaymentExtractNotification/NotificationDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestPaymentExtractQueryResponse**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				
annotation	documentation Response to the query for a postage statement.					

element **ManifestPaymentExtractQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ManifestPaymentExtractQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ManifestPaymentExtractQueryResponse/QueryResults**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ManifestExtractData mailxml_mm:ReturnInfo

element **ManifestPaymentExtractQueryResponse/QueryResults/ManifestExtractData**




MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:RecordType mailxml_mm:FileVersionNumber mailxml_mm:TransactionID mailxml_mm:MailingDate mailxml_mm:MailingTime mailxml_mm:ProcessingDate mailxml_mm:ProcessingTime mailxml_mm:EntryFacilityZip mailxml_mm:EntryFacilityZip4 mailxml_mm:PICIMpb mailxml_mm:MailClass mailxml_mm:ProcessingCategory mailxml_mm:Weight mailxml_mm:DimWeight mailxml_mm:Length mailxml_mm:Width mailxml_mm:Height mailxml_mm:PackageDestinationZIP mailxml_mm:DestinationZIP4 mailxml_mm:DestinationRateIndicator mailxml_mm:RateIndicator mailxml_mm:Zone mailxml_mm:PostalRoutingBarcode mailxml_mm:ExtraServiceCodeFirstService mailxml_mm:FeeForExtraServiceCodeFirstService mailxml_mm:ExtraServiceCodeSecondService mailxml_mm:FeeForExtraServiceCodeSecondService mailxml_mm:ExtraServiceCodeThirdService mailxml_mm:FeeForExtraServiceCodeService mailxml_mm:DiscountType mailxml_mm:DiscountAmount mailxml_mm:SurchargeType mailxml_mm:SurchargeAmount mailxml_mm:CustomerReferenceNumber mailxml_mm:PriceType mailxml_mm:USPSCalculatedManifestPostage mailxml_mm:PaymentStatus mailxml_mm:CAPSTransactionID

element ManifestPaymentExtractQueryResponse/QueryResults/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element OpenMailingGroupRequest

diagram													
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm												
children	mailxml mm:SubmittingParty mailxml mm:SubmittingSoftware mailxml mm:SubmitterTrackingID mailxml mm:MailingGroupData												
attributes	<table><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr><tr><td>mailxml mm:CustomerGroupID</td><td>mailxml_base:s25</td><td>required</td><td></td><td></td><td></td></tr></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml mm:CustomerGroupID	mailxml_base:s25	required			
Name	Type	Use	Default	Fixed	Annotation								
mailxml mm:CustomerGroupID	mailxml_base:s25	required											
annotation	<p>documentation</p> <p>Request to open a Mailing Group as a method to allow USPS customers to organize documents in a manner that suits their business needs.</p>												


element **OpenMailingGroupRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **OpenMailingGroupRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **OpenMailingGroupRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **OpenMailingGroupRequest/MailingGroupData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerDescription mailxml_mm:SubmitterCRID mailxml_mm:PermitPublicationData mailxml_mm:PostOfficeOfMailingZip mailxml_mm:MailingFacility mailxml_mm:MailXMLPresentationCategory mailxml_mm:MailerID mailxml_mm:FullServiceParticipationIndicator mailxml_mm:MailAgreementType mailxml_mm:ContractNumber mailxml_mm:OnePassIndicator mailxml_mm:LogicalPhysicalContainerIndicator

element **OpenMailingGroupResponse**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:OpenMailingGroupAccept mailxml_mm:OpenMailingGroupReject
annotation	documentation Response from USPS to the customer request to open a Mailing Group

element **OpenMailingGroupResponse/TrackingID**


diagram	
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **OpenMailingGroupResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **OpenMailingGroupResponse/OpenMailingGroupAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				
annotation	documentation Response from USPS to the customer indicating that a Mailing Group was opened					

element **OpenMailingGroupResponse/OpenMailingGroupAccept/ReturnInfo**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock					

element **OpenMailingGroupResponse/OpenMailingGroupReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:PostOfficeOfMailingZip mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:Status	mailxml_base:statusType				
annotation	documentation Response from USPS to the customer indicating that a Mailing Group could not be opened and why.					


element **OpenMailingGroupResponse/OpenMailingGroupReject/PostOfficeOfMailingZip**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **OpenMailingGroupResponse/OpenMailingGroupReject/ReturnInfo**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock					


element **PaymentMessage**

diagram	 <p>The diagram shows a box labeled 'PaymentMessage' connected to a central connector box. From this connector, five lines branch out to the right, each leading to a box representing a child element: 'mailxml_mm:Postage StatementTransaction...', 'mailxml_mm:CustomerReferenceTransactio...', 'mailxml_mm:MailingFacility' (which is dashed), 'mailxml_mm:PostageAmountPaid', and 'mailxml_mm:DateOfTransaction'.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PostageStatementTransactionNumber mailxml_mm:CustomerReferenceTransactionNumber mailxml_mm:MailingFacility mailxml_mm:PostageAmountPaid mailxml_mm:DateOfTransaction mailxml_mm:TimeOfTransaction
used by	element PaymentMessageQueryResponse/QueryResults


element **PaymentMessage/PostageStatementTransactionNumber**

diagram	 <p>The diagram shows a single box labeled 'mailxml_mm:Postage StatementTransaction...'.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PaymentMessage/CustomerReferenceTransactionNumber**

diagram	 <p>The diagram shows a single box labeled 'mailxml_mm:CustomerReferenceTransactio...'.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PaymentMessage/MailingFacility**

diagram	 <p>The diagram shows a single dashed box labeled 'mailxml_mm:MailingFacility'.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PaymentMessage/PostageAmountPaid**

diagram	 <p>The diagram shows a single box labeled 'mailxml_mm:PostageAmountPaid'.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PaymentMessage/DateOfTransaction**

diagram	 <p>The diagram shows a single box labeled 'mailxml_mm:DateOfTransaction'.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PaymentMessage/TimeOfTransaction**

diagram	 <p>The diagram shows a single box labeled 'mailxml_mm:TimeOfTransaction'.</p>
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

element **PaymentMessageQueryRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation Query request for a payment message.					

element **PaymentMessageQueryRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **PaymentMessageQueryRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **PaymentMessageQueryRequest/SubmitterTrackingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **PaymentMessageQueryResponse**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation Response to the query request for a payment message.					


element **PaymentMessageQueryResponse/TrackingID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:TrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PaymentMessageQueryResponse/SubmitterTrackingID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:SubmitterTrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PaymentMessageQueryResponse/QueryResults**

diagram	 A diagram showing a dashed box for <code>mailxml_mm:QueryResults</code> containing a sequence of two elements: <code>mailxml_mm:PaymentMessage</code> and <code>mailxml_mm:ReturnInfo</code> . Both child elements have a '+' icon in their top right corner. A multiplicity of <code>0..∞</code> is shown at the bottom of the sequence.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PaymentMessage mailxml_mm:ReturnInfo

element **PaymentMessageQueryResponse/QueryResults/ReturnInfo**


diagram	 A diagram showing a dashed box for <code>mailxml_mm:ReturnInfo</code> containing a sequence of four elements: <code>mailxml_defs:basicReturnInfoType</code> , <code>mailxml_defs:ReturnCode</code> , <code>mailxml_defs:ReturnDescription</code> , and <code>mailxml_defs:ContainerErrorWarningBlock</code> . The last three elements have a '+' icon in their top right corner. A multiplicity of <code>0..∞</code> is shown at the bottom of the sequence.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element **PeriodicalLineItemData**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Copies mailxml_mm:ContainerDetailID mailxml_mm:DiscountQty mailxml_mm:PeriodicalPrice mailxml_mm:InOutCountyIndicator mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:NonCopies mailxml_mm:PieceRate mailxml_mm:Pieces mailxml_mm:PostageAmount mailxml_mm:PoundRate mailxml_mm:RateCategory mailxml_mm:Section mailxml_mm:SubreqCopies mailxml_mm:Zone mailxml_mm:ChargeableContainerType mailxml_mm:ChargeableContainerLevel mailxml_mm:ContainerID mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:MachinableFlag mailxml_mm:FullServiceParticipationIndicator mailxml_mm:USPSPackageUniqueCharacteri... mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold

used by	complexTypees abstractPeriodicalStatementDataType createConsolidatedPeriodicalStatementDataType
---------	---


element PeriodicalLineItemData/Copies

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalLineItemData/ContainerDetailID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalLineItemData/DiscountQty

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalLineItemData/PeriodicalPrice

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalLineItemData/InOutCountyIndicator

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalLineItemData/LineLabel

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalLineItemData/LineNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalLineItemData/NonCopies

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/PieceRate**

diagram	 A diagram showing the element <code>mailxml_mm:PieceRate</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/Pieces**

diagram	 A diagram showing the element <code>mailxml_mm:Pieces</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/PostageAmount**

diagram	 A diagram showing the element <code>mailxml_mm:PostageAmount</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/PoundRate**

diagram	 A diagram showing the element <code>mailxml_mm:PoundRate</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/RateCategory**

diagram	 A diagram showing the element <code>mailxml_mm:RateCategory</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/Section**

diagram	 A diagram showing the element <code>mailxml_mm:Section</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/SubreqCopies**

diagram	 A diagram showing the element <code>mailxml_mm:SubreqCopies</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/Zone**

diagram	 A diagram showing the element <code>mailxml_mm:Zone</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/ChargeableContainerType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/ChargeableContainerLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/ContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/ChargeableBundleLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/Bundles**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/ChargeableEntryLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/Containers**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/MachinableFlag**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/FullServiceParticipationIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PeriodicalLineItemData/USPSPackageUniqueCharacteristic**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalLineItemData/HoldForPickup**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalLineItemData/NumberOfPiecesToHold**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementCreateRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CreatePeriodicalStatement					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				

	mailxml_mm:RateType mailxml_base:rateType mailxml_mm:ProcessingCategory mailxml_base:processingCategoryType
annotation	documentation Request to create a periodical statement.

element PeriodicalStatementCreateRequest/SubmittingParty


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element PeriodicalStatementCreateRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			


	mailxml_defs:ApprovalDate	xs:date
	mailxml_defs:ApprovalKey	xs:string

element **PeriodicalStatementCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementCreateRequest/CreatePeriodicalStatement**

diagram



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm>LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey mailxml_mm:MailingAgentData mailxml_mm:PublisherData mailxml_mm:PendingPostageAmount mailxml_mm:ContainerPostage

element **PeriodicalStatementCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:PeriodicalStatementCreateAccept mailxml_mm:PeriodicalStatementCreateReject
annotation	documentation Response to a request to create a periodical statement.

element **PeriodicalStatementCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:StatementID mailxml_mm:UserPostageStatementID mailxml_mm:TotalPostage mailxml_mm:TotalPostageDue mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/UserPostageStatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/TotalPostage**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/TotalPostageDue**


diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/VolumeNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/IssueNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element PeriodicalStatementCreateResponse/PeriodicalStatementCreateReject

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **PeriodicalStatementQueryRequest**


diagram	
namespa ce	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID

	mailxml_mm:StatementID mailxml_mm:IncludeChildStatement					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				
	mailxml_mm:RateType	mailxml_base:rateType				
	mailxml_mm:ProcessingCategory	mailxml_base:processingCategoryType				
annotation	documentation Query request for a periodical statement.					


element **PeriodicalStatementQueryRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **PeriodicalStatementQueryRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **PeriodicalStatementQueryRequest/SubmitterTrackingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **PeriodicalStatementQueryRequest/StatementID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **PeriodicalStatementQueryRequest/IncludeChildStatement**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **PeriodicalStatementQueryResponse**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				
annotation	documentation Response to a query request for a periodical statement.					

element **PeriodicalStatementQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementQueryResponse/SubmitterTrackingID**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PeriodicalStatementQueryResponse/QueryResults**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PeriodicalStatementData mailxml_mm:ReturnInfo

element **PeriodicalStatementQueryResponse/QueryResults/PeriodicalStatementData**

diagram



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm>LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey mailxml_mm:StatementID mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:PostageStatementStatus mailxml_mm:TotalCopies mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalWeight mailxml_mm:MailingAgentData mailxml_mm:PublisherData mailxml_mm:PendingPostageAmount mailxml_mm:MailArrivalDateandTime mailxml_mm:PaymentDateandTime mailxml_mm:StartTheClockDate mailxml_mm:ContainerPostage

element PeriodicalStatementQueryResponse/QueryResults/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **PostageStatementCancelRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				

	mailxml_mm:RateType mailxml_base:rateType mailxml_mm:ProcessingCategory mailxml_base:processingCategoryType
annotation	documentation Request to cancel a postage statement.

element PostageStatementCancelRequest/SubmittingParty


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element PostageStatementCancelRequest/SubmittingSoftware


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			

	mailxml_defs:ApprovalDate	xs:date
	mailxml_defs:ApprovalKey	xs:string


element **PostageStatementCancelRequest/SubmitterTrackingID**

diagram	 A dashed box containing the text <code>mailxml_mm:SubmitterTrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementCancelRequest/StatementID**

diagram	 A dashed box containing the text <code>mailxml_mm:StatementID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementCancelResponse**

diagram	 A diagram showing the <code>PostageStatementCancelResponse</code> element. It has two children: <code>mailxml_mm:TrackingID</code> and <code>mailxml_mm:SubmitterTrackingID</code> . It also has two optional children: <code>mailxml_mm:PostageStatementCancelAccept</code> and <code>mailxml_mm:PostageStatementCancelReject</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:PostageStatementCancelAccept mailxml_mm:PostageStatementCancelReject
annotation	documentation Response to a request to cancel a postage statement.

element **PostageStatementCancelResponse/TrackingID**

diagram	 A dashed box containing the text <code>mailxml_mm:TrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCancelResponse/SubmitterTrackingID**

diagram	 A dashed box containing the text <code>mailxml_mm:SubmitterTrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCancelResponse/PostageStatementCancelAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:UserPostageStatementID mailxml_mm:StatementID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:Status	mailxml_base:statusType				

element **PostageStatementCancelResponse/PostageStatementCancelAccept/UserPostageStatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCancelResponse/PostageStatementCancelAccept/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCancelResponse/PostageStatementCancelReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			

	mailxml_defs:Status	mailxml_base:statusType
--	---------------------	-------------------------

element PostageStatementCancelResponse/PostageStatementCancelReject/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element PostageStatementCreateRequest


diagram	
namespa ce	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CreatePostageStatement					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				
	mailxml_mm:RateType	mailxml_base:rateType				
	mailxml_mm:ProcessingCategory	mailxml_base:processingCategoryType				
annotation	documentation Request to create a postage statement.					


element **PostageStatementCreateRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **PostageStatementCreateRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **PostageStatementCreateRequest/SubmitterTrackingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **PostageStatementCreateRequest/CreatePostageStatement**



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData mailxml_mm:ContainerPostage

element **PostageStatementCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:PostageStatementCreateAccept mailxml_mm:PostageStatementCreateReject
annotation	documentation Response to a request to create a postage statement.

element **PostageStatementCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCreateResponse/PostageStatementCreateAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:StatementID mailxml_mm:UserPostageStatementID mailxml_mm:TotalPostage mailxml_mm:TotalPostageDue mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

element **PostageStatementCreateResponse/PostageStatementCreateAccept/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCreateResponse/PostageStatementCreateAccept/UserPostageStatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCreateResponse/PostageStatementCreateAccept/TotalPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementCreateResponse/PostageStatementCreateAccept/TotalPostageDue**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementCreateResponse/PostageStatementCreateAccept/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element **PostageStatementCreateResponse/PostageStatementCreateReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

element **PostageStatementCreateResponse/PostageStatementCreateReject/ReturnInfo**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **PostageStatementLineItemData**




namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ProcessingCategory mailxml_mm:ContainerDetailID mailxml_mm:BarcodeRate mailxml_mm:ContainerDisplayName mailxml_mm:ContainerID mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableContainersCount mailxml_mm:EntryDiscount mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:HeavyLetter mailxml_mm:MarketingOrFulfillment mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:PieceRate mailxml_mm:SubtotalPostageAmount mailxml_mm:DiscountTotalAmount mailxml_mm:FeeTotalAmount mailxml_mm:TotalPostageAmount mailxml_mm:PoundRate mailxml_mm:PreparedAsSM mailxml_mm:RateCategory mailxml_mm:Section mailxml_mm:PriceType mailxml_mm:SinglePieceWeight mailxml_mm:SurchargeType mailxml_mm:TotalPieces mailxml_mm:SimplifiedAddressIndicator mailxml_mm:TotalWeight mailxml_mm:Zone mailxml_mm:ExtendedDeliveryFeeApplies mailxml_mm:VersionID mailxml_mm:ContainerType mailxml_mm:FlatRateIndicator mailxml_mm:FullServiceParticipationIndicator mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:SinglePieceDimensionalPrice mailxml_mm:SinglePieceDimensionalBalloonPrice mailxml_mm:USPSPackageUniqueCharacteristic mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold
used by	complexType abstractPostageStatementDataType


element PostageStatementLineItemData/ProcessingCategory

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PostageStatementLineItemData/ContainerDetailID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PostageStatementLineItemData/BarcodeRate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PostageStatementLineItemData/ContainerDisplayName

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PostageStatementLineItemData/ContainerID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PostageStatementLineItemData/ChargeableContainerLevel

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/ChargeableContainersCount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/EntryDiscount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/EntryFacilityType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/EntryZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/HeavyLetter**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/MarketingOrFulfillment**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/LineLabel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/LineNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/PieceRate**

diagram	 The diagram shows the element <code>mailxml_mm:PieceRate</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/SubtotalPostageAmount**

diagram	 The diagram shows the element <code>mailxml_mm:SubtotalPostageAmount</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/DiscountTotalAmount**

diagram	 The diagram shows the element <code>mailxml_mm:DiscountTotalAmount</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/FeeTotalAmount**

diagram	 The diagram shows the element <code>mailxml_mm:FeeTotalAmount</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/TotalPostageAmount**

diagram	 The diagram shows the element <code>mailxml_mm:TotalPostageAmount</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/PoundRate**

diagram	 The diagram shows the element <code>mailxml_mm:PoundRate</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/PreparedAsSM**

diagram	 The diagram shows the element <code>mailxml_mm:PreparedAsSM</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/RateCategory**

diagram	 The diagram shows the element <code>mailxml_mm:RateCategory</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/Section**

diagram	 The diagram shows the element <code>mailxml_mm:Section</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/PriceType**

diagram	 The diagram shows the element <code>mailxml_mm:PriceType</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/SinglePieceWeight**

diagram	 The diagram shows the element <code>mailxml_mm:SinglePieceWeight</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/SurchargeType**

diagram	 The diagram shows the element <code>mailxml_mm:SurchargeType</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/TotalPieces**

diagram	 The diagram shows the element <code>mailxml_mm:TotalPieces</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/SimplifiedAddressIndicator**

diagram	 The diagram shows the element <code>mailxml_mm:SimplifiedAddressIndicator</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/TotalWeight**

diagram	 The diagram shows the element <code>mailxml_mm:TotalWeight</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/Zone**

diagram	 The diagram shows the element <code>mailxml_mm:Zone</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/ExtendedDeliveryFeeApplies**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/VersionID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/ContainerType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/FlatRateIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/FullServiceParticipationIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/SinglePieceDimensionalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/SinglePieceDimensionalPrice**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/SinglePieceDimensionalBalloonPrice**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/USPSPackageUniqueCharacteristic**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:USPSPackageUniqueCharacteri...</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementLineItemData/HoldForPickup**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:HoldForPickup</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementLineItemData/NumberOfPiecesToHold**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:NumberOfPiecesToHold</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PostageStatementQueryRequest**

diagram	 The diagram shows a box labeled PostageStatementQueryRequest connected to a complex structure. This structure includes an attributes group containing a grp mailxml_mm:MailXMLPostage Stateme... group. This group lists several attributes: <code>mailxml_mm:CustomerGroupID</code> , <code>mailxml_mm:MailingGroupID</code> , <code>mailxml_mm:IssueDate</code> , <code>mailxml_mm:IssueNumber</code> , <code>mailxml_mm:VolumeNumber</code> , <code>mailxml_mm:CustomerReferenceID</code> , <code>mailxml_mm:AgencyCostCode</code> , <code>mailxml_mm:PermitNumber</code> , <code>mailxml_mm:PermitType</code> , <code>mailxml_mm:PermitZip4</code> , <code>mailxml_mm:PublicationNumber</code> , <code>mailxml_mm:PostageStatementMethod</code> , <code>mailxml_mm:RateType</code> , and <code>mailxml_mm:ProcessingCategory</code> . Below this group are four more elements: <code>mailxml_mm:SubmittingParty</code> , <code>mailxml_mm:SubmittingSoftware</code> , <code>mailxml_mm:SubmitterTrackingID</code> , and <code>mailxml_mm:StatementID</code> . The first two have plus signs indicating optional or multiple occurrences, while the last two have equals signs indicating required occurrences.
namespa ce	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNumber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				
	mailxml_mm:RateType	mailxml_base:rateType				
	mailxml_mm:ProcessingCategory	mailxml_base:processingCategoryType				
annotation	documentation Query request for a postage statement.					

element **PostageStatementQueryRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **PostageStatementQueryRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **PostageStatementQueryRequest/SubmitterTrackingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **PostageStatementQueryRequest/StatementID**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **PostageStatementQueryResponse**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				
annotation	documentation Response to the query for a postage statement.					


element PostageStatementQueryResponse/TrackingID


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element PostageStatementQueryResponse/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element PostageStatementQueryResponse/QueryResults

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PostageStatementData mailxml_mm:ReturnInfo

element **PostageStatementQueryResponse/QueryResults/PostageStatementData**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID mailxml_mm:StatementID mailxml_mm:ConfirmationNumber mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:SpecialFeesAmount mailxml_mm:PostateStatementStatus mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalPostageAmountDue mailxml_mm:TotalWeight mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData mailxml_mm:StartTheClockDate mailxml_mm:ContainerPostage

element PostageStatementQueryResponse/QueryResults/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock


element PostageStatementStatusQueryRequest

diagram	
---------	--


MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID mailxml_mm:IncludeChildStatement					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation Query request for postage statement status.					

element **PostageStatementStatusQueryRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **PostageStatementStatusQueryRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


MailXML Version 19.0 Mailing Messages Specification

attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element PostageStatementStatusQueryRequest/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element PostageStatementStatusQueryRequest/StatementID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PostageStatementStatusQueryRequest/IncludeChildStatement

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element PostageStatementStatusQueryResponse

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation Response to the query for postage statement status.					


element **PostageStatementStatusQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementStatusQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PostageStatementStatusQueryResponse/QueryResults**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PostageStatementSummary mailxml_mm:ReturnInfo

element **PostageStatementStatusQueryResponse/QueryResults/PostageStatementSummary**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:StatementID mailxml_defs:UserPostageStatementID mailxml_defs:UserPostageStatementSequenceID mailxml_defs:USPSPostageStatementSequenceID mailxml_defs:PostageStatementStatus

element **PostageStatementStatusQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock
----------	---

element **QualificationReportCreateRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:OnePassPlannedOrActualFlag mailxml_mm:QualificationReport					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Replace	mailxml_base:yesNo				
	mailxml_mm:MixedMailFlag	mailxml_base:yesNo	required			
	mailxml_mm:TotalMessageCount	xs:nonNegativeInteger	optional			
	mailxml_mm:TotalDocVersionWithPermitBlocksCount	xs:nonNegativeInteger	required			
	mailxml_mm:LastMessage	mailxml_base:yesNo				
annotation	documentation Request by a USPS customer for USPS to create a Qualification Report that is used to submit standardized documentation compliant with the DMM 708.1.					


element **QualificationReportCreateRequest/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **QualificationReportCreateRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **QualificationReportCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportCreateRequest/OnePassPlannedOrActualFlag**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportCreateRequest/QualificationReport**

diagram	 <p>The diagram shows the structure of the mailxml_mm:QualificationReport element. It is a complex type containing several child elements. The elements are grouped into a dashed box labeled mailxml_mm:qualificationReportDataType. The children are:</p> <ul style="list-style-type: none"> mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData (optional, 0..∞) mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer (optional, 1..∞) mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit (optional, 1..∞) mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:ZoneMatrixDate
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:ZoneMatrixDate

element **QualificationReportCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QualificationReportCreateAccept mailxml_mm:QualificationReportCreateReject
annotation	documentation Response from USPS to a customer request to create a Qualification Report.

element **QualificationReportCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportCreateResponse/SubmitterTrackingID**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportCreateResponse/QualificationReportCreateAccept**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:CustomerQualificationReportID mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
annotation	documentation Response from USPS indicating that a Qualification Report was created.					

element
QualificationReportCreateResponse/QualificationReportCreateAccept/CustomerQualificationRepo


rtID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element QualificationReportCreateResponse/QualificationReportCreateAccept/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element QualificationReportCreateResponse/QualificationReportCreateReject

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml mm:MessageSequenceNumber	mailxml_base:s20	optional			
annotation	documentation Response from USPS indicating that a Qualification Report could not be created and why.					

element **QualificationReportCreateResponse/QualificationReportCreateReject/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **QualificationReportDetailCreateRequest**

diagram							
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm						
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:OnePassPlannedOrActualFlag mailxml_mm:QualificationReport mailxml_mm:ReferenceableMailData						
attributes	Name	Type	Use	Default	Fixed	Annotation	
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				
	mailxml_mm:Replace	mailxml_base:yesNo					

	mailxml_mm:MixedMailFlag mailxml_mm:TotalMessageCount mailxml_mm:TotalDocVersionWithPermitBlocksCount mailxml_mm:LastMessage	mailxml_base:yesNo xs:nonNegativeInteger xs:nonNegativeInteger mailxml_base:yesNo	required optional required required
annotation	documentation Request by a USPS customer for USPS to create a Qualification Report that is used to submit standardized documentation compliant with the DMM 708.1.		

element QualificationReportDetailCreateRequest/SubmittingParty

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element QualificationReportDetailCreateRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


MailXML Version 19.0 Mailing Messages Specification

attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **QualificationReportDetailCreateRequest/SubmitterTrackingID**

diagram	 The diagram shows a single rectangular box representing the <code>mailxml_mm:SubmitterTrackingID</code> element.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationReportDetailCreateRequest/OnePassPlannedOrActualFlag**

diagram	 The diagram shows a single rectangular box representing the <code>mailxml_mm:OnePassPlannedOrActualFlag</code> element.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportDetailCreateRequest/QualificationReport**

diagram	 The diagram shows a rectangular box for <code>mailxml_mm:QualificationReport</code> connected to a dashed box representing <code>mailxml_mm:qualificationReportDetailDataType</code> . Inside the dashed box, there are three sub-elements: <code>mailxml_mm:CustomerQualificationReportID</code> (0..∞), <code>mailxml_defs:ContainerInfoData</code> (0..∞), and <code>mailxml_mm:DocumentVersionDataWithPer...</code> (0..∞). Each sub-element is connected to the main box via a dashed line with a multiplicity of 0..∞.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerQualificationReportID mailxml_defs:ContainerInfoData mailxml_mm:DocumentVersionDataWithPermit

element **QualificationReportDetailCreateRequest/ReferenceableMailData**

diagram	 The diagram shows a rectangular box for <code>mailxml_mm:ReferenceableMailData</code> connected to a dashed box representing <code>mailxml_mm:referenceableMailDataType</code> . Inside the dashed box, there are four sub-elements: <code>mailxml_mm:ReferenceableMailID</code> , <code>mailxml_mm:TemplateCode</code> , <code>mailxml_mm:ReferenceableMailDateStart</code> , <code>mailxml_mm:ReferenceableMailDateEnd</code> , and <code>mailxml_mm:ReferenceableMailContentGro...</code> (0..∞). Each sub-element is connected to the main box via a dashed line with a multiplicity of 0..∞.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailDateStart mailxml_mm:ReferenceableMailDateEnd mailxml_mm:ReferenceableMailContentGroup

element **QualificationReportDetailCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QualificationReportDetailCreateAccept mailxml_mm:QualificationReportDetailCreateReject
annotation	documentation Response from USPS to a customer request to create a Qualification Report.

element **QualificationReportDetailCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportDetailCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportDetailCreateResponse/QualificationReportDetailCreateAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:CustomerQualificationReportID mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
annotation	documentation Response from USPS indicating that a Qualification Report was created.					


element

QualificationReportDetailCreateResponse/QualificationReportDetailCreateAccept/CustomerQualificationReportID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element

QualificationReportDetailCreateResponse/QualificationReportDetailCreateAccept/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **QualificationReportDetailCreateResponse/QualificationReportDetailCreateReject**

diagram	The diagram illustrates the structure of the <code>mailxml_mm:QualificationReportDetailCreat...</code> element. It is connected to a container box labeled <code>attributes</code> . Inside this container, there is a group box labeled <code>grp mailxml_mm:MailXMLQualReportResp...</code> . This group contains three elements: <code>mailxml_mm:CustomerGroupID</code> , <code>mailxml_mm:MailingGroupID</code> , and <code>mailxml_mm:MessageSequenceNumber</code> . The <code>mailxml_mm:MessageSequenceNumber</code> element is enclosed in a dashed border, indicating it is optional. Below the group box, there is an element <code>mailxml_mm:ReturnInfo</code> with a cardinality of <code>0..1</code> , indicated by a circle with a plus sign.					
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml mm:MessageSequenceNumber	mailxml_base:s20	optional			
annotation	documentation Response from USPS indicating that a Qualification Report could not be created and why.					

element

QualificationReportDetailCreateResponse/QualificationReportDetailCreateReject/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **QualificationReportQueryRequest**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:MailingFacility mailxml_mm:PostageStatementStatus mailxml_mm:QualificationReportClass mailxml_mm:CustomerQualificationReportID mailxml_mm:BeginDate mailxml_mm:EndDate mailxml_mm:Preparer mailxml_mm:Permitholder mailxml_mm:IssueBeginDate mailxml_mm:IssueEndDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:DestinationFacilityZip

	mailxml_mm:Preparer mailxml_mm:PermitHolder mailxml_mm:IssueBeginDate mailxml_mm:IssueEndDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:DestinationFacilityZip					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation A request from a USPS customer for Qualification Report Data.					

element **QualificationReportQueryRequest/SubmittingParty**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **QualificationReportQueryRequest/SubmittingSoftware**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			

	mailxml_defs:Vendor	xs:string	required
	mailxml_defs:Version	xs:string	required
	mailxml_defs:ApprovalDate	xs:date	
	mailxml_defs:ApprovalKey	xs:string	


element QualificationReportQueryRequest/SubmitterTrackingID

diagram			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm		


element QualificationReportQueryRequest/MailingFacility

diagram			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm		

element QualificationReportQueryRequest/PostageStatementStatus

diagram			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm		


element QualificationReportQueryRequest/QualificationReportClass

diagram			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm		


element QualificationReportQueryRequest/CustomerQualificationReportID

diagram			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm		


element QualificationReportQueryRequest/BeginDate

diagram			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm		


element QualificationReportQueryRequest/EndDate

diagram			
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm		


element **QualificationReportQueryRequest/Preparer**

diagram	 <p>The diagram shows the structure of the <code>mailxml_mm:Preparer</code> element. It is a container element (rectangle with a dashed border) that contains a sequence of two child elements, each represented by a circle with a dashed border and a plus sign. The first child element is <code>mailxml_defs:PermitPublicationDataType</code>, which is a complex type (rectangle with a dashed border) containing a sequence of six child elements: <code>mailxml_defs:PermitNumber</code>, <code>mailxml_defs:PaymentAccountNumber</code>, <code>mailxml_defs:PermitType</code>, <code>mailxml_defs:PermitZip4</code>, <code>mailxml_defs:PublicationNumber</code>, and <code>mailxml_defs:PaymentAccountNumber</code>. The second child element is <code>mailxml_defs:PaymentAccountNumber</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:PermitNumber</code> <code>mailxml_defs:PaymentAccountNumber</code> <code>mailxml_defs:PermitType</code> <code>mailxml_defs:PermitZip4</code> <code>mailxml_defs:PublicationNumber</code> <code>mailxml_defs:PaymentAccountNumber</code>


element **QualificationReportQueryRequest/PermitHolder**

diagram	 <p>The diagram shows the structure of the <code>mailxml_mm:PermitHolder</code> element. It is a container element (rectangle with a dashed border) that contains a sequence of two child elements, each represented by a circle with a dashed border and a plus sign. The first child element is <code>mailxml_defs:PermitPublicationDataType</code>, which is a complex type (rectangle with a dashed border) containing a sequence of six child elements: <code>mailxml_defs:PermitNumber</code>, <code>mailxml_defs:PaymentAccountNumber</code>, <code>mailxml_defs:PermitType</code>, <code>mailxml_defs:PermitZip4</code>, <code>mailxml_defs:PublicationNumber</code>, and <code>mailxml_defs:PaymentAccountNumber</code>. The second child element is <code>mailxml_defs:PaymentAccountNumber</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:PermitNumber</code> <code>mailxml_defs:PaymentAccountNumber</code> <code>mailxml_defs:PermitType</code> <code>mailxml_defs:PermitZip4</code> <code>mailxml_defs:PublicationNumber</code> <code>mailxml_defs:PaymentAccountNumber</code>


element **QualificationReportQueryRequest/IssueBeginDate**

diagram	 <p>The diagram shows the structure of the <code>mailxml_mm:IssueBeginDate</code> element. It is a simple element (rectangle with a dashed border) containing a single child element, <code>mailxml_mm:IssueBeginDate</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationReportQueryRequest/IssueEndDate**

diagram	 <p>The diagram shows the structure of the <code>mailxml_mm:IssueEndDate</code> element. It is a simple element (rectangle with a dashed border) containing a single child element, <code>mailxml_mm:IssueEndDate</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationReportQueryRequest/IssueNumber**

diagram	 <p>The diagram shows the structure of the <code>mailxml_mm:IssueNumber</code> element. It is a simple element (rectangle with a dashed border) containing a single child element, <code>mailxml_mm:IssueNumber</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationReportQueryRequest/VolumeNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationReportQueryRequest/DestinationFacilityZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationReportQueryResponse**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25	required			
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation A response from USPS to the request for Qualification Report data.					


element **QualificationReportQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationReportQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportQueryResponse/QueryResults**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:QualificationReport mailxml_mm:ReturnInfo
annotation	documentation USPS provided Qualification Report data

element **QualificationReportQueryResponse/QueryResults/QualificationReport**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:ZoneMatrixDate

element **QualificationReportQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **QualificationReportSummaryCreateRequest**

diagram	<pre>graph LR QRS[QualificationReportSummaryCreateRequest] --> S1((1)) S1 --> SP[mailxml_mm:SubmittingParty] S1 --> SS[mailxml_mm:SubmittingSoftware] S1 --> STID[mailxml_mm:SubmitterTrackingID] S1 --> OP[mailxml_mm:OnePassPlannedOrActualFlag] S1 --> QRS2[mailxml_mm:QualificationReportSummary] QRS2 --> A1[mailxml_mm:CustomerGroupID] QRS2 --> A2[mailxml_mm:MailingGroupID] QRS2 --> A3[mailxml_mm:Replace] QRS2 --> A4[mailxml_mm:MixedMailFlag] QRS2 --> A5[mailxml_mm:TotalMessageCount] QRS2 --> A6[mailxml_mm:TotalDocVersionWithPermitBlocks] QRS2 --> A7[mailxml_mm:LastMessage]</pre>						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm						
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:OnePassPlannedOrActualFlag mailxml_mm:QualificationReportSummary						
attributes	Name	Type	Use	Default	Fixed	Annotation	
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				
	mailxml_mm:Replace	mailxml_base:yesNo					
	mailxml_mm:MixedMailFlag	mailxml_base:yesNo	required				
	mailxml_mm:TotalMessageCount	xs:nonNegativeInteger	optional				
	mailxml_mm:TotalDocVersionWithPermitBlocks	xs:nonNegativeInteger	required				

	Count mailxml_mm:LastMessage	ger mailxml_base:yesNo	d
annotation	documentation Request by a USPS customer for USPS to create a Qualification Report Summary that is used to submit standardized documentation compliant with the DMM 708.1. A QualificationReportDetailCreateRequest message must follow for a complete qualification report generation.		

element **QualificationReportSummaryCreateRequest/SubmittingParty**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **QualificationReportSummaryCreateRequest/SubmittingSoftware**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			

	mailxml_defs:Version	xs:string	required
	mailxml_defs:ApprovalDate	xs:date	
	mailxml_defs:ApprovalKey	xs:string	


element QualificationReportSummaryCreateRequest/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element QualificationReportSummaryCreateRequest/OnePassPlannedOrActualFlag

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element QualificationReportSummaryCreateRequest/QualificationReportSummary

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_mm:CustomerQualificationReportID mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:BypassSeamlessAcceptance mailxml_mm:ZoneMatrixDate

element **QualificationReportSummaryCreateResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QualificationReportSummaryCreateAccept mailxml_mm:QualificationReportSummaryCreateReject
annotation	documentation Response from USPS to a customer request to create a Qualification Report.

element **QualificationReportSummaryCreateResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportSummaryCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateAccept**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:CustomerQualificationReportID mailxml_mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
annotation	documentation Response from USPS indicating that a Qualification Report was created.					

element **QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateAccept/Custom**

erQualificationReportID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element

QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateAccept/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateReject**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml mm:ReturnInfo					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml mm:MessageSequenceNumber	mailxml_base:s20	optional			
annotation	documentation Response from USPS indicating that a Qualification Report could not be created and why.					

element

QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateReject/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **QualificationSummaryReport**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:RateCategory mailxml_mm:Pieces mailxml_mm:ClosedPieces mailxml_mm:FormType mailxml_mm:TotalPieces mailxml_mm:TotalClosedPieces mailxml_mm:PostageStatements
used by	element ReconciliationReportQueryResponse/QueryResults


element **QualificationSummaryReport/RateCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/Pieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/ClosedPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/FormType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/TotalClosedPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Line mailxml_mm:USPSProcessingDue mailxml_mm:Finalized


element **QualificationSummaryReport/PostageStatements/Line**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/USPSProcessingDue**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Pieces mailxml_mm:Postage mailxml_mm:TotalPieces mailxml_mm:TotalPostage


element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/Pieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/TotalPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/Finalized**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Pieces mailxml_mm:Postage mailxml_mm:TotalPieces mailxml_mm:TotalPostage


element **QualificationSummaryReport/PostageStatements/Finalized/Pieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/Finalized/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/Finalized/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **QualificationSummaryReport/PostageStatements/Finalized/TotalPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:QualificationReports
used by	element ReconciliationReportQueryResponse/QueryResults


element **ReconciliationReport/QualificationReports**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage mailxml_mm:ClosedContainers mailxml_mm:PostageStatementsCanceled mailxml_mm:PostageStatementsUSPSProcessingDue mailxml_mm:PostageStatementsReworked mailxml_mm:PostageStatementsFinalized mailxml_mm:PostageStatementsReversed mailxml_mm:PostageStatementsNotAvailable mailxml_mm:TotalPieces mailxml_mm:TotalActualPieces mailxml_mm:TotalPostage


element **ReconciliationReport/QualificationReports/OriginalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/ActualPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/ClosedContainers**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage


element **ReconciliationReport/QualificationReports/ClosedContainers/OriginalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/ClosedContainers/ActualPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/ClosedContainers/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsCanceled**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage


element **ReconciliationReport/QualificationReports/PostageStatementsCanceled/OriginalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsCanceled/ActualPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsCanceled/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage

element
ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue/OriginalPieces

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element
ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue/ActualPieces

diagram	
---------	---


namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

element


ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue/Postage

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:Postage</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsReworked**

diagram	 A diagram showing a rectangular box labeled <code>mailxml_mm:PostageStatementsReworked</code> connected to a container box. Inside the container box are three smaller rectangular boxes labeled <code>mailxml_mm:OriginalPieces</code> , <code>mailxml_mm:ActualPieces</code> , and <code>mailxml_mm:Postage</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage


element **ReconciliationReport/QualificationReports/PostageStatementsReworked/OriginalPieces**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:OriginalPieces</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsReworked/ActualPieces**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:ActualPieces</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsReworked/Postage**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:Postage</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsFinalized**

diagram	 A diagram showing a rectangular box labeled <code>mailxml_mm:PostageStatementsFinalized</code> connected to a container box. Inside the container box are three smaller rectangular boxes labeled <code>mailxml_mm:OriginalPieces</code> , <code>mailxml_mm:ActualPieces</code> , and <code>mailxml_mm:Postage</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage


element **ReconciliationReport/QualificationReports/PostageStatementsFinalized/OriginalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsFinalized/ActualPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsFinalized/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsReversed**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage


element **ReconciliationReport/QualificationReports/PostageStatementsReversed/OriginalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsReversed/ActualPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsReversed/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsNotAvailable**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage


element **ReconciliationReport/QualificationReports/PostageStatementsNotAvailable/OriginalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsNotAvailable/ActualPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/PostageStatementsNotAvailable/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReport/QualificationReports/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ReconciliationReport/QualificationReports/TotalActualPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ReconciliationReport/QualificationReports/TotalPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ReconciliationReportQueryRequest**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:QualificationReportClass mailxml_mm:BeginDate mailxml_mm:EndDate mailxml_mm:Preparer mailxml_mm:PermitHolder mailxml_mm:IssueBeginDate mailxml_mm:IssueEndDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation Query request for a reconciliation report.					

element **ReconciliationReportQueryRequest/SubmittingParty**

diagram						
---------	--	--	--	--	--	--

MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element ReconciliationReportQueryRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element ReconciliationReportQueryRequest/SubmitterTrackingID

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element ReconciliationReportQueryRequest/QualificationReportClass

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element ReconciliationReportQueryRequest/BeginDate

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **ReconciliationReportQueryRequest/EndDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReportQueryRequest/Preparer**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **ReconciliationReportQueryRequest/PermitHolder**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **ReconciliationReportQueryRequest/IssueBeginDate**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ReconciliationReportQueryRequest/IssueEndDate**


diagram	
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **ReconciliationReportQueryRequest/IssueNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReportQueryRequest/VolumeNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **ReconciliationReportQueryResponse**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
annotation	documentation Response to the query for a reconciliation report.					

element **ReconciliationReportQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ReconciliationReportQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **ReconciliationReportQueryResponse/QueryResults**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MailingGroupSummary mailxml_mm:QualificationSummaryReport mailxml_mm:ReconciliationReport mailxml_mm:ReturnInfo

element **ReconciliationReportQueryResponse/QueryResults/ReturnInfo**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **SummaryZipDestinationReportCreateRequest**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:OnePassPlannedOrActual mailxml_mm:OnePassOrTwoPass mailxml_mm:EntryPointZip mailxml_mm:EntryFacilityType mailxml_mm:SummaryZipDestinationReport

annotation	documentation Request to create a Customer Mail Report.
------------	--


element SummaryZipDestinationReportCreateRequest/SubmittingParty

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element SummaryZipDestinationReportCreateRequest/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **SummaryZipDestinationReportCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **SummaryZipDestinationReportCreateRequest/CustomerGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **SummaryZipDestinationReportCreateRequest/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **SummaryZipDestinationReportCreateRequest/OnePassPlannedOrActual**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **SummaryZipDestinationReportCreateRequest/OnePassOrTwoPass**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **SummaryZipDestinationReportCreateRequest/EntryPointZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **SummaryZipDestinationReportCreateRequest/EntryFacilityType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **SummaryZipDestinationReportCreateRequest/SummaryZipDestinationReport**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DestinationZip mailxml_mm:ProcessingCategory mailxml_mm:PostagePaymentMethod mailxml_mm:MLOCRRateType mailxml_mm:Weight mailxml_mm:RateAffixed mailxml_mm:NumberOfPieces mailxml_mm:NumberOfPiecesDifference mailxml_mm:PostageAffixed mailxml_mm:CumulativePostageAffixed mailxml_mm:TotalPostage mailxml_mm:NetPostageDue mailxml_mm:CumulativePostageDue mailxml_mm:RunningTotalPieces mailxml_mm:SortationLevel

element **SummaryZipDestinationReportCreateResponse**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:SummaryZipDestinationReportCreateAccept mailxml_mm:SummaryZipDestinationReportCreateReject
annotation	documentation Response to the Request to create a SummaryZipDestinationReportCreate

element **SummaryZipDestinationReportCreateResponse/TrackingID**

diagram	
---------	--


namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

element **SummaryZipDestinationReportCreateResponse/SubmitterTrackingID**

diagram	 A dashed box containing the text <code>mailxml_mm:SubmitterTrackingID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateAccept

diagram	 A diagram showing a sequence of two elements: <code>mailxml_mm:SummaryZipDestinationRepor...</code> followed by <code>mailxml_mm:ReturnInfo</code> . The first element is in a solid box, and the second is in a dashed box with a plus sign in the top right corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReturnInfo


element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateAccept/ReturnInfo

diagram	 A diagram showing a sequence of elements. It starts with <code>mailxml_mm:ReturnInfo</code> in a dashed box, followed by a sequence of three elements in a dashed box: <code>mailxml_defs:basicReturnInfoType</code> (which contains <code>mailxml_defs:ReturnCode</code> , <code>mailxml_defs:ReturnDescription</code> , and <code>mailxml_defs:errorWarning</code>), and <code>mailxml_defs:ContainerErrorWarningBlock</code> . The sequence is marked with <code>0..∞</code> at the start and end. The <code>mailxml_defs:basicReturnInfoType</code> box is highlighted in yellow.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:ReturnCode</code> <code>mailxml_defs:ReturnDescription</code> <code>mailxml_defs:errorWarning</code> <code>mailxml_defs:ContainerErrorWarningBlock</code>

element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateReject

diagram	 A diagram showing a sequence of two elements: <code>mailxml_mm:SummaryZipDestinationRepor...</code> followed by <code>mailxml_mm:ReturnInfo</code> . The first element is in a solid box, and the second is in a dashed box with a plus sign in the top right corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReturnInfo

element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateReject/ReturnInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **TMSDataLoggerDelivery**

diagram																																											
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																																										
children	mailxml mm:SubmittingParty mailxml mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml mm:PushMessageID mailxml mm:TMSDataLoggerDetail																																										
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MessageGroupID</td><td>mailxml_base:s20</td><td>optional</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:TotalMessageCount</td><td>xs:positiveInteger</td><td>optional</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MessageSerialNumber</td><td>xs:positiveInteger</td><td>optional</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:TransmittedRecordCount</td><td>xs:positiveInteger</td><td>optional</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:TotalRecordsAcrossMessages</td><td>xs:positiveInteger</td><td>optional</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:LastMessage</td><td>mailxml_base:yesNo</td><td>optional</td><td>No</td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	documentation Delivery of TMS Data Logger information by USPS.																																										


element **TMSDataLoggerDelivery/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **TMSDataLoggerDelivery/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **TMSDataLoggerDelivery/PushMessageID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:PushMessageID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerDelivery/TMSDataLoggerDetail**

diagram	 A diagram showing the structure of the <code>mailxml_mm:TMSDataLoggerDetail</code> element. It consists of a solid rectangular box labeled <code>mailxml_mm:TMSDataLoggerDetail</code> connected by a dashed line to a container box. This container box has three children: a dashed box labeled <code>mailxml_mm:CSAID</code> , a solid box labeled <code>mailxml_mm:CSATripID</code> , and a solid box labeled <code>mailxml_mm:TMSDataDetailBlock</code> with a plus sign and a cardinality of <code>1..∞</code> next to it.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CSAID mailxml_mm:CSATripID mailxml_mm:TMSDataDetailBlock

element **TMSDataLoggerDelivery/TMSDataLoggerDetail/CSAID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:CSAID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **TMSDataLoggerDelivery/TMSDataLoggerDetail/CSATripID**

diagram	 A solid rectangular box containing the text <code>mailxml_mm:CSATripID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **TMSDataLoggerDelivery/TMSDataLoggerDetail/TMSDataDetailBlock**

diagram	<pre> graph LR subgraph mailxml_mm_TMSDataDetailBlock [mailxml_mm:TMSDataDetailBlock] direction TB Date[mailxml_mm:Date] TimeStamp[mailxml_mm:Time Stamp] OperatingMode[mailxml_mm:OperatingMode] IMtb[mailxml_mm:IMtb] ErrorCode[mailxml_mm:ErrorCode] IndexNumber[mailxml_mm:IndexNumber] DestOrVia[mailxml_mm:DestOrVia] RouteAssignment[mailxml_mm:RouteAssignment] GrossTrayWeight[mailxml_mm:GrossTrayWeight] TransportationMode[mailxml_mm:TransportationMode] UniqueTrayIdentifier[mailxml_mm:UniqueTrayIdentifier] TrayTypeIndicator[mailxml_mm:TrayTypeIndicator] LowTareWeight[mailxml_mm:LowTareWeight] ManifestWeight[mailxml_mm:ManifestWeight] HighTareWeight[mailxml_mm:HighTareWeight] ManifestPostage[mailxml_mm:ManifestPostage] AssignedSort[mailxml_mm:AssignedSort] SAMSQuery[mailxml_mm:SAMSQuery] DNRTTrayBarcode[mailxml_mm:DNRTTrayBarcode] IMcb[mailxml_mm:IMcb] ContainerTrayCount[mailxml_mm:ContainerTrayCount] DestinationZip[mailxml_mm:DestinationZip] EntryLocaleKey[mailxml_mm:EntryLocaleKey] end Sequence[mailxml_mm:TMSDataLoggerDetailType 1..∞] --- mailxml_mm_TMSDataDetailBlock </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Date mailxml_mm:Time Stamp mailxml_mm:OperatingMode mailxml_mm:IMtb mailxml_mm:ErrorCode mailxml_mm:IndexNumber mailxml_mm:DestOrVia mailxml_mm:RouteAssignment mailxml_mm:GrossTrayWeight mailxml_mm:TransportationMode mailxml_mm:UniqueTrayIdentifier mailxml_mm:TrayTypeIndicator mailxml_mm:LowTareWeight mailxml_mm:ManifestWeight mailxml_mm:HighTareWeight mailxml_mm:ManifestPostage mailxml_mm:AssignedSort mailxml_mm:SAMSQuery mailxml_mm:DNRTTrayBarcode mailxml_mm:IMcb mailxml_mm:ContainerTrayCount mailxml_mm:DestinationZip mailxml_mm:EntryLocaleKey

element **TMSDataLoggerNotification**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:NotificationDate mailxml_mm:TMSDataLoggerNotificationSummary
annotation	documentation Notification from TMS to Mailer Notifying them with the availability of data logger file.

element **TMSDataLoggerNotification/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																																																
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:SchedulerID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatUserLicense</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ShippingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ReceivingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **TMSDataLoggerNotification/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **TMSDataLoggerNotification/NotificationDate**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **TMSDataLoggerNotification/TMSDataLoggerNotificationSummary**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:CSAID mailxml_mm:CSATripNumber					


element **TMSDataLoggerNotification/TMSDataLoggerNotificationSummary/CSAID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **TMSDataLoggerNotification/TMSDataLoggerNotificationSummary/CSATripNumber**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **TMSDataLoggerQueryRequest**

diagram	 <p>The diagram shows the TMSDataLoggerQueryRequest element (solid box) connected to four optional child elements (dashed boxes with plus signs): mailxml_mm:SubmittingParty, mailxml_mm:SubmittingSoftware, mailxml_mm:SubmitterTrackingID, and mailxml_mm:TMSDataLoggerQueryDetail.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:TMSDataLoggerQueryDetail
annotation	documentation Query request to retrieve TMS Data Logger Data


element **TMSDataLoggerQueryRequest/SubmittingParty**

diagram																																																	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																																																
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:SchedulerID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatUserLicense</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ShippingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ReceivingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																


element **TMSDataLoggerQueryRequest/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **TMSDataLoggerQueryRequest/SubmitterTrackingID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:CSAID mailxml_mm:CSATripID mailxml_mm:StartDate mailxml_mm:EndDate mailxml_mm:DestinationZip mailxml_mm:EntryLocaleKey					


element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/CSAID**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/CSATripID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/StartDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/EndDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/DestinationZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/EntryLocaleKey**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerQueryResponse**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError
annotation	documentation Response to the query for TMS Data Logger


element **TMSDataLoggerQueryResponse/TrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **TMSDataLoggerQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **TMSDataLoggerQueryResponse/QueryResults**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:PushMessageID mailxml_mm:TMSDataLoggerDetail					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MessageGroupID	mailxml_base:s20	optional			
	mailxml_defs:TotalMessageCount	xs:positiveInteger	optional			
	mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional			
	mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional			
	mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional			
	mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		


element **TMSDataLoggerQueryResponse/QueryResults/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **TMSDataLoggerQueryResponse/QueryResults/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **TMSDataLoggerQueryResponse/QueryResults/PushMessageID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:PushMessageID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail**

diagram	 A diagram showing the structure of the <code>mailxml_mm:TMSDataLoggerDetail</code> element. It consists of a main box labeled <code>mailxml_mm:TMSDataLoggerDetail</code> connected by a dashed line to a container box. This container box has three children: <code>mailxml_mm:CSAID</code> , <code>mailxml_mm:CSATripID</code> , and <code>mailxml_mm:TMSDataDetailBlock</code> . The <code>mailxml_mm:TMSDataDetailBlock</code> element has a plus sign in a box next to it and a cardinality of <code>1..∞</code> below it.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CSAID mailxml_mm:CSATripID mailxml_mm:TMSDataDetailBlock

element **TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/CSAID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:CSAID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/CSATripID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:CSATripID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/TMSDataDetailBlock**


diagram	<pre> sequenceDiagram participant TMSDataDetailBlock as mailxml_mm:TMSDataDetailBlock participant TMSDataLoggerDetailType as mailxml_mm:TMSDataLoggerDetailType TMSDataDetailBlock --> TMSDataLoggerDetailType : 1..∞ TMSDataLoggerDetailType --> Date : mailxml_mm:Date TMSDataLoggerDetailType --> TimeStamp : mailxml_mm:Time Stamp TMSDataLoggerDetailType --> OperatingMode : mailxml_mm:OperatingMode TMSDataLoggerDetailType --> IMtb : mailxml_mm:IMtb TMSDataLoggerDetailType --> ErrorCode : mailxml_mm:ErrorCode TMSDataLoggerDetailType --> IndexNumber : mailxml_mm:IndexNumber TMSDataLoggerDetailType --> DestOrVia : mailxml_mm:DestOrVia TMSDataLoggerDetailType --> RouteAssignment : mailxml_mm:RouteAssignment TMSDataLoggerDetailType --> GrossTrayWeight : mailxml_mm:GrossTrayWeight TMSDataLoggerDetailType --> TransportationMode : mailxml_mm:TransportationMode TMSDataLoggerDetailType --> UniqueTrayIdentifier : mailxml_mm:UniqueTrayIdentifier TMSDataLoggerDetailType --> TrayTypeIndicator : mailxml_mm:TrayTypeIndicator TMSDataLoggerDetailType --> LowTareWeight : mailxml_mm:LowTareWeight TMSDataLoggerDetailType --> ManifestWeight : mailxml_mm:ManifestWeight TMSDataLoggerDetailType --> HighTareWeight : mailxml_mm:HighTareWeight TMSDataLoggerDetailType --> ManifestPostage : mailxml_mm:ManifestPostage TMSDataLoggerDetailType --> AssignedSort : mailxml_mm:AssignedSort TMSDataLoggerDetailType --> SAMSQuery : mailxml_mm:SAMSQuery TMSDataLoggerDetailType --> DNRTTrayBarcode : mailxml_mm:DNRTTrayBarcode TMSDataLoggerDetailType --> IMcb : mailxml_mm:IMcb TMSDataLoggerDetailType --> ContainerTrayCount : mailxml_mm:ContainerTrayCount TMSDataLoggerDetailType --> DestinationZip : mailxml_mm:DestinationZip TMSDataLoggerDetailType --> EntryLocaleKey : mailxml_mm:EntryLocaleKey </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Date mailxml_mm:Time Stamp mailxml_mm:OperatingMode mailxml_mm:IMtb mailxml_mm:ErrorCode mailxml_mm:IndexNumber mailxml_mm:DestOrVia mailxml_mm:RouteAssignment mailxml_mm:GrossTrayWeight mailxml_mm:TransportationMode mailxml_mm:UniqueTrayIdentifier mailxml_mm:TrayTypeIndicator mailxml_mm:LowTareWeight mailxml_mm:ManifestWeight mailxml_mm:HighTareWeight mailxml_mm:ManifestPostage mailxml_mm:AssignedSort mailxml_mm:SAMSQuery mailxml_mm:DNRTTrayBarcode mailxml_mm:IMcb mailxml_mm:ContainerTrayCount mailxml_mm:DestinationZip mailxml_mm:EntryLocaleKey

complexType **abstractInternationalPostageStatementDataType**




namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage
used by	complexTypes createInternationalPostageStatementType internationalPostageStatementDataType


element abstractInternationalPostageStatementDataType/AgencyCostCode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element abstractInternationalPostageStatementDataType/AutomationAddressMatchDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element abstractInternationalPostageStatementDataType/CustomerReferenceID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractInternationalPostageStatementDataType/UserPostageStatementID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractInternationalPostageStatementDataType/CertificationData

diagram	 <p>The diagram shows a box labeled <code>mailxml_mm:CertificationData</code> connected to a larger box labeled <code>mailxml_mm:certificationDataType</code>. Inside the larger box, there are four sub-elements: <code>mailxml_mm:ContactName</code>, <code>mailxml_mm:PhoneAreaCode</code>, <code>mailxml_mm:PhoneLast4</code>, and <code>mailxml_mm:PhonePrefix</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix
----------	---

element abstractInternationalPostageStatementDataType/ContainerCount

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

element abstractInternationalPostageStatementDataType/CanadaAdmailOnly

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractInternationalPostageStatementDataType/UnderICMAgreement

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractInternationalPostageStatementDataType/ICMAgreementNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element abstractInternationalPostageStatementDataType/DirectShipmentCountry

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element abstractInternationalPostageStatementDataType/TareWeight

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/ReceiptNo**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:ReceiptNo".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/ExtendedForm**

diagram	 The diagram shows a solid rectangular box containing the text "mailxml_mm:ExtendedForm".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/FormType**

diagram	 The diagram shows a solid rectangular box containing the text "mailxml_mm:FormType".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/PostageStatementMailingDate**

diagram	 The diagram shows a solid rectangular box containing the text "mailxml_mm:PostageStatementMailingDate".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/PackagingMethod**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:PackagingMethod".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/PostageAffixedAmount**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:PostageAffixedAmount".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/PostagePaymentMethod**

diagram	 The diagram shows a solid rectangular box containing the text "mailxml_mm:PostagePaymentMethod".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/ProcessingCategory**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:ProcessingCategory".
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/RateType**

diagram	 The diagram shows a solid rectangular box with the text "mailxml_mm:RateType" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/RegisterOfMailing**

diagram	 The diagram shows a solid rectangular box with the text "mailxml_mm:RegisterOfMailing" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/SackingBasis**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:SackingBasis" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/SinglePieceWeight**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:SinglePieceWeight" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/StatementSequenceNumber**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:StatementSequenceNumber" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/MeteredAffixedMethod**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:MeteredAffixedMethod" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/CombinedMailingID**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:CombinedMailingID" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/EnclosingVolumeNo**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:EnclosingVolumeNo" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/EnclosingIssueNo**


diagram	 The diagram shows a single rectangular box representing the element <code>mailxml_mm:EnclosingIssueNo</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractInternationalPostageStatementDataType/EnclosingIssueDate**

diagram	 The diagram shows a single rectangular box representing the element <code>mailxml_mm:EnclosingIssueDate</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractInternationalPostageStatementDataType/ContainerPostage**

diagram	 The diagram illustrates the structure of the <code>mailxml_mm:ContainerPostage</code> element. It is shown as a dashed box on the left, connected by a line with a multiplicity of <code>0..∞</code> to a larger structure on the right. This structure is a yellow-shaded box labeled <code>mailxml_mm:containerPostageType</code> . Inside this box, there are several sub-elements: <code>mailxml_mm:ContainerID</code> , <code>mailxml_mm:ContainerDetailID</code> , <code>mailxml_mm:Pieces</code> , and <code>mailxml_mm:Copies</code> . Below these, there is a dashed box containing three elements: <code>mailxml_mm:IMtb</code> , <code>mailxml_mm:IMcb</code> , and <code>mailxml_mm:IMpb</code> . The connections indicate that <code>ContainerPostage</code> is a container for the <code>containerPostageType</code> structure, which in turn contains the listed sub-elements.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


complexType **abstractPeriodicalStatementDataType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm>LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey
used by	complexTypes createPeriodicalStatementType periodicalStatementDataType


element **abstractPeriodicalStatementDataType/AdvertisingPercentage**

diagram	 The diagram shows the element <code>mailxml_mm:AdvertisingPercentage</code> in a solid rectangular box with a dashed border.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/DeliveryStatisticsFileDate**

diagram	 The diagram shows the element <code>mailxml_mm:DeliveryStatisticsFileDate</code> in a dashed rectangular box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/AutomationAddressMatchDate**

diagram	 The diagram shows the element <code>mailxml_mm:AutomationAddressMatchDate</code> in a dashed rectangular box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/CustomerReferenceID**

diagram	 The diagram shows the element <code>mailxml_mm:CustomerReferenceID</code> in a dashed rectangular box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPeriodicalStatementDataType/UserPostageStatementID**


diagram	 The diagram shows the element <code>mailxml_mm:UserPostageStatementID</code> in a dashed rectangular box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPeriodicalStatementDataType/CarrierRouteAddressMatchDate**


diagram	 The diagram shows the element <code>mailxml_mm:CarrierRouteAddressMatchDate</code> in a dashed rectangular box.
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element abstractPeriodicalStatementDataType/CarrierRouteSequencingDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element abstractPeriodicalStatementDataType/CertificationData

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix

element abstractPeriodicalStatementDataType/ContainerCount

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

element abstractPeriodicalStatementDataType/CopyWeight


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractPeriodicalStatementDataType/EditionCode


diagram	
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **abstractPeriodicalStatementDataType/FirstIssueDate**

diagram	 A UML diagram showing a dashed rectangular box containing the text "mailxml_mm:FirstIssueDate". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/FormType**

diagram	 A UML diagram showing a solid rectangular box containing the text "mailxml_mm:FormType". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/IssueDate**

diagram	 A UML diagram showing a solid rectangular box containing the text "mailxml_mm:IssueDate". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/IssueFrequency**

diagram	 A UML diagram showing a dashed rectangular box containing the text "mailxml_mm:IssueFrequency". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/LastIssueDate**

diagram	 A UML diagram showing a dashed rectangular box containing the text "mailxml_mm:LastIssueDate". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/PostageStatementMailingDate**

diagram	 A UML diagram showing a solid rectangular box containing the text "mailxml_mm:PostageStatementMailingDate". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/Over10**

diagram	 A UML diagram showing a solid rectangular box containing the text "mailxml_mm:Over10". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/LimitedCirculationDiscountClaimed**

diagram	 A UML diagram showing a solid rectangular box containing the text "mailxml_mm:LimitedCirculationDiscountClai...". To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/PostagePaymentMethod**

diagram	 The diagram shows a solid rectangular box with the text "mailxml_mm:PostagePaymentMethod" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/ProcessingCategory**

diagram	 The diagram shows a solid rectangular box with the text "mailxml_mm:ProcessingCategory" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/PublicationTitle**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:PublicationTitle" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/CombinedMailingID**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:CombinedMailingID" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/RateType**

diagram	 The diagram shows a solid rectangular box with the text "mailxml_mm:RateType" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/SingleRideAlongWeight**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:SingleRideAlongWeight" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/StatementSequenceNumber**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:StatementSequenceNumber" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/EntryFacilityType**

diagram	 The diagram shows a dashed rectangular box with the text "mailxml_mm:EntryFacilityType" inside. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/EntryZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/AgencyCostCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/RepositionableNotesIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/MoveUpdateMethod**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/VolumeNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPeriodicalStatementDataType/IssueNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPeriodicalStatementDataType/InCountyAddressedSupplementPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPeriodicalStatementDataType/OutsideCountyAddressedSupplementPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPeriodicalStatementDataType/PiecesExcludingAddressedSupplementPieces**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPeriodicalStatementDataType/PostageAutoFinalization**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPeriodicalStatementDataType/EntryLocaleKey**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **abstractPostageStatementDataType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID
used by	complexTypes createPostageStatementType postageStatementDataType

element abstractPostageStatementDataType/AgencyCostCode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractPostageStatementDataType/DeliveryStatisticsFileDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractPostageStatementDataType/AutomationAddressMatchDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractPostageStatementDataType/CustomerReferenceID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractPostageStatementDataType/CustomerCommitmentAgreementNumber


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractPostageStatementDataType/UserPostageStatementID


diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element abstractPostageStatementDataType/CarrierRouteAddressMatchDate

diagram	 A dashed box containing the text <code>mailxml_mm:CarrierRouteAddressMatchDate</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element abstractPostageStatementDataType/CarrierRouteSequencingDate

diagram	 A dashed box containing the text <code>mailxml_mm:CarrierRouteSequencingDate</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element abstractPostageStatementDataType/CertificationData

diagram	 A diagram showing a box labeled <code>mailxml_mm:CertificationData</code> connected to a larger box labeled <code>mailxml_mm:certificationDataType</code> . The larger box contains four sub-elements: <code>mailxml_mm:ContactName</code> , <code>mailxml_mm:PhoneAreaCode</code> , <code>mailxml_mm:PhoneLast4</code> , and <code>mailxml_mm:PhonePrefix</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix

element abstractPostageStatementDataType/ContainerCount


diagram	 A diagram showing a box labeled <code>mailxml_mm:ContainerCount</code> connected to a larger box labeled <code>mailxml_mm:containerCountType</code> . The larger box contains six sub-elements: <code>mailxml_mm:OtherType</code> , <code>mailxml_mm:Pallets</code> , <code>mailxml_mm:Sacks</code> , <code>mailxml_mm:Trays1mm</code> , <code>mailxml_mm:Trays2emm</code> , and <code>mailxml_mm:TraysFlat</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

element abstractPostageStatementDataType/EnclosedBy


diagram	 A dashed box containing the text <code>mailxml_mm:EnclosedBy</code> .
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **abstractPostageStatementDataType/DMLType**

diagram	 A diagram of the <code>mailxml_mm:DMLType</code> element, represented as a rectangle with a dashed border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/EstimateIndicator**

diagram	 A diagram of the <code>mailxml_mm:EstimateIndicator</code> element, represented as a rectangle with a solid border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/ExtendedForm**

diagram	 A diagram of the <code>mailxml_mm:ExtendedForm</code> element, represented as a rectangle with a solid border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/FormType**

diagram	 A diagram of the <code>mailxml_mm:FormType</code> element, represented as a rectangle with a solid border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/PostageStatementMailingDate**

diagram	 A diagram of the <code>mailxml_mm:PostageStatementMailingDate</code> element, represented as a rectangle with a solid border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/PackagingMethod**

diagram	 A diagram of the <code>mailxml_mm:PackagingMethod</code> element, represented as a rectangle with a dashed border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/PostageAffixedAmount**

diagram	 A diagram of the <code>mailxml_mm:PostageAffixedAmount</code> element, represented as a rectangle with a dashed border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/PostagePaymentMethod**

diagram	 A diagram of the <code>mailxml_mm:PostagePaymentMethod</code> element, represented as a rectangle with a solid border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/ProcessingCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/RateType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/RegisterOfMailing**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/SackingBasis**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/SinglePieceWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/StatementSequenceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/RepositionableNotesIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/MeteredAffixedMethod**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/CombinedMailingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/SinglePieceDimensionalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/EnclosingVolumeNo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/EnclosingIssueNo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/EnclosingIssueDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/MoveUpdateMethod**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/PaymentDateandTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/MailArrivalDateandTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/PostageAutoFinalization**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **abstractPostageStatementDataType/FCMLtrResidualPreIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **abstractPostageStatementDataType/SSFTID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **accountHeaderInfoBlockType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PermitInfo mailxml_mm:PermitIssuedCity mailxml_mm:PermitIssuedState mailxml_mm:CompanyName mailxml_mm:Address mailxml_mm:Status mailxml_mm:PhoneNumber mailxml_mm:Comment mailxml_mm:CurrentBalance mailxml_mm:ContactName mailxml_mm:FinanceNumber mailxml_mm:AlternateMethodUsed mailxml_mm:PostageStatus
used by	elements InvoiceQueryResponse/QueryResults/AccountHeaderInfoBlock InvoiceDelivery/AccountHeaderInfoBlock

element **accountHeaderInfoBlockType/PermitInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **accountHeaderInfoBlockType/PermitIssuedCity**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **accountHeaderInfoBlockType/PermitIssuedState**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **accountHeaderInfoBlockType/CompanyName**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **accountHeaderInfoBlockType/Address**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				

element **accountHeaderInfoBlockType/Status**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **accountHeaderInfoBlockType/PhoneNumber**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **accountHeaderInfoBlockType/Comment**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **accountHeaderInfoBlockType/CurrentBalance**


diagram						
---------	--	--	--	--	--	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **accountHeaderInfoBlockType/ContactName**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **accountHeaderInfoBlockType/FinanceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **accountHeaderInfoBlockType/AlternateMethodUsed**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **accountHeaderInfoBlockType/PostageStatus**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **bundleDetailType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:ContainerID mailxml mm:BundleID mailxml mm:TotalPieces mailxml mm:TotalCopies mailxml mm:BundleZip mailxml mm:BundleCarrierRoute mailxml mm:DestinationEntry mailxml mm:Zone mailxml mm:DestinationZip mailxml mm:OutsideCountyBundleIndicator mailxml mm:ChargeableBundleIndicator mailxml mm:SortationLevel mailxml mm:BundleLevel mailxml mm:ParentBundleID mailxml mm:BundleBarcode mailxml mm:BundleStatus mailxml mm:BundleRecordStatus mailxml mm:USPSPackageUniqueCharacteristic mailxml mm:BundleVersion
used by	element BundleDetailCreateRequest/BundleDetail


element **bundleDetailType/ContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/TotalPieces**

diagram	 The diagram shows the element <code>mailxml_mm:TotalPieces</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/TotalCopies**

diagram	 The diagram shows the element <code>mailxml_mm:TotalCopies</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleZip**

diagram	 The diagram shows the element <code>mailxml_mm:BundleZip</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleCarrierRoute**

diagram	 The diagram shows the element <code>mailxml_mm:BundleCarrierRoute</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/DestinationEntry**

diagram	 The diagram shows the element <code>mailxml_mm:DestinationEntry</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/Zone**

diagram	 The diagram shows the element <code>mailxml_mm:Zone</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/DestinationZip**

diagram	 The diagram shows the element <code>mailxml_mm:DestinationZip</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/OutsideCountyBundleIndicator**

diagram	 The diagram shows the element <code>mailxml_mm:OutsideCountyBundleIndicator</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/ChargeableBundleIndicator**

diagram	 The diagram shows the element <code>mailxml_mm:ChargeableBundleIndicator</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/SortationLevel**

diagram	 The diagram shows the element <code>mailxml_mm:SortationLevel</code> enclosed in a solid rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleLevel**

diagram	 The diagram shows the element <code>mailxml_mm:BundleLevel</code> enclosed in a solid rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/ParentBundleID**

diagram	 The diagram shows the element <code>mailxml_mm:ParentBundleID</code> enclosed in a solid rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleBarcode**

diagram	 The diagram shows the element <code>mailxml_mm:BundleBarcode</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleStatus**

diagram	 The diagram shows the element <code>mailxml_mm:BundleStatus</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleRecordStatus**

diagram	 The diagram shows the element <code>mailxml_mm:BundleRecordStatus</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/USPSPackageUniqueCharacteristic**

diagram	 The diagram shows the element <code>mailxml_mm:USPSPackageUniqueCharacteristic</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleDetailType/BundleVersion**

diagram	 The diagram shows a dashed box labeled 'mailxml_mm:BundleVersion' connected to a solid box labeled 'mailxml_mm:VersionID' and another solid box labeled 'mailxml_mm:VersionName'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:VersionID mailxml_mm:VersionName


element **bundleDetailType/BundleVersion/VersionID**

diagram	 The diagram shows a solid box labeled 'mailxml_mm:VersionID'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **bundleDetailType/BundleVersion/VersionName**

diagram	 The diagram shows a solid box labeled 'mailxml_mm:VersionName'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **bundleRecordType**

diagram	 The diagram shows a solid box labeled 'bundleRecordType' connected to a dashed box containing several elements: 'mailxml_mm:PublicationInfo' (with a plus sign), 'mailxml_mm:PublicationTitle', 'mailxml_mm:PostageStatementLineNumber', 'mailxml_mm:ChargeableContainerLevel', 'mailxml_mm:ChargeableBundleLevel', 'mailxml_mm:Bundles', 'mailxml_mm:IssueDate', 'mailxml_mm:IssueNumber', and 'mailxml_mm:VolumeNumber'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleSummaryRecords/BundleRecord

element **bundleRecordType/PublicationInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **bundleRecordType/PublicationTitle**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **bundleRecordType/PostageStatementLineNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **bundleRecordType/ChargeableContainerLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **bundleRecordType/ChargeableBundleLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **bundleRecordType/Bundles**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **bundleRecordType/IssueDate**


diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **bundleRecordType/IssueNumber**

diagram	 A diagram showing the element <code>mailxml_mm:IssueNumber</code> enclosed in a dashed rectangular box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **bundleRecordType/VolumeNumber**

diagram	 A diagram showing the element <code>mailxml_mm:VolumeNumber</code> enclosed in a dashed rectangular box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **bundleVersionRecordType**


diagram	 A diagram showing the complex type <code>bundleVersionRecordType</code> as a container. It contains several child elements: <code>mailxml_mm:DocumentVersionData</code> , <code>mailxml_mm:PublicationInfo</code> , <code>mailxml_mm:PublicationTitle</code> , <code>mailxml_mm:PostageStatementLineNumber</code> , <code>mailxml_mm:ChargeableContainerLevel</code> , <code>mailxml_mm:ChargeableBundleLevel</code> , <code>mailxml_mm:Bundles</code> , <code>mailxml_mm:IssueDate</code> , <code>mailxml_mm:IssueNumber</code> , and <code>mailxml_mm:VolumeNumber</code> . The elements are connected to the container by lines, with some having multiplicity indicators (e.g., a '+' sign).
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleVersionRecords/BundleVersionRecord

element **bundleVersionRecordType/PublicationInfo**


diagram	 A diagram showing the element <code>mailxml_mm:PublicationInfo</code> as a container. It contains a complex type <code>mailxml_defs:permitPublicationDataType</code> which is further divided into two groups of elements: <code>mailxml_defs:PermitNumber</code> , <code>mailxml_defs:PaymentAccountNumber</code> , <code>mailxml_defs:PermitType</code> , and <code>mailxml_defs:PermitZip4</code> ; and <code>mailxml_defs:PublicationNumber</code> and <code>mailxml_defs:PaymentAccountNumber</code> . The elements are connected to the container by lines, with some having multiplicity indicators (e.g., a '+' sign).
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element bundleVersionRecordType/PublicationTitle

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element bundleVersionRecordType/PostageStatementLineNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element bundleVersionRecordType/ChargeableContainerLevel

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element bundleVersionRecordType/ChargeableBundleLevel

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element bundleVersionRecordType/Bundles

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element bundleVersionRecordType/IssueDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element bundleVersionRecordType/IssueNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element bundleVersionRecordType/VolumeNumber

diagram	
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

complexType certificationDataType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix
used by	elements abstractInternationalPostageStatementDataType/CertificationData abstractPeriodicalStatementDataType/CertificationData abstractPostageStatementDataType/CertificationData

element certificationDataType/ContactName

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element certificationDataType/PhoneAreaCode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element certificationDataType/PhoneLast4

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element certificationDataType/PhonePrefix

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType componentPeriodicalAdpercentType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:Component mailxml_mm:ComponentPeriodicalAdPercent mailxml_mm:ComponentPeriodicalAdPercentStatus mailxml_mm:ComponentPeriodicalAdPercentBasis
used by	elements ComponentUpdateRequest/AdPercentUpdate ComponentQueryResponse/ComponentQueryAccept/ComponentAdPercent

element componentPeriodicalAdpercentType/Component

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

element componentPeriodicalAdpercentType/ComponentPeriodicalAdPercent

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element componentPeriodicalAdpercentType/ComponentPeriodicalAdPercentStatus

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element componentPeriodicalAdpercentType/ComponentPeriodicalAdPercentBasis

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType componentWeightUpdateType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentWeightSource mailxml_mm:ComponentWeightStatus
used by	elements ComponentQueryResponse/ComponentQueryAccept/ComponentWeight ComponentUpdateRequest/PieceWeightUpdate


element **componentWeightUpdateType/Component**

diagram	 <p>The diagram shows a box labeled <code>mailxml_mm:Component</code> connected to a dashed box labeled <code>mailxml_mm:fullComponentType</code>. Inside the dashed box are three sub-elements: <code>mailxml_mm:UserLicenseCode</code>, <code>mailxml_mm:MaildatJobID</code>, and <code>mailxml_mm:ComponentID</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID


element **componentWeightUpdateType/ComponentWeight**

diagram	 <p>The diagram shows a single box labeled <code>mailxml_mm:ComponentWeight</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **componentWeightUpdateType/ComponentWeightSource**

diagram	 <p>The diagram shows a single box labeled <code>mailxml_mm:ComponentWeightSource</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **componentWeightUpdateType/ComponentWeightStatus**

diagram	 <p>The diagram shows a single box labeled <code>mailxml_mm:ComponentWeightStatus</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **containerCountType**

diagram	 <p>The diagram shows a box labeled <code>containerCountType</code> connected to a dashed box containing several sub-elements: <code>mailxml_mm:OtherType</code>, <code>mailxml_mm:Pallets</code>, <code>mailxml_mm:Sacks</code>, <code>mailxml_mm:Trays1mm</code>, <code>mailxml_mm:Trays2emm</code>, <code>mailxml_mm:Trays2mm</code>, and <code>mailxml_mm:TraysFlat</code>.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat
used by	elements abstractInternationalPostageStatementDataType/ContainerCount abstractPeriodicalStatementDataType/ContainerCount abstractPostageStatementDataType/ContainerCount createConsolidatedPeriodicalStatementDataType/ContainerCount


element **containerCountType/OtherType**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:OtherType". To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerCountType/Pallets**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:Pallets". To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerCountType/Sacks**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:Sacks". To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerCountType/Trays1mm**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:Trays1mm". To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerCountType/Trays2emm**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:Trays2emm". To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **containerCountType/Trays2mm**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:Trays2mm". To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **containerCountType/TraysFlat**

diagram	 The diagram shows a dashed rectangular box containing the text "mailxml_mm:TraysFlat". To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType containerManifestType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey
used by	elements ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/AcceptedContainers ContainerManifestCancelResponse/ContainerManifestCancelAccept/CancelledContainers ContainerManifestCreateRequest/Container ContainerManifestUpdateRequest/Container ContainerManifestCancelRequest/Container ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/RejectedContainers

element containerManifestType/IMcb

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element containerManifestType/IMtb

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element containerManifestType/IMpb

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element containerManifestType/ContainerID


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element containerManifestType/StatementID


diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **containerManifestType/EntryPointZip**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:EntryPointZip</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerManifestType/EntryLocaleKey**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:EntryLocaleKey</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **containerPostageType**

diagram	 A diagram showing the structure of the <code>containerPostageType</code> complex type. It is a horizontal rectangle with a small square on its left side. To its right is a dashed line leading to a vertical stack of elements: <code>mailxml_mm:ContainerID</code> , <code>mailxml_mm:ContainerDetailID</code> (dashed box), <code>mailxml_mm:Pieces</code> , and <code>mailxml_mm:Copies</code> . Below <code>mailxml_mm:Copies</code> is a dashed line leading to a dashed box containing a choice symbol (a circle with a vertical line and a horizontal line) and a vertical stack of elements: <code>mailxml_mm:IMtb</code> , <code>mailxml_mm:IMcb</code> , and <code>mailxml_mm:IMpb</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb
used by	elements abstractInternationalPostageStatementDataType/ContainerPostage createPeriodicalStatementType/ContainerPostage createPostageStatementType/ContainerPostage periodicalStatementDataType/ContainerPostage postageStatementDataType/ContainerPostage


element **containerPostageType/ContainerID**

diagram	 A solid rectangular box containing the text <code>mailxml_mm:ContainerID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerPostageType/ContainerDetailID**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:ContainerDetailID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerPostageType/Pieces**

diagram	 A solid rectangular box containing the text <code>mailxml_mm:Pieces</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerPostageType/Copies**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerPostageType/IMtb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerPostageType/IMcb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerPostageType/IMpb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **containerType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb


element **containerType/ContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerType/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerType/EntryPointZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerType/EntryLocaleKey**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **containerType/IMcb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **containerType/IMtb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **containerType/IMpb**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **createConsolidatedPeriodicalStatementDataType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PeriodicalStatement mailxml_mm:FirstStatementSequenceNumber mailxml_mm:LastStatementSequenceNumber mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PublisherData mailxml_mm:MailingAgentData mailxml_mm:ContainerCount mailxml_mm:PeriodicalLineItemData
used by	element ConsolidatedPeriodicalStatementCreateRequest/CreateConsolidatedPeriodicalStatementData


element **createConsolidatedPeriodicalStatementDataType/PeriodicalStatement**

diagram




namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm>LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey mailxml_mm:MailingAgentData mailxml_mm:PublisherData mailxml_mm:PendingPostageAmount mailxml_mm:ContainerPostage


element **createConsolidatedPeriodicalStatementDataType/FirstStatementSequenceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **createConsolidatedPeriodicalStatementDataType/LastStatementSequenceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **createConsolidatedPeriodicalStatementDataType/LimitedCirculationDiscountClaimed**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **createConsolidatedPeriodicalStatementDataType/PublisherData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData


element **createConsolidatedPeriodicalStatementDataType/MailingAgentData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element **createConsolidatedPeriodicalStatementDataType/ContainerCount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

complexType createInternationalPostageStatementType



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData
used by	element InternationalPostageStatementCreateRequest/CreatePostageStatement

element createInternationalPostageStatementType/PermitHolderData

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element createInternationalPostageStatementType/MailingOwnerData


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element createInternationalPostageStatementType/MailingAgentData


diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element **createInternationalPostageStatementType/PermitHolderForAPData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

complexType createPeriodicalStatementType



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm>LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey mailxml_mm:MailingAgentData mailxml_mm:PublisherData mailxml_mm:PendingPostageAmount mailxml_mm:ContainerPostage
used by	elements PeriodicalStatementCreateRequest/CreatePeriodicalStatement createConsolidatedPeriodicalStatementDataType/PeriodicalStatement

element createPeriodicalStatementType/MailingAgentData

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData


element createPeriodicalStatementType/PublisherData

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData


element createPeriodicalStatementType/PendingPostageAmount

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **createPeriodicalStatementType/ContainerPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

complexType createPostageStatementType



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm	
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData mailxml_mm:ContainerPostage	
used by	element	PostageStatementCreateRequest/CreatePostageStatement

element createPostageStatementType/PermitHolderData

diagram		
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm	
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData	

element createPostageStatementType/MailingOwnerData

diagram		
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm	
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData	

element **createPostageStatementType/MailingAgentData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element **createPostageStatementType/PermitHolderForAPData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element **createPostageStatementType/ContainerPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

complexType **customerMailReportInfoType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerName mailxml_mm:PermitInfo mailxml_mm:RateAffixed mailxml_mm:AdditionalPermitInfo mailxml_mm:Weight mailxml_mm:TotalPostage mailxml_mm:PostageAffixed mailxml_mm:NumberOfPieces mailxml_mm:RunningTotalNumberOfPieces
used by	element CustomerMailReportCreateRequest/CustomerMailReportInfo

element **customerMailReportInfoType/CustomerName**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **customerMailReportInfoType/PermitInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **customerMailReportInfoType/RateAffixed**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **customerMailReportInfoType/AdditionalPermitInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **customerMailReportInfoType/Weight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **customerMailReportInfoType/TotalPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **customerMailReportInfoType/PostageAffixed**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **customerMailReportInfoType/NumberOfPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **customerMailReportInfoType/RunningTotalNumberOfPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType customsType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Category mailxml_mm:Count mailxml_mm:Value
used by	element manifestMailPieceType/Customs


element customsType/Category

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element customsType/Count

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element customsType/Value

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType fullComponentType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID
used by	elements ComponentUpdateResponse/ComponentUpdateAccept/Component ComponentUpdateResponse/ComponentUpdateReject/Component ComponentQueryRequest/Component ComponentQueryResponse/ComponentQueryAccept/Component ComponentQueryResponse/ComponentQueryReject/Component componentPeriodicalAdpercentType/Component componentWeightUpdateType/Component


element fullComponentType/UserLicenseCode


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **fullComponentType/MaildatJobID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **fullComponentType/ComponentID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **internationalPostageStatementDataType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage mailxml_mm:StatementID mailxml_mm:ConfirmationNumber mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:SpecialFeesAmount mailxml_mm:PostageStatementStatus mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalPostageAmountDue mailxml_mm:TotalWeight mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData
used by	element InternationalPostageStatementQueryResponse/QueryResults/PostageStatementData


element **internationalPostageStatementDataType/StatementID**

diagram	 A diagram showing the element <code>mailxml_mm:StatementID</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **internationalPostageStatementDataType/ConfirmationNumber**

diagram	 A diagram showing the element <code>mailxml_mm:ConfirmationNumber</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **internationalPostageStatementDataType/MailClass**

diagram	 A diagram showing the element <code>mailxml_mm:MailClass</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **internationalPostageStatementDataType/Origin**

diagram	 A diagram showing the element <code>mailxml_mm:Origin</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **internationalPostageStatementDataType/SpecialFeesAmount**

diagram	 A diagram showing the element <code>mailxml_mm:SpecialFeesAmount</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **internationalPostageStatementDataType/PostateStatementStatus**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **internationalPostageStatementDataType/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **internationalPostageStatementDataType/TotalPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **internationalPostageStatementDataType/TotalPostageAmountDue**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **internationalPostageStatementDataType/TotalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **internationalPostageStatementDataType/PermitHolderData**

diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:PermitHolderData</code> element. It is a container for the <code>mailxml_mm:mailerDataType</code> element. The <code>mailxml_mm:mailerDataType</code> element contains the following child elements:</p> <ul style="list-style-type: none"> <code>mailxml_mm:Address1</code> <code>mailxml_mm:Address2</code> <code>mailxml_mm:City</code> <code>mailxml_mm:Country</code> <code>mailxml_mm:Email</code> <code>mailxml_mm:MID</code> <code>mailxml_mm:CRID</code> <code>mailxml_mm:ContactName</code> <code>mailxml_mm:PermitPublicationData</code> <code>mailxml_mm:PhoneAreaCode</code> <code>mailxml_mm:PhoneExtension</code> <code>mailxml_mm:PhoneLast4</code> <code>mailxml_mm:PhonePrefix</code> <code>mailxml_mm:State</code> <code>mailxml_mm:ZipCode</code> <code>mailxml_mm:ZipCode4</code>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **internationalPostageStatementDataType/MailingOwnerData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **internationalPostageStatementDataType/MailingAgentData**

diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:MailingAgentData</code> element. It is a container for the <code>mailxml_mm:mailerDataType</code> element. The <code>mailxml_mm:mailerDataType</code> element contains several sub-elements: <code>mailxml_mm:Address1</code>, <code>mailxml_mm:Address2</code>, <code>mailxml_mm:City</code>, <code>mailxml_mm:Country</code>, <code>mailxml_mm:Email</code>, <code>mailxml_mm:MID</code>, <code>mailxml_mm:CRID</code>, <code>mailxml_mm:ContactName</code>, <code>mailxml_mm:PermitPublicationData</code>, <code>mailxml_mm:PhoneAreaCode</code>, <code>mailxml_mm:PhoneExtension</code>, <code>mailxml_mm:PhoneLast4</code>, <code>mailxml_mm:PhonePrefix</code>, <code>mailxml_mm:State</code>, <code>mailxml_mm:ZipCode</code>, and <code>mailxml_mm:ZipCode4</code>. The <code>mailxml_mm:MID</code> and <code>mailxml_mm:PermitPublicationData</code> elements are marked with a plus sign in a box, indicating they are optional.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4


element **internationalPostageStatementDataType/PermitHolderForAPData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4


complexType **invoiceLineItemDataType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:FeeExpiresDate mailxml_mm:BarcodeRate mailxml_mm:EntryDiscount mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:HeavyLetter mailxml_mm:MarketingOrFulfillment mailxml_mm:HandlingCharge mailxml_mm:PriceType mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:PieceRate mailxml_mm:DiscountTotalAmount mailxml_mm:FeeTotalAmount mailxml_mm:PoundRate mailxml_mm:PreparedAs SM mailxml_mm:RateCategory mailxml_mm:SinglePieceWeight mailxml_mm:SurchargeType mailxml_mm:TotalWeight mailxml_mm:Zone mailxml_mm:FlatRateIndicator mailxml_mm:FullServiceParticipationIndicator mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:SinglePieceDimensionalPrice mailxml_mm:SinglePieceDimensionalBalloonPrice
used by	elements InvoiceQueryResponse/QueryResults/InvoiceLineItemData InvoiceDelivery/InvoiceLineItemData


element invoiceLineItemDataType/FeeExpiresDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/BarcodeRate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/EntryDiscount

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/EntryFacilityType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/EntryZip

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/HeavyLetter

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/MarketingOrFulfillment

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/HandlingCharge

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/PriceType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/LineLabel

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/LineNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/PieceRate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/DiscountTotalAmount

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/FeeTotalAmount

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/PoundRate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/PreparedAsSM

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/RateCategory

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/SinglePieceWeight

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/SurchargeType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/TotalWeight

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/Zone

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/FlatRateIndicator

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/FullServiceParticipationIndicator

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceLineItemDataType/SinglePieceDimensionalWeight

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceLinItemDataType/SinglePieceDimensionalPrice**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceLinItemDataType/SinglePieceDimensionalBalloonPrice**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **invoiceRequestHeaderInfoType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:StatementID mailxml_mm:PermitInfo mailxml_mm:DateRange
used by	element InvoiceQueryRequest/InvoiceRequestHeaderInfo


element **invoiceRequestHeaderInfoType/CustomerReferenceID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **invoiceRequestHeaderInfoType/FinanceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **invoiceRequestHeaderInfoType/PaymentAccountNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **invoiceRequestHeaderInfoType/StatementID**

diagram	
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

element invoiceRequestHeaderInfoType/PermitInfo

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

complexType invoiceResponseHeaderInfoType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:PermitInfo mailxml_mm:DateRange
used by	element InvoiceQueryResponse/InvoiceResponseHeaderInfo

element invoiceResponseHeaderInfoType/CustomerReferenceID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element invoiceResponseHeaderInfoType/FinanceNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element invoiceResponseHeaderInfoType/PaymentAccountNumber

diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **invoiceResponseHeaderInfoType/PermitInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


complexType **invoiceSummaryDataType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:RequestDate mailxml_mm:CostCenter mailxml_mm:TransactionNumber mailxml_mm:BRMType mailxml_mm:RateType mailxml_mm:OpeningBalance mailxml_mm:ClosingBalance mailxml_mm:MailingDate mailxml_mm:MailingClass mailxml_mm:ProcessingCategory mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:SubtotalPostageAmount mailxml_mm:BRMFee
used by	elements InvoiceQueryResponse/QueryResults/InvoiceSummaryData InvoiceDelivery/InvoiceSummaryData


element invoiceSummaryDataType/RequestDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceSummaryDataType/CostCenter

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceSummaryDataType/TransactionNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceSummaryDataType/BRMType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceSummaryDataType/RateType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceSummaryDataType/OpeningBalance

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceSummaryDataType/ClosingBalance

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element invoiceSummaryDataType/MailingDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceSummaryDataType/MailingClass**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceSummaryDataType/ProcessingCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceSummaryDataType/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceSummaryDataType/TotalPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceSummaryDataType/SubtotalPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **invoiceSummaryDataType/BRMFee**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **mailCharacteristicsType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:Content mailxml mm:Incentive mailxml mm:Fee
used by	elements InternationalPostageStatementLineItemSummaryData/MailCharacteristic InternationalPostageStatementLineItemData/MailCharacteristic DocumentVersionDataWithPermit/MailCharacteristic DocumentVersionData/MailCharacteristic


element **mailCharacteristicsType/Content**

diagram	 A dashed box containing the text 'mailxml_mm:Content' with a multiplicity of '0..∞' below it.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailCharacteristicsType/Incentive**

diagram	 A dashed box containing the text 'mailxml_mm:Incentive' with a multiplicity of '0..∞' below it.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailCharacteristicsType/Fee**

diagram	 A dashed box containing the text 'mailxml_mm:Fee' with a multiplicity of '0..∞' below it.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **mailerDataRequestType**


diagram	 A diagram showing the 'mailerDataRequestType' complex type. It has a sequence of four elements: 'mailxml_mm:MID' (dashed box, multiplicity 1), 'mailxml_mm:CRID' (dashed box, multiplicity 1), 'mailxml_mm:ContactName' (solid box, multiplicity 1), and 'mailxml_mm:PermitPublicationData' (solid box, multiplicity 1).
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData
used by	<div>elements</div> createPeriodicalStatementType/MailingAgentData createConsolidatedPeriodicalStatementDataType/MailingAgentData createInternationalPostageStatementType/MailingAgentData createPostageStatementType/MailingAgentData createInternationalPostageStatementType/MailingOwnerData createPostageStatementType/MailingOwnerData createInternationalPostageStatementType/PermitHolderData createPostageStatementType/PermitHolderData createInternationalPostageStatementType/PermitHolderForAPData createPostageStatementType/PermitHolderForAPData createPeriodicalStatementType/PublisherData createConsolidatedPeriodicalStatementDataType/PublisherData

element **mailerDataRequestType/MID**


diagram	 A diagram showing the 'mailxml_mm:MID' element. It is a dashed box containing a solid box labeled 'mailxml_defs:MIDType'. Inside 'mailxml_defs:MIDType' are two elements: 'mailxml_defs:MID6' and 'mailxml_defs:MID9'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_defs:MID6 mailxml_defs:MID9
----------	-------------------------------------


element mailerDataRequestType/CRID

diagram	 A diagram showing a dashed rectangular box containing the text 'mailxml_mm:CRID'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element mailerDataRequestType/ContactName

diagram	 A diagram showing a solid rectangular box containing the text 'mailxml_mm:ContactName'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element mailerDataRequestType/PermitPublicationData

diagram	 A diagram showing a solid rectangular box labeled 'mailxml_mm:PermitPublicationData' connected to a complex structure. The structure consists of a central box labeled 'mailxml_defs:permitPublicationDataType' which branches into two groups of elements. The top group contains 'mailxml_defs:PermitNumber', 'mailxml_defs:PaymentAccountNumber', 'mailxml_defs:PermitType', and 'mailxml_defs:PermitZip4'. The bottom group contains 'mailxml_defs:PublicationNumber' and 'mailxml_defs:PaymentAccountNumber'. The entire structure is enclosed in a dashed yellow box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

complexType **mailerDataType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4
used by	elements internationalPostageStatementDataType/MailingAgentData periodicalStatementDataType/MailingAgentData postageStatementDataType/MailingAgentData internationalPostageStatementDataType/MailingOwnerData postageStatementDataType/MailingOwnerData internationalPostageStatementDataType/PermitHolderData postageStatementDataType/PermitHolderData internationalPostageStatementDataType/PermitHolderForAPData postageStatementDataType/PermitHolderForAPData periodicalStatementDataType/PublisherData


element **mailerDataType/Address1**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailerDataType/Address2**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element `mailerDataType/City`

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:City</code> .
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>


element `mailerDataType/Country`

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:Country</code> .
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>


element `mailerDataType/Email`

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:Email</code> .
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>


element `mailerDataType/MID`

diagram	 A diagram showing a dashed box labeled <code>mailxml_mm:MID</code> connected to a yellow box labeled <code>mailxml_defs:MIDType</code> . Inside the yellow box are two sub-elements: <code>mailxml_defs:MID6</code> and <code>mailxml_defs:MID9</code> .
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>
children	<code>mailxml_defs:MID6</code> <code>mailxml_defs:MID9</code>

element `mailerDataType/CRID`

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:CRID</code> .
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>

element `mailerDataType/ContactName`

diagram	 A solid rectangular box containing the text <code>mailxml_mm:ContactName</code> .
namespace	<code>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</code>

element **mailerDataType/PermitPublicationData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **mailerDataType/PhoneAreaCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailerDataType/PhoneExtension**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailerDataType/PhoneLast4**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailerDataType/PhonePrefix**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailerDataType/State**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailerDataType/ZipCode**

diagram	
---------	--


MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **mailerDataType/ZipCode4**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **mailingGroupDataType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:CustomerDescription mailxml mm:SubmitterCRID mailxml mm:PermitPublicationData mailxml mm:PostOfficeOfMailingZip mailxml mm:MailingFacility mailxml mm:MailXMLPresentationCategory mailxml mm:MailerID mailxml mm:FullServiceParticipationIndicator mailxml mm:MailAgreementType mailxml mm:ContractNumber mailxml mm:OnePassIndicator mailxml mm:LogicalPhysicalContainerIndicator
used by	elements MailingGroupQueryResponse/QueryResults/MailingGroup OpenMailingGroupRequest/MailingGroupData

element **mailingGroupDataType/CustomerDescription**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailingGroupDataType/SubmitterCRID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailingGroupDataType/PermitPublicationData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **mailingGroupDataType/PostOfficeOfMailingZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailingGroupDataType/MailingFacility**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailingGroupDataType/MailXMLPresentationCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailingGroupDataType/MailerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailingGroupDataType/FullServiceParticipationIndicator**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailingGroupDataType/MailAgreementType**


diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element mailingGroupDataType/ContractNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element mailingGroupDataType/OnePassIndicator

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element mailingGroupDataType/LogicalPhysicalContainerIndicator

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType mailOwnerBlockType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CRID mailxml_mm:SchedulerID mailxml_mm:MaildatUserLicense mailxml_mm:PermitPublicationData mailxml_mm:MailOwnerMID6 mailxml_mm:MailOwnerMID9
used by	element mailPieceBlockType/MailOwner


element mailOwnerBlockType/CRID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element mailOwnerBlockType/SchedulerID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailOwnerBlockType/MaildatUserLicense**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailOwnerBlockType/PermitPublicationData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **mailOwnerBlockType/MailOwnerMID6**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailOwnerBlockType/MailOwnerMID9**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **mailPieceBlockGroupType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:BundleID mailxml_mm:MailPieceBlock
used by	elements mailPieceCancelType/MailPieceBlockGroup mailPieceRequestType/MailPieceBlockGroup


element **mailPieceBlockGroupType/ContainerID**

diagram	 A diagram showing the element <code>mailxml_mm:ContainerID</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockGroupType/ContainerDetailID**

diagram	 A diagram showing the element <code>mailxml_mm:ContainerDetailID</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockGroupType/BundleID**

diagram	 A diagram showing the element <code>mailxml_mm:BundleID</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockGroupType/MailPieceBlock**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ServiceLevelIndicator mailxml_mm:LOTSequenceDirectionCode mailxml_mm:LOTSequenceNumber mailxml_mm:WalkSequenceNumber mailxml_mm:IMPackageBarcode mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:PlanetCode mailxml_mm:DeliveryPointZIP mailxml_mm:DeliveryContainerID mailxml_mm:DeliveryPointZIP mailxml_mm:IMB mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:ReferenceableMailID mailxml_mm:PieceID mailxml_defs:ExtraServiceData mailxml_mm:WastedPieceIndicator mailxml_mm:MLOCRateANDpostageMarking mailxml_mm:MoveComplianceUpdateMethod mailxml_mm:MailOwner mailxml_mm:BarCodeApplicator mailxml_mm:MachineID mailxml_mm:ACSKeyline mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold

complexType **mailPieceBlockType**


<p>diagram</p>	
<p>namespace</p>	<p>http://idealliance.org/Specs/mailxml19.0/mailxml_mm</p>
<p>children</p>	<p> mailxml_mm:ServiceLevelIndicator mailxml_mm:LOTSequenceDirectionCode mailxml_mm:LOTSequenceNumber mailxml_mm:WalkSequenceNumber mailxml_mm:IMPackageBarcode mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:PlanetCode mailxml_mm:DeliveryPointZIP mailxml_mm:DeliveryContainerID mailxml_mm:DeliveryPointZIP mailxml_mm:IMB mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:ReferenceableMailID mailxml_mm:PieceID mailxml_defs:ExtraServiceData mailxml_mm:WastedPieceIndicator mailxml_mm:MLOCRrateANDpostageMarking mailxml_mm:MoveComplianceUpdateMethod mailxml_mm:MailOwner mailxml_mm:BarCodeApplicator mailxml_mm:MachineID mailxml_mm:ACSKeyline mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold </p>

	mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold
used by	elements mailPieceBlockGroupType/MailPieceBlock PDRMailPieceBlockType/MailPieceBlock


element **mailPieceBlockType/ServiceLevelIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceBlockType/LOTSequenceDirectionCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceBlockType/LOTSequenceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockType/WalkSequenceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockType/IMPackageBarcode**

diagram	 <p>The diagram shows the structure of the mailxml_mm:IMPackageBarcode element. It is a container element that holds a complex structure defined by mailxml_defs:intelligentMailPackageBarcodeType. This structure includes several sub-elements: mailxml_defs:PostalRoutingCodeAppID, mailxml_defs:DestinationZipCode, mailxml_defs:ChannelApplicationIdentifier, mailxml_defs:ServiceTypeCode, mailxml_defs:Mod10CheckDigit, and a group containing mailxml_defs:MailerID6, mailxml_defs:SerialNumber10or14, mailxml_defs:MailerID9, and mailxml_defs:SerialNumber7or11. The diagram uses standard XML notation for element containment and grouping.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit

element **mailPieceBlockType/UPAAddress**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				

element **mailPieceBlockType/DeliveryPointZIP**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **mailPieceBlockType/ExtraServiceIMPpackageBarcode**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **mailPieceBlockType/PlanetCode**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **mailPieceBlockType/DeliveryPointZIP**


diagram						
---------	--	--	--	--	--	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **mailPieceBlockType/DeliveryContainerID**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:DeliveryContainerID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockType/DeliveryPointZIP**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:DeliveryPointZIP</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockType/IMB**

diagram	 A diagram showing the structure of the <code>mailxml_mm:IMB</code> element. It is a rectangular box labeled <code>mailxml_mm:IMB</code> connected to a dashed yellow box labeled <code>mailxml_defs:intelligentMailBarcodeType</code> . Inside this dashed box, there are several sub-elements: <code>mailxml_defs:BarcodeID</code> (top), <code>mailxml_defs:MailClass</code> and <code>mailxml_defs:ServiceTypeCode</code> (middle, connected by a vertical line), <code>mailxml_defs:MailerID6</code> , <code>mailxml_defs:SerialNumber9</code> , <code>mailxml_defs:MailerID9</code> , and <code>mailxml_defs:SerialNumber6</code> (bottom, connected by a vertical line). A dashed box at the bottom of the yellow area is labeled <code>mailxml_defs:DeliveryPointZIP</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:BarcodeID</code> <code>mailxml_defs:MailClass</code> <code>mailxml_defs:ServiceTypeCode</code> <code>mailxml_defs:MailerID6</code> <code>mailxml_defs:SerialNumber9</code> <code>mailxml_defs:MailerID9</code> <code>mailxml_defs:SerialNumber6</code> <code>mailxml_defs:DeliveryPointZIP</code>

element **mailPieceBlockType/UPAAddress**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				

element **mailPieceBlockType/DeliveryPointZIP**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **mailPieceBlockType/ExtraServiceIMPackBarcode**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **mailPieceBlockType/ReferenceableMailID**


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **mailPieceBlockType/PieceID**


diagram						
---------	--	--	--	--	--	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **mailPieceBlockType/WastedPieceIndicator**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:WastedPieceIndicator</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceBlockType/MLOCRrateANDpostageMarking**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:MLOCRrateANDpostageMarking</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockType/MoveComplianceUpdateMethod**

diagram	 A dashed rectangular box containing the text <code>mailxml_mm:MoveComplianceUpdateMethod</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceBlockType/MailOwner**

diagram	 A diagram showing the structure of the <code>mailxml_mm:MailOwner</code> element. On the left, a dashed box labeled <code>mailxml_mm:MailOwner</code> is connected by a line to a larger dashed box labeled <code>mailxml_mm:mailOwnerBlockType</code> . Inside the <code>mailOwnerBlockType</code> box, there are several sub-elements: <code>mailxml_mm:CRID</code> , <code>mailxml_mm:SchedulerID</code> , <code>mailxml_mm:MaildatUserLicense</code> , <code>mailxml_mm:PermitPublicationData</code> , <code>mailxml_mm:MailOwnerMID6</code> , and <code>mailxml_mm:MailOwnerMID9</code> . The <code>PermitPublicationData</code> element has a small square icon with a plus sign next to it. The <code>MailOwnerMID6</code> and <code>MailOwnerMID9</code> elements are grouped together in a smaller dashed box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:CRID mailxml_mm:SchedulerID mailxml_mm:MaildatUserLicense mailxml_mm:PermitPublicationData mailxml_mm:MailOwnerMID6 mailxml_mm:MailOwnerMID9


element **mailPieceBlockType/BarCodeApplicator**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Us e	Defaul t	Fixe d	Annotatio n
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **mailPieceBlockType/MachineID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceBlockType/ACSKeyline**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockType/HoldForPickup**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceBlockType/NumberOfPiecesToHold**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType mailPieceCancelType


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:PDRRangePieceBlock mailxml_mm:MailPieceID mailxml_mm:PieceRangeID mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGroup mailxml_mm:MailXMLPieceRangeBlock					
used by	element MailPieceCancelRequest					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				

	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType
--	------------------------------	----------------------------------


element **mailPieceCancelType/SubmittingParty**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **mailPieceCancelType/SubmittingSoftware**

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element mailPieceCancelType/SubmitterTrackingID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element mailPieceCancelType/UserLicenseCode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element mailPieceCancelType/MaildatJobID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element mailPieceCancelType/TransmittedCount

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element mailPieceCancelType/PDRMailPieceBlock

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PackageID mailxml_mm:CQTDatabaseID mailxml_mm:MailPieceBlock

element mailPieceCancelType/PDRRangePieceBlock

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DatabaseContainerID mailxml_mm:PieceRangeBlock

element mailPieceCancelType/PDRRangePieceBlock/DatabaseContainerID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceCancelType/PDRRRangePieceBlock/PieceRangeBlock**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PieceRangeID mailxml_mm:IMbarcodeLowerSerialization mailxml_mm:IMbarcodeUpperSerialization mailxml_mm:MailPreparer mailxml_mm:MailOwner mailxml_mm:ServiceTypeCode mailxml_mm:MailClass mailxml_mm:ServiceLevelIndicator mailxml_mm:Pieces mailxml_mm:Copies


element **mailPieceCancelType/MailPieceID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP


element **mailPieceCancelType/PieceRangeID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceCancelType/CustomerGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceCancelType/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **mailPieceCancelType/TransmittedCount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceCancelType/MailPieceBlockGroup**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:BundleID mailxml_mm:MailPieceBlock

element **mailPieceCancelType/MailXMLPieceRangeBlock**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:PieceRangeBlock

complexType **mailPieceRequestType**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGroup mailxml_mm:ReferenceableMailData
used by	elements MailPieceCreateRequest MailPieceUpdateRequest

element **mailPieceRequestType/SubmittingParty**


diagram	<p>The diagram shows a complex type <code>mailxml_mm:SubmittingParty</code> with a choice of two groups. The first group contains <code>mailxml_defs:MailierID6</code> and <code>mailxml_defs:MailierID9</code>. The second group contains <code>mailxml_defs:CRID</code>, <code>mailxml_defs:SchedulerID</code>, <code>mailxml_defs:MaildatUserLicense</code>, <code>mailxml_defs:ShippingAgentID</code>, and <code>mailxml_defs:ReceivingAgentID</code>.</p>																								
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm																								
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailierID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailierID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailierID6	mailxml_base:mailerID6Type					mailxml_defs:MailierID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:MailierID6	mailxml_base:mailerID6Type																								
mailxml_defs:MailierID9	mailxml_base:mailerID9Type																								
mailxml_defs:CRID	mailxml_base:CRIDType																								

	mailxml_defs:SchedulerID	mailxml_base:s12
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType
	mailxml_defs:ShippingAgentID	mailxml_base:s12
	mailxml_defs:ReceivingAgentID	mailxml_base:s12


element mailPieceRequestType/SubmittingSoftware

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element mailPieceRequestType/SubmitterTrackingID

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element mailPieceRequestType/UserLicenseCode

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element mailPieceRequestType/MaildatJobID

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element mailPieceRequestType/TransmittedCount

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **mailPieceRequestType/PDRMailPieceBlock**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PackageID mailxml_mm:CQTDatabaseID mailxml_mm:MailPieceBlock

element **mailPieceRequestType/CustomerGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceRequestType/MailingGroupID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceRequestType/TransmittedCount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailPieceRequestType/MailPieceBlockGroup**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:BundleID mailxml_mm:MailPieceBlock

element **mailPieceRequestType/ReferenceableMailData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailDateStart mailxml_mm:ReferenceableMailDateEnd mailxml_mm:ReferenceableMailContentGroup

complexType **mailXMLPieceRangeBlockType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:PieceRangeBlock
used by	element mailPieceCancelType/MailXMLPieceRangeBlock

element **mailXMLPieceRangeBlockType/ContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **mailXMLPieceRangeBlockType/PieceRangeBlock**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PieceRangeID mailxml_mm:IMbarcodeLowerSerialization mailxml_mm:IMbarcodeUpperSerialization mailxml_mm:MailPreparer mailxml_mm:MailOwner mailxml_mm:ServiceTypeCode mailxml_mm:MailClass mailxml_mm:ServiceLevelIndicator mailxml_mm:Pieces mailxml_mm:Copies

complexType **manifestAndOrderIDInfoBlockType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ManifestIDNumber mailxml_mm:ConsigneeManifestID mailxml_mm:PieceOrDetailRecordID mailxml_mm:ConsigneePieceORDetailID
used by	element ManifestCreateResponse/ManifestCreateAccept/ManifestAndOrderIDInfoBlock


element **manifestAndOrderIDInfoBlockType/ManifestIDNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestAndOrderIDInfoBlockType/ConsigneeManifestID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestAndOrderIDInfoBlockType/PieceOrDetailRecordID**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:PieceOrDetailRecordID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestAndOrderIDInfoBlockType/ConsigneePieceORDetailID**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:ConsigneePieceORDetailID</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **manifestErrorWarningDetailType**

diagram	 The diagram shows a rounded rectangular box labeled <code>manifestErrorWarningDetailType</code> connected by a dashed line to a larger dashed rectangular box. This larger box contains five smaller dashed rectangular boxes, each representing a child element: <code>mailxml_mm:ErrorWarningCode</code> , <code>mailxml_mm:ElectronicFileLineNumber</code> , <code>mailxml_mm:IMpb</code> , <code>mailxml_mm:DescriptionElectronicFileError...</code> , and <code>mailxml_mm:ErrorWarningMessage</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ErrorWarningCode mailxml_mm:ElectronicFileLineNumber mailxml_mm:IMpb mailxml_mm:DescriptionElectronicFileErrorWarning mailxml_mm:ErrorWarningMessage
used by	element manifestErrorWarningSummaryType/ManifestErrorWarningDetail


element **manifestErrorWarningDetailType/ErrorWarningCode**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:ErrorWarningCode</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestErrorWarningDetailType/ElectronicFileLineNumber**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:ElectronicFileLineNumber</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestErrorWarningDetailType/IMpb**


diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:IMpb</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestErrorWarningDetailType/DescriptionElectronicFileErrorWarning**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:DescriptionElectronicFileError...</code> .
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **manifestErrorWarningDetailType/ErrorWarningMessage**

diagram	 The diagram shows a dashed box containing the text <code>mailxml_mm:ErrorWarningMessage</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **manifestErrorWarningSummaryType**

diagram	 The diagram shows a complex type <code>manifestErrorWarningSummaryType</code> with a sequence of elements: <code>mailxml_mm:MID</code> (with a '+' icon), <code>mailxml_mm:ElectronicFileSequenceNumber</code> , <code>mailxml_mm:ElectronicFileReceiptDate</code> , <code>mailxml_mm:ElectronicFileReceiptTime</code> , <code>mailxml_mm:EntryFacilityZipCode</code> , <code>mailxml_mm:MailingDate</code> , <code>mailxml_mm:NumberOfRecordsRead</code> , <code>mailxml_mm:NumberOfRecordsRejected</code> , <code>mailxml_mm:NumberOfRecordsAccepted</code> , <code>mailxml_mm:NumberOfElectronicFileD1RecordRecordsAccepted</code> , <code>mailxml_mm:NumberOfElectronicFileD2RecordRecordsAccepted</code> , <code>mailxml_mm:SummaryMessage</code> , and <code>mailxml_mm:ManifestErrorWarningDetail</code> (with a '+' icon). The sequence is enclosed in a dashed box with a '0..∞' cardinality at the bottom right.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:ElectronicFileSequenceNumber mailxml_mm:ElectronicFileReceiptDate mailxml_mm:ElectronicFileReceiptTime mailxml_mm:EntryFacilityZipCode mailxml_mm:MailingDate mailxml_mm:NumberOfRecordsRead mailxml_mm:NumberOfRecordsRejected mailxml_mm:NumberOfRecordsAccepted mailxml_mm:NumberOfElectronicFileD1RecordRecordsAccepted mailxml_mm:NumberOfElectronicFileD2RecordRecordsAccepted mailxml_mm:SummaryMessage mailxml_mm:ManifestErrorWarningDetail
used by	elements ManifestCreateResponse/ManifestCreateAccept/ManifestErrorWarningSummary ManifestCreateResponse/ManifestCreateReject/ManifestErrorWarningSummary


element **manifestErrorWarningSummaryType/MID**

diagram	 The diagram shows a dashed box containing the text <code>mailxml_mm:MID</code> . To its right is a yellow box labeled <code>mailxml_defs:MIDType</code> which contains two elements: <code>mailxml_defs:MID6</code> and <code>mailxml_defs:MID9</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:MID6</code> <code>mailxml_defs:MID9</code>


element **manifestErrorWarningSummaryType/ElectronicFileSequenceNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestErrorWarningSummaryType/ElectronicFileReceiptDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestErrorWarningSummaryType/ElectronicFileReceiptTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestErrorWarningSummaryType/EntryFacilityZipCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestErrorWarningSummaryType/MailingDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestErrorWarningSummaryType/NumberOfRecordsRead**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestErrorWarningSummaryType/NumberOfRecordsRejected**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestErrorWarningSummaryType/NumberOfRecordsAccepted**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestErrorWarningSummaryType/NumberOfElectronicFileD1RecordRecordsAccepted**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:NumberOfElectronicFileD1Reco...</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestErrorWarningSummaryType/NumberOfElectronicFileD2RecordRecordsAccepted**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:NumberOfElectronicFileD2Reco...</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestErrorWarningSummaryType/SummaryMessage**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:SummaryMessage</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestErrorWarningSummaryType/ManifestErrorWarningDetail**

diagram	 The diagram shows a dashed rectangular box containing the text <code>mailxml_mm:ManifestErrorWarningDetail</code> . To its right is a yellow-shaded box representing the <code>manifestErrorWarningDetailType</code> complex type. Inside this box are five child elements: <code>mailxml_mm:ErrorWarningCode</code> , <code>mailxml_mm:ElectronicFileLineNumber</code> , <code>mailxml_mm:IMpb</code> , <code>mailxml_mm:DescriptionElectronicFileError...</code> , and <code>mailxml_mm:ErrorWarningMessage</code> . A line with a multiplicity of <code>0..30</code> connects the <code>ManifestErrorWarningDetail</code> element to the complex type box.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ErrorWarningCode mailxml_mm:ElectronicFileLineNumber mailxml_mm:IMpb mailxml_mm:DescriptionElectronicFileErrorWarning mailxml_mm:ErrorWarningMessage

complexType **manifestMailPieceSummaryType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ClassOfMail mailxml_mm:InternationalZone mailxml_mm:DestinationCountryCode mailxml_mm:BarCodeConstructCode mailxml_mm:WeightUnit mailxml_mm:TotalWeight mailxml_mm:TotalPieces mailxml_mm:TotalSacks mailxml_mm:ProcessingCategory mailxml_mm:InternationalProvince mailxml_mm:CountryType mailxml_mm:PriceGroup mailxml_mm:RateType mailxml_mm:BagNumber mailxml_mm:SubAreaWithinCountry

element **manifestMailPieceSummaryType/ClassOfMail**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/InternationalZone**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/DestinationCountryCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/BarCodeConstructCode**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:BarCodeConstructCode'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/WeightUnit**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:WeightUnit'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/TotalWeight**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:TotalWeight'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/TotalPieces**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:TotalPieces'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/TotalSacks**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:TotalSacks'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/ProcessingCategory**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:ProcessingCategory'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/InternationalProvince**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:InternationalProvince'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/CountryType**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:CountryType'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/PriceGroup**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:PriceGroup'. To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/RateType**


diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:RateType'. To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceSummaryType/BagNumber**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:BagNumber'. To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceSummaryType/SubAreaWithinCountry**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:SubAreaWithinCountry'. To the left of the box is a small icon consisting of three horizontal lines of increasing length, resembling a list or menu icon.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **manifestMailPieceType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ClassofMail mailxml_mm:DestinationZipPlusFour mailxml_mm:DestinationZipCode mailxml_mm:DetailRecordID mailxml_mm:PieceID mailxml_mm:ItemDescription mailxml_mm:DestinationFacilityType mailxml_mm:CarrierRoute mailxml_mm:LogisticsManagerMID mailxml_mm:MailOwnerMailerID9 mailxml_mm:MailOwnerCRID mailxml_mm:MailPreparerMailerID9 mailxml_mm:MailerOrCustomersInternalReferenceNumber mailxml_mm:ConsigneeApptID mailxml_mm:ScheduledInductionDate mailxml_mm:ScheduledInductionTime mailxml_mm:ServiceTypeCode mailxml_mm:IMpb mailxml_mm:PieceOrPackageIMBarcode mailxml_mm:IMcb mailxml_mm:UnitValue mailxml_mm:WeekendHolidayDelivery mailxml_mm:SpecialService mailxml_mm:ClientMID mailxml_mm:FASTReservationNumber mailxml_mm:FASTScheduledInductionDate mailxml_mm:FASTScheduledInductionTime mailxml_mm:CustomerReferenceID mailxml_mm:DestinationCountryCode mailxml_mm:BarCodeConstructCode mailxml_mm:CustomerAgreementNumber mailxml_mm:NameOfAddressee mailxml_mm:MiscellaneousAddressInformation mailxml_mm:AdditionalAddressInformation mailxml_mm:DeliveryAddress mailxml_mm:City mailxml_mm:State mailxml_mm:PostalCode mailxml_mm:InternationalProvince mailxml_mm:CountryType mailxml_mm:ContainerType1 mailxml_mm:ContainerID1 mailxml_mm:ContainerType2 mailxml_mm:ContainerID2 mailxml_mm:ContainerType3 mailxml_mm:ContainerID3 mailxml_mm:Customs mailxml_mm:PriceGroup mailxml_mm:RateType mailxml_mm:BagNumber mailxml_mm:SubAreaWithinCountry


element manifestMailPieceType/ClassofMail

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/DestinationZipPlusFour

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/DestinationZipCode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element manifestMailPieceType/DetailRecordID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/PieceID

diagram	 <p>The diagram illustrates the structure of the <code>mailxml_mm:PieceID</code> element. It is a complex type that contains a sequence of elements. The first element is <code>mailxml_defs:IMB</code>, which is a simple type. The second element is a choice type (indicated by a dashed box) that contains three possible elements: <code>mailxml_defs:PlanetCode</code>, <code>mailxml_defs:DeliveryPointZIP</code>, and <code>mailxml_defs:DeliveryContainerID</code>. The choice type is further detailed by a dashed box labeled <code>mailxml_defs:mailPieceIDType</code>, which shows the internal structure of the choice type, including the <code>mailxml_defs:IMB</code> element and the choice type itself.</p>
---------	--


MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP


element **manifestMailPieceType/ItemDescription**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:ItemDescription'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/DestinationFacilityType**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:DestinationFacilityType'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/CarrierRoute**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:CarrierRoute'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/LogisticsManagerMID**

diagram	 The diagram shows a solid rectangular box containing the text 'mailxml_mm:LogisticsManagerMID'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/MailOwnerMailerID9**

diagram	 The diagram shows a solid rectangular box containing the text 'mailxml_mm:MailOwnerMailerID9'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/MailOwnerCRID**

diagram	 The diagram shows a solid rectangular box containing the text 'mailxml_mm:MailOwnerCRID'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceType/MailPreparerMailerID9**


diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:MailPreparerMailerID9'.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceType/MailerOrCustomersInternalReferenceNumber**


diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:MailerOrCustomersInternalRef...'.
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element manifestMailPieceType/ConsigneeApptID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/ScheduledInductionDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/ScheduledInductionTime

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/ServiceTypeCode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/IMpb

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/PieceOrPackageIMBarcode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/IMcb

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestMailPieceType/UnitValue

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/WeekendHolidayDelivery**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceType/SpecialService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/ClientMID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/FASTReservationNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceType/FASTScheduledInductionDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/FASTScheduledInductionTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/CustomerReferenceID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/DestinationCountryCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/BarCodeConstructCode**

diagram	 A diagram showing the element <code>manifestMailPieceType/BarCodeConstructCode</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/CustomerAgreementNumber**

diagram	 A diagram showing the element <code>manifestMailPieceType/CustomerAgreementNumber</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/NameOfAddressee**

diagram	 A diagram showing the element <code>manifestMailPieceType/NameOfAddressee</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/MiscellaneousAddressInformation**

diagram	 A diagram showing the element <code>manifestMailPieceType/MiscellaneousAddressInformation</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/AdditionalAddressInformation**

diagram	 A diagram showing the element <code>manifestMailPieceType/AdditionalAddressInformation</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/DeliveryAddress**

diagram	 A diagram showing the element <code>manifestMailPieceType/DeliveryAddress</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/City**

diagram	 A diagram showing the element <code>manifestMailPieceType/City</code> with a solid border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/State**

diagram	 A diagram showing the element <code>manifestMailPieceType/State</code> with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/PostalCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/InternationalProvince**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/CountryType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/ContainerType1**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/ContainerID1**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/ContainerType2**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/ContainerID2**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/ContainerType3**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/ContainerID3**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:ContainerID3</code> with a dashed border and a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailPieceType/Customs**

diagram	 A diagram showing a dashed box labeled <code>mailxml_mm:Customs</code> with a multiplicity of <code>0..3</code> at the bottom. This box is connected to a central connector box, which is then connected to a larger box labeled <code>mailxml_mm:customsType</code> . Inside the <code>mailxml_mm:customsType</code> box, there are three sub-elements: <code>mailxml_mm:Category</code> , <code>mailxml_mm:Count</code> , and <code>mailxml_mm:Value</code> , each represented by a dashed box with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Category mailxml_mm:Count mailxml_mm:Value


element **manifestMailPieceType/PriceGroup**

diagram	 A diagram showing a single dashed box labeled <code>mailxml_mm:PriceGroup</code> with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceType/RateType**

diagram	 A diagram showing a single dashed box labeled <code>mailxml_mm:RateType</code> with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceType/BagNumber**

diagram	 A diagram showing a single dashed box labeled <code>mailxml_mm:BagNumber</code> with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailPieceType/SubAreaWithinCountry**

diagram	 A diagram showing a single dashed box labeled <code>mailxml_mm:SubAreaWithinCountry</code> with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **manifestMailType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:HeaderRecordID mailxml_mm:ManifestIDNumber mailxml_mm:ElectronicFileType mailxml_mm:USPSElectronicFileVersionNumber mailxml_mm:ElectronicFileNumber mailxml_mm:DateOfMailing mailxml_mm:TimeOfMailing mailxml_mm:EntryFacilityType mailxml_mm:EntryFacilityZipCode mailxml_mm:EntryFacilityZipPlusFour mailxml_mm:DirectEntryOriginCountryCode mailxml_mm:ShipmentFeeCode mailxml_mm:ExtraFeeForShipment mailxml_mm:FileRecordCount mailxml_mm:SoftwareVendorProductVersion mailxml_mm:SoftwareVendorCode mailxml_mm:TransactionID mailxml_mm:TrackingInformation mailxml_mm:PaymentInformation mailxml_mm:SpecialProductInformation
used by	element ManifestCreateRequest/ManifestMailInfo


element **manifestMailType/HeaderRecordID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/ManifestIDNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/ElectronicFileType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/USPSElectronicFileVersionNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/ElectronicFileNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/DateOfMailing**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/TimeOfMailing**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/EntryFacilityType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailType/EntryFacilityZipCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/EntryFacilityZipPlusFour**

diagram	 The diagram shows the element <code>manifestMailType/EntryFacilityZipPlusFour</code> with a dashed border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/DirectEntryOriginCountryCode**

diagram	 The diagram shows the element <code>manifestMailType/DirectEntryOriginCountryCode</code> with a dashed border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/ShipmentFeeCode**

diagram	 The diagram shows the element <code>manifestMailType/ShipmentFeeCode</code> with a dashed border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/ExtraFeeForShipment**

diagram	 The diagram shows the element <code>manifestMailType/ExtraFeeForShipment</code> with a dashed border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/FileRecordCount**

diagram	 The diagram shows the element <code>manifestMailType/FileRecordCount</code> with a solid border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/SoftwareVendorProductVersion**

diagram	 The diagram shows the element <code>manifestMailType/SoftwareVendorProductVersion</code> with a solid border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailType/SoftwareVendorCode**

diagram	 The diagram shows the element <code>manifestMailType/SoftwareVendorCode</code> with a solid border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestMailType/TransactionID**

diagram	 The diagram shows the element <code>manifestMailType/TransactionID</code> with a dashed border and a small icon in the top left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestMailType/TrackingInformation**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DetailRecordID mailxml_mm:IMpb mailxml_mm:MailClass mailxml_mm:ServiceTypeCode mailxml_mm:BarCodeConstructCode mailxml_mm:DestinationZipCode mailxml_mm:DestinationZipPlusFour mailxml_mm:DestinationFacilityType mailxml_mm:DestinationCountryCode mailxml_mm:PostalCode mailxml_mm:CarrierRoute mailxml_mm:LogisticsManagerMID mailxml_mm:MailOwnerMID mailxml_mm:ContainerID1 mailxml_mm:ContainerType1 mailxml_mm:ContainerType2 mailxml_mm:ContainerID2 mailxml_mm:ContainerType3 mailxml_mm:ContainerID3 mailxml_mm:MailOwnerCRID mailxml_mm:CustomerReferenceID mailxml_mm:FASTReservationNumber mailxml_mm:FASTScheduledInductionDate mailxml_mm:FASTScheduledInductionTime


element **manifestMailType/PaymentInformation**



namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PaymentAccountNumber mailxml_mm:PaymentMethod mailxml_mm:CSSCProductID mailxml_mm:CSSCNumber mailxml_mm:ProcessingCategory mailxml_mm:RateIndicator mailxml_mm:Height mailxml_mm:Width mailxml_mm:Length mailxml_mm:ExtraServiceFeeFifthService mailxml_mm:ExtraServiceFeeFourthService mailxml_mm:ExtraServiceFeeThirdService mailxml_mm:ExtraServiceFeeSecondService mailxml_mm:ExtraServiceFeeFirstService mailxml_mm:ExtraServiceCodeFifthService mailxml_mm:ExtraServiceCodeFourthService mailxml_mm:ExtraServiceCodeThirdService mailxml_mm:ExtraServiceCodeSecondService mailxml_mm:ExtraServiceCodeFirstService mailxml_mm:ValueOfArticle mailxml_mm:CODAmountDueSender mailxml_mm:HandlingCharge mailxml_mm:SurchargeType mailxml_mm:SurchargeAmount mailxml_mm:NonIncidentalEnclosureRateIndicator mailxml_mm:NonIncidentalEnclosureClass mailxml_mm:NonIncidentalEnclosurePostage mailxml_mm:NonIncidentalEnclosureWeight mailxml_mm:NonIncidentalEnclosureProcessingCategory mailxml_mm:POBoxIndicator mailxml_mm:SignatureWaiver mailxml_mm:PostalRoutingBarcode mailxml_mm:OpenDistributeContentsIndicator mailxml_mm:DeliveryOptionIndicator mailxml_mm:DestinationDeliveryPoint mailxml_mm:DiscountAmount mailxml_mm:DiscountType mailxml_mm:DimensionalWeight mailxml_mm:Zone mailxml_mm:DestinationRateInd mailxml_mm:PieceWeight mailxml_mm:WeightUnit mailxml_mm:PostageType mailxml_mm:Postage mailxml_mm:ChargebackCode mailxml_mm:MeterSerialNumber mailxml_mm:PostOfficeOfAccountZipCode

element **manifestMailType/SpecialProductInformation**


diagram	<pre> classDiagram class mailxml_mm_SpecialProductInformation { mailxml_mm_ElectronicFileDetailRecordID mailxml_mm_IMpb mailxml_mm_RecipientName mailxml_mm_DeliveryAddress mailxml_mm_State mailxml_mm_City mailxml_mm_DeliveryZip mailxml_mm_DeliveryZipPlusFour mailxml_mm_RecipientEmailAddress mailxml_mm_SenderName mailxml_mm_SenderEmailAddress mailxml_mm_SenderSMSNumber mailxml_mm_RecipientSMSNumber } </pre>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ElectronicFileDetailRecordID mailxml_mm:IMpb mailxml_mm:RecipientName mailxml_mm:DeliveryAddress mailxml_mm:State mailxml_mm:City mailxml_mm:DeliveryZip mailxml_mm:DeliveryZipPlusFour mailxml_mm:RecipientEmailAddress mailxml_mm:SenderName mailxml_mm:SenderEmailAddress mailxml_mm:SenderSMSNumber mailxml_mm:RecipientSMSNumber

complexType **manifestPaymentExtractDataType**


MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:RecordType mailxml mm:FileVersionNumber mailxml mm:TransactionID mailxml mm:MailingDate mailxml mm:MailingTime mailxml mm:ProcessingDate mailxml mm:ProcessingTime mailxml mm:EntryFacilityZip mailxml mm:EntryFacilityZip4 mailxml mm:PICIMpb mailxml mm:MailClass mailxml mm:ProcessingCategory mailxml mm:Weight mailxml mm:DimWeight mailxml mm:Length mailxml mm:Width mailxml mm:Height mailxml mm:PackageDestinationZIP mailxml mm:DestinationZIP4 mailxml mm:DestinationRateIndicator mailxml mm:RateIndicator mailxml mm:Zone mailxml mm:PostalRoutingBarcode mailxml mm:ExtraServiceCodeFirstService mailxml mm:FeeForExtraServiceCodeFirstService mailxml mm:ExtraServiceCodeSecondService mailxml mm:FeeForExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeThirdService mailxml mm:FeeForExtraServiceCodeService mailxml mm:DiscountType mailxml mm:DiscountAmount mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:CustomerReferenceNumber mailxml mm:PriceType mailxml mm:USPSCalculatedManifestPostage mailxml mm:PaymentStatus mailxml mm:CAPSTransactionID
used by	elements ManifestPaymentExtractDelivery/ManifestExtractData ManifestPaymentExtractQueryResponse/QueryResults/ManifestExtractData


element manifestPaymentExtractDataType/RecordType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/FileVersionNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/TransactionID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/MailingDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/MailingTime

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/ProcessingDate

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/ProcessingTime

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/EntryFacilityZip

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/EntryFacilityZip4

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/PICIMpb

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/MailClass

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/ProcessingCategory

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/Weight

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element manifestPaymentExtractDataType/DimWeight

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/Length**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:Length' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/Width**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:Width' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/Height**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:Height' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/PackageDestinationZIP**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:PackageDestinationZIP' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/DestinationZIP4**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:DestinationZIP4' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/DestinationRateIndicator**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:DestinationRateIndicator' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/RateIndicator**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:RateIndicator' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestPaymentExtractDataType/Zone**

diagram	 A diagram showing a rectangular box with a small icon on the left and the text 'mailxml_mm:Zone' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/PostalRoutingBarcode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/ExtraServiceCodeFirstService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/FeeForExtraServiceCodeFirstService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/ExtraServiceCodeSecondService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/FeeForExtraServiceCodeSecondService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/ExtraServiceCodeThirdService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/FeeForExtraServiceCodeService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/DiscountType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/DiscountAmount**

diagram	 The diagram shows a box with the text 'mailxml_mm:DiscountAmount' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/SurchargeType**

diagram	 The diagram shows a box with the text 'mailxml_mm:SurchargeType' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/SurchargeAmount**

diagram	 The diagram shows a box with the text 'mailxml_mm:SurchargeAmount' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestPaymentExtractDataType/CustomerReferenceNumber**

diagram	 The diagram shows a box with the text 'mailxml_mm:CustomerReferenceNumber' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/PriceType**

diagram	 The diagram shows a box with the text 'mailxml_mm:PriceType' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestPaymentExtractDataType/USPSCalculatedManifestPostage**

diagram	 The diagram shows a box with the text 'mailxml_mm:USPSCalculatedManifestPostage' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestPaymentExtractDataType/PaymentStatus**

diagram	 The diagram shows a box with the text 'mailxml_mm:PaymentStatus' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestPaymentExtractDataType/CAPSTransactionID**

diagram	 The diagram shows a box with the text 'mailxml_mm:CAPSTransactionID' inside, with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType manifestPieceListType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ManifestPieceOrDetailRecordID mailxml_mm:ConsigneeManifestPieceORDetailID

element manifestPieceListType/ManifestPieceOrDetailRecordID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element manifestPieceListType/ConsigneeManifestPieceORDetailID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **manifestTrackingInformationType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DetailRecordID mailxml_mm:IMpb mailxml_mm:MailClass mailxml_mm:ServiceTypeCode mailxml_mm:BarCodeConstructCode mailxml_mm:DestinationZipCode mailxml_mm:DestinationZipPlusFour mailxml_mm:DestinationFacilityType mailxml_mm:DestinationCountryCode mailxml_mm:PostalCode mailxml_mm:CarrierRoute mailxml_mm:LogisticsManagerMID mailxml_mm:MailOwnerMID mailxml_mm:ContainerID1 mailxml_mm:ContainerType1 mailxml_mm:ContainerType2 mailxml_mm:ContainerID2 mailxml_mm:ContainerType3 mailxml_mm:ContainerID3 mailxml_mm:MailOwnerCRID mailxml_mm:CustomerReferenceID mailxml_mm:FASTReservationNumber mailxml_mm:FASTScheduledInductionDate mailxml_mm:FASTScheduledInductionTime
used by	element manifestMailType/TrackingInformation


element **manifestTrackingInformationType/DetailRecordID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/IMpb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestTrackingInformationType/MailClass**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/ServiceTypeCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/BarCodeConstructCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/DestinationZipCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/DestinationZipPlusFour**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/DestinationFacilityType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/DestinationCountryCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/PostalCode**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:PostalCode</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/CarrierRoute**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:CarrierRoute</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/LogisticsManagerMID**

diagram	 A diagram showing a rectangular box labeled <code>mailxml_mm:LogisticsManagerMID</code> connected to a dashed yellow box labeled <code>mailxml_defs:MIDType</code> . Inside the dashed box are two smaller boxes labeled <code>mailxml_defs:MID6</code> and <code>mailxml_defs:MID9</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:MID6</code> <code>mailxml_defs:MID9</code>


element **manifestTrackingInformationType/MailOwnerMID**

diagram	 A diagram showing a rectangular box labeled <code>mailxml_mm:MailOwnerMID</code> connected to a dashed yellow box labeled <code>mailxml_defs:MIDType</code> . Inside the dashed box are two smaller boxes labeled <code>mailxml_defs:MID6</code> and <code>mailxml_defs:MID9</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	<code>mailxml_defs:MID6</code> <code>mailxml_defs:MID9</code>


element **manifestTrackingInformationType/ContainerID1**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:ContainerID1</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/ContainerType1**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:ContainerType1</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/ContainerType2**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:ContainerType2</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/ContainerID2**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:ContainerID2' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/ContainerType3**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:ContainerType3' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestTrackingInformationType/ContainerID3**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:ContainerID3' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/MailOwnerCRID**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:MailOwnerCRID' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/CustomerReferenceID**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:CustomerReferenceID' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **manifestTrackingInformationType/FASTReservationNumber**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:FASTReservationNumber' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestTrackingInformationType/FASTScheduledInductionDate**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:FAST ScheduledInductionDate' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **manifestTrackingInformationType/FASTScheduledInductionTime**

diagram	 The diagram shows a rectangular box with a small icon on the left and the text 'mailxml_mm:FAST ScheduledInductionTime' inside.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **palletContainerRecordType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate
used by	element ContainerBundleSummaryRecords/PalletContainerRecord

element **palletContainerRecordType/PublicationInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **palletContainerRecordType/PublicationTitle**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerRecordType/PostageStatementLineNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerRecordType/ChargeableContainerLevel**

diagram	 A diagram of the <code>mailxml_mm:ChargeableContainerLevel</code> element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerRecordType/ChargeableEntryLevel**

diagram	 A diagram of the <code>mailxml_mm:ChargeableEntryLevel</code> element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerRecordType/Containers**

diagram	 A diagram of the <code>mailxml_mm:Containers</code> element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerRecordType/IssueNumber**

diagram	 A diagram of the <code>mailxml_mm:IssueNumber</code> element, represented as a dashed rectangle with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **palletContainerRecordType/VolumeNumber**

diagram	 A diagram of the <code>mailxml_mm:VolumeNumber</code> element, represented as a dashed rectangle with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **palletContainerRecordType/IssueDate**

diagram	 A diagram of the <code>mailxml_mm:IssueDate</code> element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **palletContainerVersionRecordType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate
used by	element ContainerBundleVersionRecords/PalletContainerVersionRecord

element **palletContainerVersionRecordType/PublicationInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_def:PermitNumber mailxml_def:PaymentAccountNumber mailxml_def:PermitType mailxml_def:PermitZip4 mailxml_def:PublicationNumber mailxml_def:PaymentAccountNumber


element **palletContainerVersionRecordType/PublicationTitle**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerVersionRecordType/PostageStatementLineNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerVersionRecordType/ChargeableContainerLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerVersionRecordType/ChargeableEntryLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerVersionRecordType/Containers**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerVersionRecordType/IssueNumber**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **palletContainerVersionRecordType/VolumeNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **palletContainerVersionRecordType/IssueDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **paymentInformationType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PaymentAccountNumber mailxml_mm:PaymentMethod mailxml_mm:CSSCProductID mailxml_mm:CSSCNumber mailxml_mm:ProcessingCategory mailxml_mm:RateIndicator mailxml_mm:Height mailxml_mm:Width mailxml_mm:Length mailxml_mm:ExtraServiceFeeFifthService mailxml_mm:ExtraServiceFeeFourthService mailxml_mm:ExtraServiceFeeThirdService mailxml_mm:ExtraServiceFeeSecondService mailxml_mm:ExtraServiceFeeFirstService mailxml_mm:ExtraServiceCodeFifthService mailxml_mm:ExtraServiceCodeFourthService mailxml_mm:ExtraServiceCodeThirdService mailxml_mm:ExtraServiceCodeSecondService mailxml_mm:ExtraServiceCodeFirstService mailxml_mm:ValueOfArticle mailxml_mm:CODAmountDueSender mailxml_mm:HandlingCharge mailxml_mm:SurchargeType mailxml_mm:SurchargeAmount mailxml_mm:NonIncidentalEnclosureRateIndicator mailxml_mm:NonIncidentalEnclosureClass mailxml_mm:NonIncidentalEnclosurePostage mailxml_mm:NonIncidentalEnclosureWeight mailxml_mm:NonIncidentalEnclosureProcessingCategory mailxml_mm:POBoxIndicator mailxml_mm:SignatureWaiver mailxml_mm:PostalRoutingBarcode mailxml_mm:OpenDistributeContentsIndicator mailxml_mm:DeliveryOptionIndicator mailxml_mm:DestinationDeliveryPoint mailxml_mm:DiscountAmount mailxml_mm:DiscountType mailxml_mm:DimensionalWeight mailxml_mm:Zone mailxml_mm:DestinationRateInd mailxml_mm:PieceWeight mailxml_mm:WeightUnit mailxml_mm:PostageType mailxml_mm:Postage mailxml_mm:ChargebackCode mailxml_mm:MeterSerialNumber mailxml_mm:PostOfficeOfAccountZipCode
used by	element manifestMailType/PaymentInformation


element [paymentInformationType/PaymentAccountNumber](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element [paymentInformationType/PaymentMethod](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element [paymentInformationType/CSSCProductID](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element [paymentInformationType/CSSCNumber](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element [paymentInformationType/ProcessingCategory](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/RateIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/Height**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **paymentInformationType/Width**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **paymentInformationType/Length**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ExtraServiceFeeFifthService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ExtraServiceFeeFourthService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **paymentInformationType/ExtraServiceFeeThirdService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **paymentInformationType/ExtraServiceFeeSecondService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ExtraServiceFeeFirstService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **paymentInformationType/ExtraServiceCodeFifthService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ExtraServiceCodeFourthService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **paymentInformationType/ExtraServiceCodeThirdService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ExtraServiceCodeSecondService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ExtraServiceCodeFirstService**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ValueOfArticle**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/CODAmountDueSender**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/HandlingCharge**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/SurchargeType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/SurchargeAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/NonIncidentalEnclosureRateIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/NonIncidentalEnclosureClass**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/NonIncidentalEnclosurePostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/NonIncidentalEnclosureWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/NonIncidentalEnclosureProcessingCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/POBoxIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/SignatureWaiver**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/PostalRoutingBarcode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/OpenDistributeContentsIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/DeliveryOptionIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/DestinationDeliveryPoint**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/DiscountAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/DiscountType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/DimensionalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/Zone**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/DestinationRateInd**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/PieceWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/WeightUnit**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/PostageType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/Postage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/ChargebackCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/MeterSerialNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **paymentInformationType/PostOfficeOfAccountZipCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **PDRMailPieceBlockType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:PackageID mailxml mm:CQTDatabaseID mailxml mm:MailPieceBlock
used by	elements mailPieceCancelType/PDRMailPieceBlock mailPieceRequestType/PDRMailPieceBlock

element **PDRMailPieceBlockType/PackageID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **PDRMailPieceBlockType/CQTDatabaseID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **PDRMailPieceBlockType/MailPieceBlock**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ServiceLevelIndicator mailxml_mm:LOTSequenceDirectionCode mailxml_mm:LOTSequenceNumber mailxml_mm:WalkSequenceNumber mailxml_mm:IMPackageBarcode mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:PlanetCode mailxml_mm:DeliveryPointZIP mailxml_mm:DeliveryContainerID mailxml_mm:DeliveryPointZIP mailxml_mm:IMB mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:ReferenceableMailID mailxml_mm:PieceID mailxml_defs:ExtraServiceData mailxml_mm:WastedPieceIndicator mailxml_mm:MLOCRateANDpostageMarking mailxml_mm:MoveComplianceUpdateMethod mailxml_mm:MailOwner mailxml_mm:BarCodeApplicator mailxml_mm:MachineID mailxml_mm:ACKeyline mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold


complexType **periodicalStatementDataType**




MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm>LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey mailxml_mm:StatementID mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:PostageStatementStatus mailxml_mm:TotalCopies mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalWeight mailxml_mm:MailingAgentData mailxml_mm:PublisherData mailxml_mm:PendingPostageAmount mailxml_mm:MailArrivalDateandTime mailxml_mm:PaymentDateandTime mailxml_mm:StartTheClockDate mailxml_mm:ContainerPostage
used by	element PeriodicalStatementQueryResponse/QueryResults/PeriodicalStatementData


element **periodicalStatementDataType/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/MailClass**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/Origin**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/PostageStatementStatus**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/TotalCopies**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/TotalPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **periodicalStatementDataType/TotalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **periodicalStatementDataType/MailingAgentData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:Address1 mailxml mm:Address2 mailxml mm:City mailxml mm:Country mailxml mm:Email mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData mailxml mm:PhoneAreaCode mailxml mm:PhoneExtension mailxml mm:PhoneLast4 mailxml mm:PhonePrefix mailxml mm:State mailxml mm:ZipCode mailxml mm:ZipCode4

element **periodicalStatementDataType/PublisherData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **periodicalStatementDataType/PendingPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/MailArrivalDateandTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/PaymentDateandTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/StartTheClockDate**

diagram	 A dashed box containing the text <code>mailxml_mm:StartTheClockDate</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **periodicalStatementDataType/ContainerPostage**

diagram	 A diagram showing the <code>mailxml_mm:ContainerPostage</code> element (dashed box) connected to a container element (rounded rectangle). This container is linked to a <code>mailxml_mm:containerPostageType</code> (yellow box). Inside this type box are several elements: <code>mailxml_mm:ContainerID</code> , <code>mailxml_mm:ContainerDetailID</code> , <code>mailxml_mm:Pieces</code> , <code>mailxml_mm:Copies</code> , and a choice element containing <code>mailxml_mm:IMtb</code> , <code>mailxml_mm:IMcb</code> , and <code>mailxml_mm:IMpb</code> .
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


complexType **pieceRangeBlockType**

diagram	 A diagram showing the <code>pieceRangeBlockType</code> complex type (rounded rectangle) connected to a container element (rounded rectangle). This container is linked to a choice element (dashed box) which contains several elements: <code>mailxml_mm:PieceRangeID</code> , <code>mailxml_mm:IMbarcodeLowerSerialization</code> , <code>mailxml_mm:IMbarcodeUpperSerialization</code> , <code>mailxml_mm:MailPreparer</code> , and <code>mailxml_mm:MailOwner</code> . Below the choice element is another choice element (dashed box) containing <code>mailxml_mm:ServiceTypeCode</code> and <code>mailxml_mm:MailClass</code> . Below that are <code>mailxml_mm:ServiceLevelIndicator</code> , <code>mailxml_mm:Pieces</code> (with a 1..∞ cardinality), and <code>mailxml_mm:Copies</code> (with a 1..∞ cardinality).
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PieceRangeID mailxml_mm:IMbarcodeLowerSerialization mailxml_mm:IMbarcodeUpperSerialization mailxml_mm:MailPreparer mailxml_mm:MailOwner mailxml_mm:ServiceTypeCode mailxml_mm:MailClass mailxml_mm:ServiceLevelIndicator mailxml_mm:Pieces mailxml_mm:Copies
used by	elements mailXMLPieceRangeBlockType/PieceRangeBlock mailPieceCancelType/PDRRangePieceBlock/PieceRangeBlock


element **pieceRangeBlockType/PieceRangeID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **pieceRangeBlockType/IMbarcodeLowerSerialization**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MailerID6 mailxml_mm:SerialNumber9 mailxml_mm:MailerID9 mailxml_mm:SerialNumber6


element **pieceRangeBlockType/IMbarcodeLowerSerialization/MailerID6**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **pieceRangeBlockType/IMbarcodeLowerSerialization/SerialNumber9**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **pieceRangeBlockType/IMbarcodeLowerSerialization/MailerID9**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **pieceRangeBlockType/IMbarcodeLowerSerialization/SerialNumber6**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **pieceRangeBlockType/IMbarcodeUpperSerialization**

diagram	
---------	--


MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:MailerID6 mailxml_mm:SerialNumber9 mailxml_mm:MailerID9 mailxml_mm:SerialNumber6


element **pieceRangeBlockType/IMbarcodeUpperSerialization/MailerID6**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:MailerID6" is written in a blue font.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **pieceRangeBlockType/IMbarcodeUpperSerialization/SerialNumber9**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:SerialNumber9" is written in a blue font.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **pieceRangeBlockType/IMbarcodeUpperSerialization/MailerID9**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:MailerID9" is written in a blue font.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **pieceRangeBlockType/IMbarcodeUpperSerialization/SerialNumber6**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:SerialNumber6" is written in a blue font.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **pieceRangeBlockType/MailPreparer**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:MailPreparer" is written in a blue font. To the right of this box is a yellow box labeled "mailxml_defs:participantIDType". Inside this yellow box is a list of attributes: "mailxml_defs:MailerID6", "mailxml_defs:MailerID9", "mailxml_defs:CRID", "mailxml_defs:SchedulerID", "mailxml_defs:MaildatUserLicense", "mailxml_defs:ShippingAgentID", and "mailxml_defs:ReceivingAgentID". Each attribute is enclosed in a dashed box.					
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				

MailXML Version 19.0 Mailing Messages Specification

	mailxml_defs:SchedulerID	mailxml_base:s12
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType
	mailxml_defs:ShippingAgentID	mailxml_base:s12
	mailxml_defs:ReceivingAgentID	mailxml_base:s12

element pieceRangeBlockType/MailOwner

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element pieceRangeBlockType/ServiceTypeCode

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element pieceRangeBlockType/MailClass

diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					


element pieceRangeBlockType/ServiceLevelIndicator


diagram						
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					

element **pieceRangeBlockType/Pieces**

diagram	 A UML diagram showing a rectangular box labeled 'mailxml_mm:Pieces'. To the right of the box is a small triangle pointing to it, with the cardinality '1..∞' written below the triangle.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **pieceRangeBlockType/Copies**

diagram	 A UML diagram showing a rectangular box labeled 'mailxml_mm:Copies'. To the right of the box is a small triangle pointing to it, with the cardinality '1..∞' written below the triangle.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **postageStatementDataType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID mailxml_mm:StatementID mailxml_mm:ConfirmationNumber mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:SpecialFeesAmount mailxml_mm:PostateStatementStatus mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalPostageAmountDue mailxml_mm:TotalWeight mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData mailxml_mm:StartTheClockDate mailxml_mm:ContainerPostage
used by	element PostageStatementQueryResponse/QueryResults/PostageStatementData


element **postageStatementDataType/StatementID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **postageStatementDataType/ConfirmationNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **postageStatementDataType/MailClass**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **postageStatementDataType/Origin**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **postageStatementDataType/SpecialFeesAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **postageStatementDataType/PostateStatementStatus**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **postageStatementDataType/TotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **postageStatementDataType/TotalPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **postageStatementDataType/TotalPostageAmountDue**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **postageStatementDataType/TotalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **postageStatementDataType/PermitHolderData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **postageStatementDataType/MailingOwnerData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **postageStatementDataType/MailingAgentData**

diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:MailingAgentData</code> element. It is a container for the <code>mailxml_mm:mailerDataType</code>, which contains various fields: <code>mailxml_mm:Address1</code>, <code>mailxml_mm:Address2</code>, <code>mailxml_mm:City</code>, <code>mailxml_mm:Country</code>, <code>mailxml_mm:Email</code>, <code>mailxml_mm:MID</code>, <code>mailxml_mm:CRID</code>, <code>mailxml_mm:ContactName</code>, <code>mailxml_mm:PermitPublicationData</code>, <code>mailxml_mm:PhoneAreaCode</code>, <code>mailxml_mm:PhoneExtension</code>, <code>mailxml_mm:PhoneLast4</code>, <code>mailxml_mm:PhonePrefix</code>, <code>mailxml_mm:State</code>, <code>mailxml_mm:ZipCode</code>, and <code>mailxml_mm:ZipCode4</code>. The <code>MailingAgentData</code> element is shown with a dashed border and a plus sign, indicating it is a complex type.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **postageStatementDataType/PermitHolderForAPData**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **postageStatementDataType/StartTheClockDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **postageStatementDataType/ContainerPostage**

diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

complexType qualificationPreparerDataType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9 mailxml_mm:CRID
used by	elements qualificationReportDataType/QualificationReportPreparer qualificationReportSummaryDataType/QualificationReportPreparer

element qualificationPreparerDataType/PermitNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element qualificationPreparerDataType/PermitType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element qualificationPreparerDataType/PermitZip4

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element qualificationPreparerDataType/PublicationNumber

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element qualificationPreparerDataType/MailerID6

diagram	
---------	--

MailXML Version 19.0 Mailing Messages Specification

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

element **qualificationPreparerDataType/MailerID9**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationPreparerDataType/CRID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **qualificationReportDataType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:ZoneMatrixDate
used by	elements QualificationReportCreateRequest/QualificationReport QualificationReportQueryResponse/QueryResults/QualificationReport

element **qualificationReportDataType/DMMSection**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportDataType/BatchManifestIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportDataType/CustomerQualificationReportID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportDataType/CustomerCommitmentAgreementNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportDataType/FormType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **qualificationReportDataType/PreparedDate**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **qualificationReportDataType/QualificationReportPreparer**


diagram	 <p>The diagram shows the structure of the mailxml_mm:QualificationReportPreparer element. It is a container element that contains a complex type mailxml_mm:qualificationPreparerDataType. This complex type is composed of several sub-elements: mailxml_mm:PermitNumber, mailxml_mm:PermitType, mailxml_mm:PermitZip4, mailxml_mm:PublicationNumber, mailxml_mm:MailerID6, mailxml_mm:MailerID9, and mailxml_mm:CRID. The mailxml_mm:CRID element is shown as a dashed box, indicating it is optional. The mailxml_mm:PermitNumber, mailxml_mm:PermitType, and mailxml_mm:PermitZip4 elements are grouped together, indicating they are optional. The mailxml_mm:PublicationNumber element is also optional. The mailxml_mm:MailerID6 and mailxml_mm:MailerID9 elements are grouped together, indicating they are optional. The mailxml_mm:CRID element is shown as a dashed box, indicating it is optional.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9 mailxml_mm:CRID
----------	---


element qualificationReportDataType/PresortSWCompany

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element qualificationReportDataType/PresortSWProduct

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element qualificationReportDataType/PresortSWVersion

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element qualificationReportDataType/LogicalPhysicalBundleIndicator

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element qualificationReportDataType/SoftwareVendorZAPOption

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element qualificationReportDataType/ZoneMatrixDate


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType qualificationReportDetailDataType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

e	
children	mailxml_mm:CustomerQualificationReportID mailxml_defs:ContainerInfoData mailxml_mm:DocumentVersionDataWithPermit
used by	element QualificationReportDetailCreateRequest/QualificationReport


element [qualificationReportDetailDataType/CustomerQualificationReportID](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType [qualificationReportSummaryDataType](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_mm:CustomerQualificationReportID mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:BypassSeamlessAcceptance mailxml_mm:ZoneMatrixDate
used by	element QualificationReportSummaryCreateRequest/QualificationReportSummary

element [qualificationReportSummaryDataType/DMMSection](#)

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/BatchManifestIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/CustomerQualificationReportID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/FormType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/PreparedDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/QualificationReportPreparer**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9 mailxml_mm:CRID


element **qualificationReportSummaryDataType/PresortSWCompany**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/PresortSWProduct**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/PresortSWVersion**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/LogicalPhysicalBundleIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/SoftwareVendorZAPOption**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/BypassSeamlessAcceptance**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **qualificationReportSummaryDataType/ZoneMatrixDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **referenceableMailContentGroupType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReferenceableMailContentType mailxml_mm:ReferenceableMailContentLink
used by	element referenceableMailDataType/ReferenceableMailContentGroup

element **referenceableMailContentGroupType/ReferenceableMailContentType**


diagram	
---------	---

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element referenceableMailContentGroupType/ReferenceableMailContentLink

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType referenceableMailDataType

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailDateStart mailxml_mm:ReferenceableMailDateEnd mailxml_mm:ReferenceableMailContentGroup
used by	elements QualificationReportDetailCreateRequest/ReferenceableMailData mailPieceRequestType/ReferenceableMailData


element referenceableMailDataType/ReferenceableMailID

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element referenceableMailDataType/TemplateCode

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element referenceableMailDataType/ReferenceableMailDateStart

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element referenceableMailDataType/ReferenceableMailDateEnd

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **referenceableMailDataType/ReferenceableMailContentGroup**

diagram	 <p>The diagram shows the mailxml_mm:ReferenceableMailContentGroupType element. It is a container for two child elements: mailxml_mm:ReferenceableMailContentType and mailxml_mm:ReferenceableMailContentLink. The container is represented by a dashed box with a connector to the children. The cardinality is 0..∞.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ReferenceableMailContentType mailxml_mm:ReferenceableMailContentLink


complexType **sackTrayContainerRecordType**

diagram	 <p>The diagram shows the sackTrayContainerRecordType complex type. It contains several child elements: mailxml_mm:PublicationInfo (required, indicated by a plus sign), mailxml_mm:PublicationTitle, mailxml_mm:PostageStatementLineNumber, mailxml_mm:ChargeableContainerLevel, mailxml_mm:ChargeableEntryLevel, mailxml_mm:Containers, mailxml_mm:IssueDate, mailxml_mm:IssueNumber, and mailxml_mm:VolumeNumber. The container is represented by a solid box with a connector to the children.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleSummaryRecords/SackTrayContainerRecord


element **sackTrayContainerRecordType/PublicationInfo**

diagram	 <p>The diagram shows the mailxml_mm:PublicationInfo element. It is a container for two child elements: mailxml_defs:PermitPublicationDataType and mailxml_defs:PaymentAccountNumber. The container is represented by a solid box with a connector to the children. The mailxml_defs:PermitPublicationDataType element is further detailed in the children section.</p>
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **sackTrayContainerRecordType/PublicationTitle**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerRecordType/PostageStatementLineNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerRecordType/ChargeableContainerLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerRecordType/ChargeableEntryLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerRecordType/Containers**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerRecordType/IssueDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **sackTrayContainerRecordType/IssueNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **sackTrayContainerRecordType/VolumeNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **sackTrayContainerVersionRecordType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleVersionRecords/SackTrayContainerVersionRecord

element **sackTrayContainerVersionRecordType/PublicationInfo**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **sackTrayContainerVersionRecordType/PublicationTitle**


diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **sackTrayContainerVersionRecordType/PostageStatementLineNumber**


diagram	
---------	--

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---


element **sackTrayContainerVersionRecordType/ChargeableContainerLevel**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:ChargeableContainerLevel" is written in a monospace font. To the left of the box, there is a small icon consisting of three horizontal lines of increasing length, resembling a list or a stack.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerVersionRecordType/ChargeableEntryLevel**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:ChargeableEntryLevel" is written in a monospace font. To the left of the box, there is a small icon consisting of three horizontal lines of increasing length, resembling a list or a stack.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerVersionRecordType/Containers**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:Containers" is written in a monospace font. To the left of the box, there is a small icon consisting of three horizontal lines of increasing length, resembling a list or a stack.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **sackTrayContainerVersionRecordType/IssueDate**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:IssueDate" is written in a monospace font. To the left of the box, there is a small icon consisting of three horizontal lines of increasing length, resembling a list or a stack.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **sackTrayContainerVersionRecordType/IssueNumber**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:IssueNumber" is written in a monospace font. To the left of the box, there is a small icon consisting of three horizontal lines of increasing length, resembling a list or a stack.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **sackTrayContainerVersionRecordType/VolumeNumber**

diagram	 A diagram showing a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:VolumeNumber" is written in a monospace font. To the left of the box, there is a small icon consisting of three horizontal lines of increasing length, resembling a list or a stack.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **specialProductInformationType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:ElectronicFileDetailRecordID mailxml_mm:IMpb mailxml_mm:RecipientName mailxml_mm:DeliveryAddress mailxml_mm:State mailxml_mm:City mailxml_mm:DeliveryZip mailxml_mm:DeliveryZipPlusFour mailxml_mm:RecipientEmailAddress mailxml_mm:SenderName mailxml_mm:SenderEmailAddress mailxml_mm:SenderSMSNumber mailxml_mm:RecipientSMSNumber
used by	element manifestMailType/SpecialProductInformation

element **specialProductInformationType/ElectronicFileDetailRecordID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **specialProductInformationType/IMpb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/RecipientName**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/DeliveryAddress**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/State**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/City**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/DeliveryZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/DeliveryZipPlusFour**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/RecipientEmailAddress**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/SenderName**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/SenderEmailAddress**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/SenderSMSNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **specialProductInformationType/RecipientSMSNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **STCForContainerOrTrayType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:StartTheClockDate mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


element **STCForContainerOrTrayType/StartTheClockDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **STCForContainerOrTrayType/IMtb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **STCForContainerOrTrayType/IMcb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **STCForContainerOrTrayType/IMpb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **summaryRecordUpdateType**

diagram




namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml mm:FullContainerID mailxml mm:PhysicalPostalCodeEntryPoint mailxml mm:EntryPointEDPostalCode mailxml mm:EntryPointEDFacilityType mailxml mm:DestinationZip mailxml mm:EntryPointFacilityType mailxml mm:EntryPointZip mailxml mm:EntryLocaleKey mailxml mm:EntryPointADLocaleKey mailxml mm:EntryPointADPostalCode mailxml mm:ContainerGroupingDescription mailxml mm:MailOwnerCRID mailxml mm:ParentContainerRefID mailxml mm:SiblingContainerID mailxml mm:TruckDispatchNumber mailxml mm:StopDesignator mailxml mm:ReservationNumber mailxml mm:CarrierID mailxml mm:ContainerShipDate mailxml mm:ContainerShipTime mailxml mm:ScheduledShipDate mailxml mm:ScheduledShipTime mailxml mm:ScheduledShipDateTime mailxml mm:ActualContainerShipDate mailxml mm:ActualContainerShipTime mailxml mm:ScheduledContainerPickupDate mailxml mm:ScheduledContainerPickupTime mailxml mm:ScheduledInductionDateTime mailxml mm:ActualContainerPickupDate mailxml mm:ActualContainerPickupTime mailxml mm:ContainerAcceptanceDate mailxml mm:ContainerAcceptanceTime mailxml mm:ScheduledInHomeDate mailxml mm:AdditionalInHomeRange mailxml mm:ScheduledInductionDate mailxml mm:ScheduledInductionTime mailxml mm:ActualInductionDate mailxml mm:ActualInductionTime mailxml mm:PostageStatementMailingDate mailxml mm:PostageStatementMailingTime mailxml mm:TruckAndDispatchNumber mailxml mm:ContainerReadyToPayTransactionID mailxml mm:TransportationCarrierID mailxml mm:CSATripID mailxml mm:CSADispatchNumber mailxml mm:CSAID mailxml mm:CSADispatchTime mailxml mm:InternalDate mailxml mm:TotalWeight mailxml mm:UniqueContainerID mailxml mm:ContainerStatus mailxml mm:TransShipBoLNumber mailxml mm:PostageGroupingID mailxml mm:ContainerHeightSource mailxml mm:TransportDUNSNumber mailxml mm:IMBarcode mailxml mm:IMpb mailxml mm:ContainerBarcode mailxml mm:UserInformationLine1 mailxml mm:UserInformationLine2 mailxml mm:ConsigneeContentID mailxml mm:FASTSchedulerID mailxml mm:CarrierRouteNumber mailxml mm:CinCode mailxml mm:ParentContainerID mailxml defs:ContainerDetailData mailxml mm:ContainerDisplayName mailxml mm:ContainerType mailxml mm:ProcessingCategory mailxml mm:IncludedInOtherDoc mailxml mm:SiblingContainerID mailxml mm:SortationLevel mailxml mm:OverflowIndicator mailxml mm:SupplementalPhysicalContainerID mailxml mm:USPSPickup mailxml mm:TotalWeightOfContainer mailxml mm:AdditionalTrayPostageAmount mailxml mm:eInductionIndicator mailxml mm:ReadyForSASP mailxml mm:AcceptMisshipped mailxml mm:LabelDestLine1 mailxml mm:LabelDestLine2 mailxml mm:LabelContentLine1 mailxml mm:LabelContentLine2 mailxml mm:LabelEntryOriginPointLine mailxml mm:LabelUserInfoLine1 mailxml mm:LabelUserInfoLine2 mailxml mm:LabelContLabelCINCode mailxml mm:LabelContLabelType mailxml mm:PresortLabelingListEffectiveDate mailxml mm>LastUsedLabelingListEffectiveDate mailxml mm:PresortCityStatePublicationDate mailxml mm>LastUsedCityStatePublicationDate mailxml mm:PresortZoneChartMatrixPublicationDate mailxml mm>LastUsedZoneChartMatrixPublicationDate mailxml mm>LastUsedMailDirectionPublicationDate
used by	element ContainerUpdateRequest/SummaryRecordUpdate


element **summaryRecordUpdateType/FullContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb


element **summaryRecordUpdateType/PhysicalPostalCodeEntryPoint**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/EntryPointEDPostalCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/EntryPointEDFacilityType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/DestinationZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/EntryPointFacilityType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/EntryPointZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/EntryLocaleKey**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/EntryPointADLocaleKey**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/EntryPointADPostalCode**

diagram	 The diagram shows the element <code>mailxml_mm:EntryPointADPostalCode</code> in a solid rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerGroupingDescription**

diagram	 The diagram shows the element <code>mailxml_mm:ContainerGroupingDescription</code> in a dashed rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/MailOwnerCRID**

diagram	 The diagram shows the element <code>mailxml_mm:MailOwnerCRID</code> in a dashed rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ParentContainerRefID**

diagram	 The diagram shows the element <code>mailxml_mm:ParentContainerRefID</code> in a dashed rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/SiblingContainerID**

diagram	 The diagram shows the element <code>mailxml_mm:SiblingContainerID</code> in a dashed rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/TruckDispatchNumber**

diagram	 The diagram shows the element <code>mailxml_mm:TruckDispatchNumber</code> in a dashed rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/StopDesignator**

diagram	 The diagram shows the element <code>mailxml_mm:StopDesignator</code> in a dashed rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ReservationNumber**

diagram	 The diagram shows the element <code>mailxml_mm:ReservationNumber</code> in a dashed rectangular box with a dashed border and a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/CarrierID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerShipDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerShipTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ScheduledShipDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ScheduledShipTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ScheduledShipDateTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ActualContainerShipDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ActualContainerShipTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/SchdeuledContainerPickupDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ScheduledContainerPickupTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ScheduledInductionDateTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ActualContainerPickupDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ActualContainerPickupTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerAcceptanceDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerAcceptanceTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ScheduledInHomeDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/AdditionalInHomeRange**

diagram	 A diagram showing the element <code>mailxml_mm:AdditionalInHomeRange</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ScheduledInductionDate**

diagram	 A diagram showing the element <code>mailxml_mm:ScheduledInductionDate</code> in a solid box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **summaryRecordUpdateType/ScheduledInductionTime**

diagram	 A diagram showing the element <code>mailxml_mm:ScheduledInductionTime</code> in a solid box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ActualInductionDate**

diagram	 A diagram showing the element <code>mailxml_mm:ActualInductionDate</code> in a solid box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ActualInductionTime**

diagram	 A diagram showing the element <code>mailxml_mm:ActualInductionTime</code> in a solid box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/PostageStatementMailingDate**

diagram	 A diagram showing the element <code>mailxml_mm:PostageStatementMailingDate</code> in a solid box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/PostageStatementMailingTime**

diagram	 A diagram showing the element <code>mailxml_mm:PostageStatementMailingTime</code> in a solid box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/TruckAndDispatchNumber**

diagram	 A diagram showing the element <code>mailxml_mm:TruckAndDispatchNumber</code> in a dashed box with a small icon to the left.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerReadyToPayTransactionID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/TransportationCarrierID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/CSATripID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/CSADispatchNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/CSAID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/CSADispatchTime**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/InternalDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/TotalWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/UniqueContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerStatus**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/TransShipBoLNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/PostageGroupingID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerHeightSource**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/TransportDUNSNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/IMBarcode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/IMpb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerBarcode**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:ContainerBarcode'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/UserInformationLine1**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:UserInformationLine1'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/UserInformationLine2**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:UserInformationLine2'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ConsigneeContentID**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:ConsigneeContentID'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/FASTSchedulerID**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:FAST SchedulerID'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/CarrierRouteNumber**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:CarrierRouteNumber'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/CinCode**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:CinCode'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ParentContainerID**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:ParentContainerID'. To the left of the box is a small icon consisting of three horizontal lines of increasing height, resembling a barcode.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerDisplayName**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ContainerType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ProcessingCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/IncludedInOtherDoc**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/SiblingContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/SortationLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/OverflowIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/SupplementalPhysicalContainerID**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/USPSPickup**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/TotalWeightOfContainer**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/AdditionalTrayPostageAmount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/eInductionIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/ReadyForSASP**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/AcceptMisshipped**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelDestLine1**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelDestLine2**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelContentLine1**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelContentLine2**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelEntryOriginPointLine**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelUserInfoLine1**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelUserInfoLine2**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelContLabelCINCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LabelContLabelType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/PresortLabelingListEffectiveDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LastUsedLabelingListEffectiveDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **summaryRecordUpdateType/PresortCityStatePublicationDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/LastUsedCityStatePublicationDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryRecordUpdateType/PresortZoneChartMatrixPublicationDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **summaryRecordUpdateType/LastUsedZoneChartMatrixPublication**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **summaryRecordUpdateType/LastUsedMailDirectionPublicationDate**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

complexType **summaryZipDestinationReportType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:DestinationZip mailxml_mm:ProcessingCategory mailxml_mm:PostagePaymentMethod mailxml_mm:MLOCRRateType mailxml_mm:Weight mailxml_mm:RateAffixed mailxml_mm:NumberOfPieces mailxml_mm:NumberOfPiecesDifference mailxml_mm:PostageAffixed mailxml_mm:CumulativePostageAffixed mailxml_mm:TotalPostage mailxml_mm:NetPostageDue mailxml_mm:CumulativePostageDue mailxml_mm:RunningTotalPieces mailxml_mm:SortationLevel
used by	element SummaryZipDestinationReportCreateRequest/SummaryZipDestinationReport

element **summaryZipDestinationReportType/DestinationZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/ProcessingCategory**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/PostagePaymentMethod**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/MLOCRRateType**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:MLOCRRateType'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/Weight**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:Weight'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/RateAffixed**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:RateAffixed'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/NumberOfPieces**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:NumberOfPieces'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/NumberOfPiecesDifference**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:NumberOfPiecesDifference'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/PostageAffixed**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:PostageAffixed'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/CumulativePostageAffixed**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:CumulativePostageAffixed'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/TotalPostage**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:TotalPostage'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/NetPostageDue**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **summaryZipDestinationReportType/CumulativePostageDue**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **summaryZipDestinationReportType/RunningTotalPieces**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **summaryZipDestinationReportType/SortationLevel**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


complexType **tMSDataLoggerDetailType**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
children	mailxml_mm:Date mailxml_mm:TimeStamp mailxml_mm:OperatingMode mailxml_mm:IMtb mailxml_mm:ErrorCode mailxml_mm:IndexNumber mailxml_mm:DestOrVia mailxml_mm:RouteAssignment mailxml_mm:GrossTrayWeight mailxml_mm:TransportationMode mailxml_mm:UniqueTrayIdentifier mailxml_mm:TrayTypeIndicator mailxml_mm:LowTareWeight mailxml_mm:ManifestWeight mailxml_mm:HighTareWeight mailxml_mm:ManifestPostage mailxml_mm:AssignedSort mailxml_mm:SAMSQuery mailxml_mm:DNRTTrayBarcode mailxml_mm:IMcb mailxml_mm:ContainerTrayCount mailxml_mm:DestinationZip mailxml_mm:EntryLocaleKey
used by	elements TMSDataLoggerDelivery/TMSDataLoggerDetail/TMSDataDetailBlock TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/TMSDataDetailBlock


element **tMSDataLoggerDetailType/Date**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/TimeStamp**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/OperatingMode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/IMtb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/ErrorCode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/IndexNumber**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/DestOrVia**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/RouteAssignment**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/GrossTrayWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/TransportationMode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/UniqueTrayIdentifier**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/TrayTypeIndicator**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/LowTareWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/ManifestWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/HighTareWeight**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/ManifestPostage**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/AssignedSort**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/SAMSQuery**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/DNRTrayBarcode**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/IMcb**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm


element **tMSDataLoggerDetailType/ContainerTrayCount**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **tMSDataLoggerDetailType/DestinationZip**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

element **tMSDataLoggerDetailType/EntryLocaleKey**

diagram	
namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm

simpleType **agencyCostCodeType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm	
used by	elements	abstractInternationalPostageStatementDataType/AgencyCostCode abstractPeriodicalStatementDataType/AgencyCostCode abstractPostageStatementDataType/AgencyCostCode
	attribute	MailXMLPostageStatementRequestHeaderInfo/@AgencyCostCode

simpleType **BRMFeeType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm	
used by	element	invoiceSummaryDataType/BRMFee

simpleType **BRMType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm	
-----------	---	--

used by	element invoiceSummaryDataType/BRMType
---------	--

simpleType chargeableBundleLevelType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements PeriodicalLinItemData/ChargeableBundleLevel bundleRecordType/ChargeableBundleLevel bundleVersionRecordType/ChargeableBundleLevel

simpleType chargeableContainerLevelType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements PeriodicalLinItemData/ChargeableContainerLevel PostageStatementLinItemData/ChargeableContainerLevel bundleRecordType/ChargeableContainerLevel bundleVersionRecordType/ChargeableContainerLevel palletContainerRecordType/ChargeableContainerLevel palletContainerVersionRecordType/ChargeableContainerLevel sackTrayContainerRecordType/ChargeableContainerLevel sackTrayContainerVersionRecordType/ChargeableContainerLevel

simpleType chargeableContainerType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element PeriodicalLinItemData/ChargeableContainerType

simpleType chargeableEntryLevelType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements PeriodicalLinItemData/ChargeableEntryLevel palletContainerRecordType/ChargeableEntryLevel palletContainerVersionRecordType/ChargeableEntryLevel sackTrayContainerRecordType/ChargeableEntryLevel sackTrayContainerVersionRecordType/ChargeableEntryLevel

simpleType containerBundleStatusType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ContainerBundleStatus

simpleType directOrMixedCategoryType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements InternationalPostageStatementLinItemSummaryData/DirectOrMixedCategory InternationalPostageStatementLinItemData/DirectOrMixedCategory

simpleType DMLTypeType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element abstractPostageStatementDataType/DMLType

simpleType entryDiscountType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements bundleDetailType/DestinationEntry PostageStatementLinItemData/EntryDiscount invoiceLinItemDataType/EntryDiscount

simpleType errorWarningCodeType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

used by	element manifestErrorWarningDetailType/ErrorWarningCode
---------	---

simpleType fspiType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements InternationalPostageStatementLineItemData/FullServiceParticipationIndicator PeriodicalLineItemData/FullServiceParticipationIndicator PostageStatementLineItemData/FullServiceParticipationIndicator invoiceLineItemDataType/FullServiceParticipationIndicator mailingGroupDataType/FullServiceParticipationIndicator

simpleType gpExtraServiceTypeType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements DocumentVersionDataWithPermit/GpExtraServiceType DocumentVersionData/GpExtraServiceType

simpleType internationalPSPartSectionType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements InternationalPostageStatementLineItemSummaryData/PostageStatementPartsSection InternationalPostageStatementLineItemData/PostageStatementPartsSection

simpleType internationalPSPartType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements InternationalPostageStatementLineItemSummaryData/PostageStatementPart InternationalPostageStatementLineItemData/PostageStatementPart

simpleType internationalZoneType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element manifestMailPieceSummaryType/InternationalZone

simpleType invoiceStatusType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element accountHeaderInfoBlockType/Status

simpleType manifestExtraServiceCode

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element manifestMailPieceType/SpecialService

simpleType manifestMailClassType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements manifestMailPieceSummaryType/ClassOfMail paymentInformationType/NonIncidentalEnclosureClass

simpleType manifestRateLevelIndicatorType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements paymentInformationType/DestinationRateInd paymentInformationType/NonIncidentalEnclosureRateIndicator

simpleType manifestType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

used by	element ManifestCreateRequest/InternationalOrDomestic
---------	---

simpleType onePassOrTwoPassType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements CustomerMailReportCreateRequest/OnePassOrTwoPass SummaryZipDestinationReportCreateRequest/OnePassOrTwoPass

simpleType periodicalPriceType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element PeriodicalLineItemData/PeriodicalPrice

simpleType postageAutoFinalizationType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements abstractPeriodicalStatementDataType/PostageAutoFinalization abstractPostageStatementDataType/PostageAutoFinalization

simpleType postagePaymentMethodType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements paymentInformationType/PaymentMethod abstractInternationalPostageStatementDataType/PostagePaymentMethod abstractPeriodicalStatementDataType/PostagePaymentMethod abstractPostageStatementDataType/PostagePaymentMethod summaryZipDestinationReportType/PostagePaymentMethod attribute MailXMLPostageStatementRequestHeaderInfo/@PostageStatementMethod

simpleType priceType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements InternationalPostageStatementLineItemSummaryData/PriceType InternationalPostageStatementLineItemData/PriceType PostageStatementLineItemData/PriceType LineItemSummaryData/PriceType invoiceLineItemData/PriceType

simpleType rateCategoryType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	elements InternationalPostageStatementLineItemSummaryData/RateCategory InternationalPostageStatementLineItemData/RateCategory PeriodicalLineItemData/RateCategory PostageStatementLineItemData/RateCategory QualificationSummaryReport/RateCategory LineItemSummaryData/RateCategory invoiceLineItemData/RateCategory

simpleType referenceableMailContentTypeType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element referenceableMailContentGroupType/ReferenceableMailContentType

simpleType residualPrepType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
used by	element abstractPostageStatementDataType/FCMLtrResidualPrepIndicator

simpleType trayTypeIndicatorType

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

used by	element tMSDataLoggerDetailType/TrayTypeIndicator
---------	---

attributeGroup ContainerManifestHeaderInfo

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements	ContainerManifestCancelRequest ContainerManifestCreateRequest ContainerManifestUpdateRequest ContainerManifestCancelResponse/ContainerManifestCancelAccept ContainerManifestCancelResponse/ContainerManifestCancelReject ContainerManifestCreateResponse/ContainerManifestCreateAccept ContainerManifestCreateResponse/ContainerManifestCreateReject ContainerManifestUpdateResponse/ContainerManifestUpdateAccept ContainerManifestUpdateResponse/ContainerManifestUpdateReject				
attributes	Name	Type	Us e	Defaul t	Fixe d	Annotatio n
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaidatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				

attribute ContainerManifestHeaderInfo/@CustomerGroupID

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute ContainerManifestHeaderInfo/@MailingGroupID

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute ContainerManifestHeaderInfo/@MaidatJobID

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute ContainerManifestHeaderInfo/@UserLicenseCode

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute ContainerManifestHeaderInfo/@ConsigneeContentID

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute ContainerManifestHeaderInfo/@ConsigneeApptID

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute ContainerManifestHeaderInfo/@ScheduleDateTime

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup MailXMLDashboardHeaderInfo

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm				
used by	elements	PostageStatementStatusQueryRequest PostageStatementStatusQueryResponse ReconciliationReportQueryRequest ReconciliationReportQueryResponse			

MailXML Version 19.0 Mailing Messages Specification

attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			

attribute **MailXMLDashboardHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLDashboardHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLMailGroupRequestHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements	CloseMailingGroupRequest MailingGroupQueryRequest				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			

attribute **MailXMLMailGroupRequestHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLMailGroupRequestHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLMailGroupResponseHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements	MailingGroupQueryResponse CloseMailingGroupResponse/CloseMailingGroupAccept CloseMailingGroupResponse/CloseMailingGroupReject				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

attribute **MailXMLMailGroupResponseHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLMailGroupResponseHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLMailGroupResponseHeaderInfo/@Status**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLOpenMailGroupRequestHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	element	OpenMailingGroupRequest				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			

attribute **MailXMLOpenMailGroupRequestHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLOpenMailGroupResponseAcceptHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	element OpenMailingGroupResponse/OpenMailingGroupAccept					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

attribute **MailXMLOpenMailGroupResponseAcceptHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLOpenMailGroupResponseAcceptHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLOpenMailGroupResponseAcceptHeaderInfo/@Status**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLOpenMailGroupResponseRejectHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	element OpenMailingGroupResponse/OpenMailingGroupReject					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:Status	mailxml_base:statusType				

attribute **MailXMLOpenMailGroupResponseRejectHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLOpenMailGroupResponseRejectHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLOpenMailGroupResponseRejectHeaderInfo/@Status**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLPostageStatementRequestHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements BeginCombinedMailingRequest ConsolidatedPeriodicalStatementCreateRequest EndCombinedMailingRequest InternationalPostageStatementCreateRequest InternationalPostageStatementQueryRequest PeriodicalStatementCreateRequest PeriodicalStatementQueryRequest PostageStatementCancelRequest PostageStatementCreateRequest PostageStatementQueryRequest					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			

mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required
mailxml_mm:IssueDate	xs:date	
mailxml_mm:IssueNumber	mailxml_base:s06	
mailxml_mm:VolumeNumber	mailxml_base:s05	
mailxml_mm:CustomerReferenceID	mailxml_base:s40	
mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType	
mailxml_mm:PermitNumber	mailxml_base:s08	
mailxml_mm:PermitType	mailxml_base:permitTypeType	
mailxml_mm:PermitZip4	mailxml_base:ns09	
mailxml_mm:PublicationNumber	mailxml_base:s08	
mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType	
mailxml_mm:RateType	mailxml_base:rateType	
mailxml_mm:ProcessingCategory	mailxml_base:processingCategoryType	

attribute **MailXMLPostageStatementRequestHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@IssueDate**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@IssueNumber**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@VolumeNumber**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@CustomerReferenceID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@AgencyCostCode**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@PermitNumber**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@PermitType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@PermitZip4**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@PublicationNumber**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@PostageStatementMethod**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@RateType**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementRequestHeaderInfo/@ProcessingCategory**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLPostageStatementResponseHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements	InternationalPostageStatementQueryResponse ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateReject InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateReject PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept PeriodicalStatementCreateResponse/PeriodicalStatementCreateReject PostageStatementCreateResponse/PostageStatementCreateAccept PostageStatementCreateResponse/PostageStatementCreateReject ManifestPaymentExtractQueryResponse PeriodicalStatementQueryResponse PostageStatementQueryResponse				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

attribute **MailXMLPostageStatementResponseHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementResponseHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLPostageStatementResponseHeaderInfo/@Status**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLQualReportRequestHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements	QualificationReportCreateRequest QualificationReportDetailCreateRequest QualificationReportSummaryCreateRequest				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Replace	mailxml_base:yesNo				

	mailxml_mm:MixedMailFlag	mailxml_base:yesNo	required
	mailxml_mm:TotalMessageCount	xs:nonNegativeInteger	optional
	mailxml_mm:TotalDocVersionWithPermitBlocksCount	xs:nonNegativeInteger	required
	mailxml_mm:LastMessage	mailxml_base:yesNo	

attribute **MailXMLQualReportRequestHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportRequestHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportRequestHeaderInfo/@Replace**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportRequestHeaderInfo/@MixedMailFlag**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportRequestHeaderInfo/@TotalMessageCount**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportRequestHeaderInfo/@TotalDocVersionWithPermitBlocksCount**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportRequestHeaderInfo/@LastMessage**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **MailXMLQualReportResponseHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements	QualificationReportCreateResponse/QualificationReportCreateAccept QualificationReportCreateResponse/QualificationReportCreateReject QualificationReportDetailCreateResponse/QualificationReportDetailCreateAccept QualificationReportDetailCreateResponse/QualificationReportDetailCreateReject QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateAccept QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateReject				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			

attribute **MailXMLQualReportResponseHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportResponseHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **MailXMLQualReportResponseHeaderInfo/@MessageSequenceNumber**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **ManifestScanHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:ShipperContainerManifestID	xs:nonNegativeInteger				
	mailxml_mm:ConsigneeContainerManifestID	xs:nonNegativeInteger				
	mailxml_mm:MaidatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				

attribute **ManifestScanHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@ShipperContainerManifestID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@ConsigneeContainerManifestID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@MaidatJobID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@UserLicenseCode**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@ConsigneeContentID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@ConsigneeApptID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **ManifestScanHeaderInfo/@ScheduleDateTime**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attributeGroup **PostageMessageHeaderInfo**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm					
used by	elements	PaymentMessageQueryRequest PaymentMessageQueryResponse				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			

attribute **PostageMessageHeaderInfo/@CustomerGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

attribute **PostageMessageHeaderInfo/@MailingGroupID**

namespace	http://idealliance.org/Specs/mailxml19.0/mailxml_mm
-----------	---

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor <http://www.altova.com/xmlspy>